

MEDI-FIRST NON-ASPIRIN EXTRA STRENGTH- acetaminophen tablet, film coated
Proficient Rx LP

Acetaminophen 500 mg

Drug Facts

Active ingredient (in each tablet)

Acetaminophen 500 mg

Purpose

Pain reliever/fever reducer

Uses

For the temporary relief of minor aches and pains associated with

- headache
- toothache
- minor arthritis pain
- muscular aches
- common cold
- menstrual cramps

For the reduction of fever.

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take:

- more than 8 tablets in 24 hours, which is the maximum daily amount
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Allergy alert:

Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- for more than 10 days for pain unless directed by a doctor
- for more than 3 days for fever unless directed by a doctor

Ask a doctor before use if you have

- liver disease

Ask a doctor or pharmacist before use if

- you are taking the blood thinning drug warfarin

Stop using and ask a doctor if

- symptoms do not improve
- pain or fever persists or gets worse
- new symptoms occur
- redness or swelling is present

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children. In case of accidental overdose, get medical help or contact a Poison Control Center right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

- **do not use more than directed**

Adults and children: (12 years and older)

Take 2 tablets every 4 to 6 hours as needed. Do not take more than 8 tablets in 24 hours.

Children under 12 years:

Do not give this adult strength product to children under 12 years of age;

this will provide more than the recommended dose (overdose) and may cause liver damage.

Other information

- store at room temperature 59°-86°F (15°-30°C)
- tamper-evident sealed packets
- do not use any opened or torn packets

Inactive ingredients

corn starch, hypromellose, maltodextrin*, microcrystalline cellulose*, polyethylene glycol, povidone*, pregelatinized corn starch*, sodium starch glycolate*, stearic acid, titanium dioxide*

* *May contain*

Questions or comments? 1-800-634-7680

Medi-First Plus XS Non-Aspirin Label

4 Tablets

Extra Strength

Non-Aspirin

Acetaminophen/Acetaminofeno 500mg

Pull To Open

Tire Para Abrir

Pain Reliever/Fever Reducer

Alivia el Dolor/Reduce La Fiebre

Compare Active ingredient to:

Extra Strength Tylenol®

Registered Trademark of McNeil Consumer

Tamper Evident Unit Dose Packets

Empaquetado con sellado

Evidente en dosis unitarias

Relabeled by:

Proficient Rx LP

Thousand Oaks, CA 91320



Scan Here



NDC 71205-314-04

Relabeled By Proficient Rx LP
Thousand Oaks, CA 91320

Extra Strength Non-Aspirin 500mg
#04 Tablets
Lot #:00000 SN# MASTER
NDC 71205-314-04 Exp:00/00/00

Extra Strength Non-Aspirin 500mg
#04 Tablets
Lot #:00000 SN# MASTER
NDC 71205-314-04 Exp:00/00/00

Extra Strength Non-Aspirin 500mg
#04 Tablets
Lot #:00000 SN# MASTER
NDC 71205-314-04 Exp:00/00/00



GTIN: 00371205314040
SN# MASTER
Exp. 00/00/00
Lot #:00000



Extra Strength Non-Aspirin 500mg

#04 Tablets

Each tablet contains: Acetaminophen 500mg
Pain reliever/ fever reducer

White, round, unscored tablet with imprint code "AZ 235"

Product ID: SA031404

Mfr. For: Medique Products Fort Myers, FL 33967

Store at room temperature 59°-86°F (15°-30°C)

Keep medication out of the reach of children

MEDI-FIRST NON-ASPIRIN EXTRA STRENGTH

acetaminophen tablet, film coated

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:71205-314(NDC:47682-804)
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	500 mg

Inactive Ingredients

Ingredient Name	Strength
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ05DW1A)	
POVIDONE, UNSPECIFIED (UNII: FZ989GH94E)	
SODIUM STARCH GLYCOLATE TYPE A POTATO (UNII: 5856J3G2A2)	
STARCH, CORN (UNII: O8232NY3SJ)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	

Product Characteristics

Color	white (white)	Score	no score
Shape	ROUND (ROUND)	Size	12mm
Flavor		Imprint Code	AZ;235

Contains**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:71205-314-04	4 in 1 PACKET; Type 0: Not a Combination Product	09/01/2019	
2	NDC:71205-314-08	8 in 1 PACKET; Type 0: Not a Combination Product	02/05/2020	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	12/30/2008	

Labeler - Proficient Rx LP (079196022)**Establishment**

Name	Address	ID/FEI	Business Operations
Proficient Rx LP		079196022	REPACK(71205-314) , RELABEL(71205-314)

Revised: 1/2024

Proficient Rx LP