ARTEC- heptanoic acid solution Ecolab Inc.

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

CAUTION! | PRECAUTIÓN!

KEEP OUT OF REACH OF CHILDREN | MANTÉNGASE FUERA DEL ALCANCE DE LOS NIÑOS

FOR INDUSTRIAL USE ONLY - NOT FOR HOUSEHOLD USE | PARA USO INDUSTRIAL SOLAMENTE - NO ES PARA USO DOMESTICO

NOT FOR HUMAN USE. | NO ES PARA USO HUMANO.

Read other label for directions for use, first aid and precautionary statements Lea la otra etiqueta para direcciones de uso, primeros auxilios y medidas preventivas

CAUTION

Ultra Conditioning Teat Dip FOR INDUSTRIAL USE ONLY DIRECTIONS:

IMPORTANT: Do not mix Artec with water, any other teat dips, or other products unless specified in the product use instructions. If transferred from this container to any other, make sure that the other container is thoroughly pre-cleaned and bears the proper container labeling for Artec.

If product in dip cup becomes visibly dirty, discard contents and replenish with undiluted product. Do not reuse or return any unused product to the original container.

Before Milking: Wash teats thoroughly just prior to next milking with appropriate udder wash solution or pre-milking teat dip to avoid contamination of milk. Teats should then be dried with single-service towels. Use proper procedures for udder washing or pre-dipping. **Pre-Milk Dipping:** Fill teat dip cup with pre-milking teat dip. Do not dilute. Before each

cow is milked, dip each teat full-length into the teat dip cup. Wipe teats dry after dipping using single-service towels to avoid contamination of milk.

Post-Milk Dipping: Immediately after each milking, dip each teat full-length into the teat dip cup containing the product. Allow to air dry. Do not wipe. Always use fresh, full strength Artec. Do not turn cows out in freezing weather until Artec is completely dry.

Expanded Usage: When freshening cows, begin dipping teats twice daily for about 10 days before calving.

PRECAUTION: Artec is not intended to cure or help the healing of chapped or irritated teats. As with any germicide, irritation or sensitization may occur in sensitive animals. In case of teat irritation or chapping, have the condition examined and, if necessary, treated by a veterinarian.

Consult your Ecolab representative for specific use instructions and recommended dispensing equipment.

KEEP OUT OF REACH OF CHILDREN CAUTION!

MAY CAUSE EYE AND SKIN IRRITATION, Use suitable protective equipment. Wash thoroughly after handling.

FIRST AID

Eye Contact: In case of contact, immediately flush eyes with plenty of water. Remove contact lenses and flush again. Get medical attention if irritation persists.

Skin Contact: In case of contact, immediately flush skin with plenty of water. Remove

contaminated clothing and shoes. Get medical attention if irritation persists. Wash clothing before reuse. Clean shoes thoroughly before reuse.

Inhalation: No special measures required. Treat symptomatically.

Ingestion: Get medical attention if symptoms occur.

READ MATERIAL SAFETY DATA SHEET (MSDS) BEFORE USING THIS PRODUCT EMERGENCY HEALTH INFORMATION: 1 800 328 0026. If located outside the United

States and Canada, call collect 1 651 222 5352 (number is in the US).

PRINCIPAL DISPLAY PANEL/REPRESENTATIVE LABEL

ECOLAB®

ArtecTM

Ultra Conditioning Teat Dip

Sellador de pezones con ultra acondicionamiento

- An aid in reducing the spread of organisms which may cause mastitis | Ayuda a evitar la proliferación de organismos que pueden causar mastitis
- Contains an emollient system (glycerin, lanolin and propylene glycol) 78% | Contiene un sistema emoliente (glicerina, lanolina y glicol propileno) 78%

ACTIVE INGREDIENT:

| Heptanoic acid | 1.5% |
|--------------------|--------|
| INERT INGREDIENTS: | |
| TOTAL: | 100.0% |

18.9L (5 US gal)

6300429

701798/5300/1211

Artec[™]

Ultra Conditioning Teat Dip Sellador de pezones con ultra acondicionamiento

- An aid in reducing the spread of organisms which may cause mastitis | Ayuda a evitar la proliferación de organismos que pueden causar mastitis
- · Contains an emollient system (glycerin, lanolin and propylene glycol) 78% | Contiene un sistema emoliente (glicerina, lanolina y glicol propileno) 78%

ACTIVE INGREDIENT: Heptanoic acid.. ...1.5% INERT INGREDIENTS: 98.5% 100.0% TOTAL:..

CAUTION! | PRECAUTIÓN!

KEEP OUT OF REACH OF CHILDREN | MANTÉNGASE FUERA DEL ALCANCE DE LOS NIÑOS FOR INDUSTRIAL USE ONLY - NOT FOR HOUSEHOLD USE | PARA USO INDUSTRIAL SOLAMENTE - NO ES PARA USO DOMESTICO NOT FOR HUMAN USE. | NO ES PARA USO HUMANO.

Read other label for directions for use, first aid and precautionary statements Lea la otra etiqueta para direcciones de uso, primeros auxilios y medidas preventivas 701798/5300/1211

18.9 L (5 US gal) 6300429

Teat Dip

Baño de tetina











Artec"



IMPORTANT: Do not mix Artec with water, any other teat dips, or other products unless specified in the product use instructions. If transferred from this container to any other, make sure that the other container is thoroughly pre-cleaned and bears the proper container labeling for Artec.

If product in dip cup becomes visibly dirty, discard contents and replenish with undiluted product. Do not reuse or return any unused product to the original container. Before Milking: Wash teats thoroughly just prior to next milking with appropriate udder wash solution or pre-milking teat dip to avoid contamination of milk. Teats should then be dried with single-service towels. Use proper procedures for udder washing or pre-dipping. Pre-Milk Dipping: Fill teat dip cup with pre-milking teat dip. Do not dilute. Before each cow is milked, dip each teat full-length into the teat dip cup. Wipe teats dry after dipping

using single-service towels to avoid contamination of milk. **Post-Milk Dipping:** Immediately after each milking, dip each teat full-length into the teat dip cup containing the product. Allow to air dry. Do not wipe. Always use fresh, full strength Artec. Do not turn cows out in freezing weather until Artec is completely dry. Expanded Usage: When freshening cows, begin dipping teats twice daily for about 10 days before calving.

PRECAUTION: Artec is not intended to cure or help the healing of chapped or irritated teats. As with any germicide, irritation or sensitization may occur in sensitive animals. In case of teat irritation or chapping, have the condition examined and, if necessary, treated by a veterinarian.

Consult your Ecolab representative for specific use instructions and recommended dispensing equipment

KEEP OUT OF REACH OF CHILDREN CAUTION

MAY CAUSE EYE AND SKIN IRRITATION. Use suitable protective equipment. Wash thoroughly after handling.

FIRST AID

Eye Contact: In case of contact, immediately flush eyes with plenty of water. Remove contact lenses and flush again. Get medical attention if irritation persists. Skin Contact: In case of contact, immediately flush skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if irritation persists. Wash clothing before reuse. Clean shoes thoroughly before reuse. Inhalation: No special measures required. Treat symptomatically Ingestion: Get medical attention if symptoms occur.

READ MATERIAL SAFETY DATA SHEET (MSDS) BEFORE USING THIS PRODUCT EMERGENCY HEALTH INFORMATION: 1 800 328 0026. If located outside the United States and Canada, call collect 1 651 222 5352 (number is in the US).

Ecolab - 370 Wabasha Street N - St Paul MN 55102-1390 USA - tel. 1 800 392 3392 © 2011 Ecolab USA Made in United States

www.ecolab.com · 701809/5300/1211

Sellador de pezones con ultra acondicionamiento PARA USO INDUSTRIAL SOLAMENTE INSTRUCCIONES:

IMPORTANTE: No mezcle Artec con agua, con ningún baño antiséptico para pezones, ni con ningún otro producto a menos que los mismos havan sido especificados en las instrucciones de uso del producto. Si el producto fuese transferido desde este envase a cualquier otro, asegúrese de que ese otro envase hava sido integramente prelavado y que contenga el etiquetamiento del envase de Artec.

ECXLAR®

Si el producto del porta baño antiséptico se tornara visiblemente sucio, deseche su contenido y vuelva a reponerlo con el producto no diluido. No vuelva a utilizar el mismo producto, ni vuelva a colocar el producto sin usar dentro del envase original

Antes de Ordeñar: Lave los pezones completamente justo antes de ordeñar con una solución de lavado apropiada para ubres o baño antiséptico para pezones previo al ordeño, o rocíe el pezón para evitar la contaminación de la leche. Posteriormente, los pezones se deben secar con toallas de servicio único o descartables. Utilice el procedimiento adecuado para el lavado o el prebañado antiséptico de las ubres.

Sellado del pezón previo al ordeño: Llena la taza del sellador de pezones con sellador de pezones previo al ordeñe. No lo diluva. Antes de ordeñar a cada vaca, embeba cada teta por completo en la taza del sellador de pezones. Seque los pezones después de realizar el sellado, utilizando toallas desechables para evitar la contaminación de la leche.

Sellado del pezón posterior al ordeño: Inmediatamente después de ordeñar cada vaca, bañe toda la superficie del pezón en el recipiente que contiene el producto. Deje secar al aire. No utilice paños. Siempre utilice Artec fresco y sin diluir. Hasta que Artec no se haya secado completamente, no saque las vacas al exterior en climas gélidos Uso Expandido: Al refrescar a las vacas, comience con un baño antiséptico de sus pezones dos veces por día por

aproximadamente 10 días antes de parir. PRECAUCIÓN: Artec no está diseñado para curar o ayudar con la cicatrización de los pezones agrietados o irritados. Como cualquier otro germicida, puede provocar irritación o sensibilización en animales sensibles. En caso de irritación o agrietamiento de los pezones, haga examinar dichas afecciones y, de ser necesario, hágalas tratar con un veterinario. Consulte con su Representante de ECOLAB para obtener instrucciones específicas sobre el uso y el equipo

dispensador recomendado MANTÉNGASE FUERA DEL ALCANCE DE LOS NIÑOS

PRECAUCIÓN!

PUEDE CAUSAR IRRITACIÓN OCULAR Y EPITELIAL. Use equipo protector adecuado. Lávese completamente después del maneio

PRIMEROS AUXILIOS

Contacto con los ojos: En caso de contacto, lávese de inmediato los ojos con abundante agua. Quítese los lentes de contacto y lávese nuevamente. Obtenga atención médica si persiste la irritación.

Contacto con la piel: En caso de contacto, lavar la piel inmediatamente con agua abundante. Quítese la ropa y calzado contaminados. Obtenga atención médica si persiste la irritación. Lavar la ropa antes de volver a usarla. Limpiar el calzado completamente antes de volver a usarlo. Inhalación: No se requieren medidas especiales. Tratar sintomáticamente.

Ingestión: Obtenga atención médica si se presentan síntomas.

LEA LA HOJA DE DATOS DE SEGURIDAD ÁNTES DE USAR ESTE PRODUCTO

INFORMACIÓN DE EMERGENCIA SOBRE SALUD: 1 800 328 0026. Si está fuera de los Estados Unidos y Canadá, llame a cobro revertido al 1 651 222 5352 (número en los EE.UU.).

| ARTEC | | | | | |
|---|------------------------------|--------------------|----------------|---------------|-----------------|
| heptanoic acid solution | | | | | |
| | | | | | |
| Product Information | | | | | |
| Product T ype | OTC ANIMAL DRUG | Item Code (Source) | | NDC:47593-346 | |
| Route of Administration | TOPICAL | | | | |
| | | | | | |
| | | | | | |
| Active Ingredient/Active Moi | ety | | | | |
| Ingi | redient Name | | Basis of Stree | ngth | Strength |
| HEPTANOIC ACID (UNII: THE3YNP391 |) (HEPTANOIC ACID - UNII:THE | BYNP39D) | HEPTANOIC ACI | D | 15000 mg in 1 L |
| | | | | | |
| | | | | | |
| Inactive Ingredients | | | | | |
| | Ingredient Name | | | | Strength |
| WATER (UNII: 059QF0KO0R) | | | | | |
| PROPYLENE GLYCOL (UNII: 6DC9Q | 167V3) | | | | |
| GLYCERIN (UNII: PDC6A3C0OX) | | | | | |
| PEG-75 LANOLIN (UNII: 091790X7TE | 3) | | | | |

| Pacl | aging | | | | |
|------|---------------------------------|---------------------|--------------|--------------------|------------------------|
| # | Item Code | Package Description | Marketin | g Start Date | Marketing End Date |
| 1 ND | C:47593-346-16 | 18.93 L in 1 PAIL | | | |
| 2 ND | C:47593-346-17 | 56.78 L in 1 DRUM | | | |
| _ | | | | | |
| 3 ND | C:47593-346-21 | 208.2 L in 1 DRUM | | | |
| | c:47593-346-21 rketing Infor | | | | |
| Ma | | | aph Citation | Marketing Start Da | ate Marketing End Date |

Labeler - Ecolab Inc. (006154611)

Revised: 2/2019

Ecolab Inc.