

**EQUATE FIRST AID ANTIBIOTIC PLUS PAIN RELIEF- bacitracin zinc, neomycin sulfate, polymyxin b sulfate, and pramoxine hydrochloride cream**  
**Wal-Mart**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----  
**Equate™ First Aid Antibiotic+Pain Relief Ointment**

**Topical**

**Drug Facts**

<b>Active ingredients (in each gram)</b>	<b>Purpose</b>
Bacitracin 500 units	First aid antibiotic
Neomycin sulfate 3.5 mg	First aid antibiotic
Polymyxin B sulfate 10,000 units	First aid antibiotic
Pramoxine HCl 10 mg	External analgesic

**Use**

First aid to help prevent infection and temporary relief of pain or discomfort in minor:

- cuts
- scrapes
- burns

**Warnings**

**For external use only.**

**Not for prolonged use.**

**Do not use**

- in the eyes, nose, or over large areas of the body
- if you are allergic to any of the ingredients
- longer than 1 week unless directed by a doctor

**Ask a doctor before use if you have**

- deep or puncture wounds
- animal bites
- serious burns

**Stop use and ask a doctor if**

- condition persists for more than 7 days, gets worse, or clears up and occurs again within a few days
- a rash, redness, irritation, swelling, or pain persists or increases, or other allergic reaction develops

**If pregnant or breast-feeding,** ask a health professional before use.

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away: 800-222-1222.

**Directions**

Adults and children 2 years of age and older:

- clean the affected area
- apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily
- the affected area may be covered with a sterile bandage

Children under 2 years of age: consult a doctor

**Other information**

- store at 15 to 30°C (59 to 86°F)
- **Tamper Evident:** DO NOT USE IF SEAL ON TUBE IS PUNCTURED OR MISSING.

**Inactive ingredient**

petrolatum

**Questions or comments?**

**1-888-287-1915**

**DISTRIBUTED BY: Wal-Mart Stores, Inc.,  
Bentonville, AR 72716**

**PRINCIPAL DISPLAY PANEL - 28 g Tube Carton**

NDC 49035-840-01

equate™

Compare

Neosporin®

+ Pain Relief

Active

Ingredients\*

Maximum Strength

First Aid

Antibiotic

+ Pain Relief

First Aid Antibiotic

Pain Relieving

Ointment

Bacitracin Zinc, Neomycin  
Sulfate, Polymyxin B Sulfate,  
Pramoxine HCl

- Soothes painful cuts,  
scrapes and burns while  
preventing infection

NET WT 1 OZ (28g)

equate™

PL 1022B  
V01

NDC 49035-840-01

NDC 49035-840-01

**Drug Facts**

Active ingredients (in each gram)	Purpose
Bacitracin 500 units.....	First aid antibiotic
Neomycin sulfate 3.5 mg.....	First aid antibiotic
Polymyxin B sulfate	
10,000 units.....	First aid antibiotic
Pramoxine HCl 10 mg.....	External analgesic

**Use**  
First aid to help prevent infection and temporary relief of pain or discomfort in minor:  
 ■ cuts ■ scrapes ■ burns

**Warnings**  
For external use only.  
Not for prolonged use.

**Do not use** ■ in the eyes, nose, or over large areas of the body ■ if you are allergic to any of the ingredients ■ longer than 1 week unless directed by a doctor

**Ask a doctor before use if you have** ■ deep or puncture wounds ■ animal bites ■ serious burns

**Stop use and ask a doctor if** ■ condition persists for more than 7 days, gets worse, or clears up and occurs again within a few days ■ a rash, redness, irritation, swelling, or pain persists or increases, or other allergic reaction develops

**If pregnant or breast-feeding**, ask a health professional before use.

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away: 800-222-1222.

**Directions**  
Adults and children 2 years of age and older:  
 ■ clean the affected area  
 ■ apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily  
 ■ the affected area may be covered with a sterile bandage  
 Children under 2 years of age: consult a doctor

**Other information**  
 ■ store at 15 to 30°C (59 to 86°F)  
 ■ **Tamper Evident:** DO NOT USE IF SEAL ON TUBE IS PUNCTURED OR MISSING.

**Inactive ingredient**  
petrolatum

**Questions or comments?**  
1-888-287-1915

equate™

equate™



  
Satisfaction guaranteed - Or we'll replace it or give you your money back. For questions or comments or to report an undesired reaction or side effect, please call 1-888-287-1915.

**DISTRIBUTED BY:** Wal-Mart Stores, Inc., Bentonville, AR 72716  
 \*This product is not affiliated with, manufactured by, or produced by the makers of Neosporin®.

 how2recycle.info  
**COATED PAPER BOX**  
**Made in the USA**  
 Factory Certified  
 \*Not recycled in all communities



Maximum Strength

**First Aid Antibiotic + Pain Relief**

First Aid Antibiotic Pain Relieving Ointment

Bacitracin Zinc, Neomycin Sulfate, Polymyxin B Sulfate, Pramoxine HCl

- Soothes painful cuts, scrapes and burns while preventing infection

NET WT 1 OZ (28g)

Maximum Strength

**First Aid Antibiotic + Pain Relief**

First Aid Antibiotic Pain Relieving Ointment

Bacitracin Zinc, Neomycin Sulfate, Polymyxin B Sulfate, Pramoxine HCl



NDC 49035-840-01

equate™

NET W  
1 OZ (28g)

bacitracin zinc, neomycin sulfate, polymyxin b sulfate, and pramoxine hydrochloride cream

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:49035-840
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>Bacitracin Zinc</b> (UNII: 89Y4M234ES) (BACITRACIN - UNII:58H6RWO52I)	BACITRACIN	500 [USP'U] in 1 g
<b>NEOMYCIN SULFATE</b> (UNII: 057Y626693) (NEOMYCIN - UNII:I16QD7X297)	NEOMYCIN SULFATE	3.5 mg in 1 g
<b>POLYMYXIN B SULFATE</b> (UNII: 19371312D4) (POLYMYXIN B - UNII:J2VZ07J96K)	POLYMYXIN B	10000 [USP'U] in 1 g
<b>PRAMO XINE HYDRO CHLORIDE</b> (UNII: 88AYB867L5) (PRAMO XINE - UNII:068X84E056)	PRAMO XINE HYDROCHLORIDE	10 mg in 1 g

### Inactive Ingredients

Ingredient Name	Strength
<b>PETROLATUM</b> (UNII: 4T6H12BN9U)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:49035-840-01	1 in 1 CARTON	10/18/2018	
1		28 g in 1 TUBE; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part333B	10/18/2018	

**Labeler** - Wal-Mart (051957769)

### Establishment

Name	Address	ID/FEI	Business Operations
Natureplex LLC		062808196	MANUFACTURE(49035-840)

Revised: 10/2018

Wal-Mart