0.25 % PHENYLEPHRINE HCL HEMORRHOIDAL- mineral oil, petrolatum, phenylephrine hydrochloride ointment
Universal Distribution Center LLC

0.25 % PHENYLEPHRINE HCl HEMORRHOIDAL OINTMENT

Drug Facts

Active ingredient

Mineral Oil 14%
Petrolatum 74.9%
Phenylephrine HCl 0.25%

Purpose

Protectant
Protectant
Vasoconstrictor

Uses

helps relieve the local itching and discomfort associated with hemorrhoids • temporarily shrinks hemorrhoidal tissue and relieves burning • temporarily provides a coating for relief of anorectal discomforts • temporarily protects the inflamed, irritated anorectal surface to help make bowel movements less painful

Warnings

For external use only.

Ask a doctor before use if you have • heart disease • high blood pressure • thyroid disease • diabetes • difficulty in urination due to enlargement of the prostate gland

Ask a doctor or pharmacist before use if you are presently taking a prescription drug for high blood pressure or depression

When using this product do not exceed the recommended daily dosage unless directed by a doctor

Stop use and ask a doctor if • bleeding occurs • condition worsens or does not improve within 7 days • introduction of applicator into the rectum causes additional pain

If pregnant or breast-feeding, ask a healthcare professional before use

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

• adults: when practical, cleanse the affected area by patting or blotting with an appropriate cleansing wipe. Gently dry by patting or blotting with a tissue or a soft cloth before applying ointment • when first opening the tube, puncture foil seal secured on tube • apply to the affected area up to 4 times daily, especially at night, in the morning or after each bowel movement • intrarectal use: remove cover from applicator, attach applicator to tube, lubricate applicator well and gently insert applicator into the rectum • thoroughly cleanse applicator after each use and replace cover • also apply ointment to external area • regular use provides continual therapy for relief of symptoms • children under 12 years of age: ask a doctor.

Other information

• store at 20°–25°C (68°–77°F) • do not use if tube seal under cap is broken

Inactive ingredients

beeswax, ceteareth-20, cetostearyl alcohol, glycerin

FAST RELIEF OINTMENT

✓ Relieves burning
✓ Soothes pain
✓ itching & swelling

Mfd for and Distributed by:
Universal Distribution Center LLC
330 Applegarth Road,
Monroe Township, NJ 08831
www.universaldc.com

MADE IN CHINA

Packaging

Outer Package Label



Active ingredient	Purpose
Mineral Oil 14%	Protectant
Petrolatum 74.9%	Protectant
Phenylephrine HCl 0.25%	Vasoconstrictor

Uses helps relieve the local itching and discomfort associated with hemorrhoids ■ temporarily shrinks hemorrhoidal tissue and relieves burning ■ temporarily provides a coating for relief of anorectal discomforts ■ temporarily protects the inflamed, irritated anorectal surface to help make bowel movements less painful

Warnings

For external use only.

Ask a doctor before use if you have ■ heart disease ■ high blood pressure ■ thyroid disease ■ diabetes ■ difficulty in urination due to enlargement of the prostate gland

Ask a doctor or pharmacist before use if you are presently taking a prescription drug for high blood pressure or depression

When using this product do not exceed the recommended daily dosage unless directed by a doctor

Stop use and ask a doctor if ■ bleeding occurs ■ condition worsens or does not improve within 7 days ■ introduction of applicator into the rectum causes additional pain

If pregnant or breast-feeding, ask a healthcare professional before use

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions ■ adults: when practical, cleanse the affected area by patting or blotting with an appropriate cleansing wipe. Gently dry by patting or blotting with a tissue or a soft cloth before applying ointment ■ when first opening the tube, puncture foil seal secured on tube ■ apply to the affected area up to 4 times daily, especially at night, in the morning or after each bowel movement ■ intrarectal use: remove cover from applicator, attach applicator to tube, lubricate applicator well and gently insert applicator into the rectum ■ thoroughly cleanse applicator after each use and replace cover ■ also apply ointment to external area ■ regular use provides continual therapy for relief of symptoms ■ children under 12 years of age: ask a doctor.

Other information

■ store at 20°-25°C (68-77°F) ■ do not use if tube seal under cap is broken

Inactive ingredients beeswax, ceteareth-20, cetostearyl alcohol, glycerin

Mfd for and Distributed by:
Universal Distribution Center LLC
330 Applegarth Road,
Monroe Township, NJ 08831
www.universaldc.com

ITEM#: 56088

6 76979 56088 5

MADE IN CHINA

0.25% PHENYLEPHRINE HCl

HEMORRHOIDAL OINTMENT

Mineral Oil
Petrolatum

FAST RELIEF OINTMENT

- Relieves burning
- Soothes pain
- itching & swelling.

NET WT 2oz (57g)

0.25% PHENYLEPHRINE HCl

HEMORRHOIDAL OINTMENT

Mineral Oil
Petrolatum

FAST RELIEF OINTMENT

- Relieves burning
- Soothes pain
- itching & swelling.

NET WT 2oz (57g)

NET WT 2oz (57g)

HEMORRHOIDAL OINTMENT

0.25% PHENYLEPHRINE HCl

Inner Package Label

0.25 % PHENYLEPHRINE HCL HEMORRHOIDAL

mineral oil, petrolatum, phenylephrine hydrochloride ointment

Product Information

Product Type	HUMAN OTC DRUG	**Item Code (Source)**	NDC:52000-438
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
MINERAL OIL (UNII: T5L8T28FGP) (MINERAL OIL - UNII:T5L8T28FGP)	MINERAL OIL	14 g in 100 g
PETROLATUM (UNII: 4T6H12BN9U) (PETROLATUM - UNII:4T6H12BN9U)	PETROLATUM	74.9 g in 100 g
PHENYLEPHRINE HYDROCHLORIDE (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1WS297W6MV)	PHENYLEPHRINE HYDROCHLORIDE	0.25 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
YELLOW WAX (UNII: 2ZA36H0S2V)	
POLYOXYL 20 CETOSTEARYL ETHER (UNII: YRC528SWUY)	
CETOSTEARYL ALCOHOL (UNII: 2DMT128M1S)	
GLYCERIN (UNII: PDC6A3C0OX)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:52000-438-02	1 in 1 BOX	01/19/2026	
1		57 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M015	01/19/2026	

Labeler - Universal Distribution Center LLC (019180459)

Revised: 1/2026 Universal Distribution Center LLC