

COPPERTONE SPORT SPF 50- avobenzone, homosalate, octisalate, octocrylene aerosol, spray

Bayer Healthcare LLC.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Coppertone Sport Spray SPF 50 (aerosol)(mini) UI 1614356

Drug Facts

Active ingredients

(To Deliver) Avobenzone 3%, Homosalate 10%, Octisalate 5%,
Octocrylene 5%

Purpose

Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see ***Directions***), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Flammable: Do not use near heat, flame, or while smoking

Do not use on damaged or broken skin

When using this product

- keep out of eyes. Rinse with water to remove.
- use only as directed. Intentional misuse by deliberately concentrating and inhaling the contents can be harmful or fatal.
- do not puncture or incinerate. Contents under pressure. Do not store at temperatures above 120°F.

Stop use and as a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

- shake well before each use
- apply liberally 15 minutes before sun exposure and rub into skin
- do not spray directly on face. Spray into hands and apply to face
- use in well-ventilated areas
- reapply:
 - after 80 minutes of swimming or sweating
 - immediately after towel drying
 - at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin

aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

- limit time in the sun, especially from 10 a.m. – 2 p.m.
- wear long-sleeve shirts, pants, hats, and ***sunglasses***
- children under 6 months: Ask a doctor

Other information

Other information

- protect this product from excessive heat and direct sun
- store between 20° to 25°C (68° to 77°F)
- may stain or damage some fabrics or surfaces

Inactive ingredients SD alcohol 40-B (73.9% v/v), isobutane, neopentyl glycol dipheptanoate, polyester-27, acrylates/octylacrylamide copolymer, dimethicone, fragrance, ascorbyl palmitate

Questions? 1-866-288-3330

Package label display

IMPROVED FORMULA

Coppertone®

SUNSCREEN SPRAY

SPORT™

Stays on

Strong When

You Sweat 50

No Dyes, PABA, Oxybenzone

Water Resistant (80 Minutes)

Broad Spectrum SPF 50

NET WT 1.6 OZ. (45 g)

Improved
Formula

Coppertone[®]
SUNSCREEN SPRAY

SPORT[™]

Stays on
Strong When
You Sweat

50

No Dyes, PABA, Oxybenzone

Water Resistant (80 Minutes)
Broad Spectrum SPF 50



NET WT 1.6 OZ (45 g)

Drug Facts

Active ingredients

(To Deliver) Avobenzone 3%, Homosalate 10%, Octisalate 5%,
Octocrylene 5% Sunscreen

Purpose

Use ■ helps prevent sunburn

Warnings

For external use only

Flammable: Do not use near heat, flame, or while smoking

Do not use on damaged or broken skin

When using this product ■ keep out of eyes. Rinse with water to remove.
■ use only as directed. Intentional misuse by deliberately concentrating and
inhaling the contents can be harmful or fatal. ■ do not puncture or incinerate.
Contents under pressure. Do not store at temperatures above 120°F.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or
contact a Poison Control Center right away.

Directions ■ shake well before use ■ apply liberally 15 minutes before sun
exposure and rub into skin ■ do not spray directly on face. Spray into hands and
apply to face ■ use in well-ventilated areas ■ reapply: ■ after 80 minutes of
swimming or sweating ■ immediately after towel drying ■ at least every 2 hours

Sun Protection Measures. Spending time in the sun increases your risk of
skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen
with a Broad Spectrum SPF value of 15 or higher and other
sun protection measures including: ■ limit time in the
sun, especially from 10 a.m. – 2 p.m. ■ wear
long-sleeve shirts, pants, hats, and sunglasses
■ children under 6 months: Ask a doctor

Other information ■ protect this product from
excessive heat and direct sun ■ store between 20°
to 25°C (68° to 77°F) ■ may stain or damage some
fabrics or surfaces

Inactive ingredients SD alcohol 40-B (73.9% v/v),
isobutane, neopentyl glycol dipheptanoate, polyester-27,
acrylates/octylacrylamide copolymer, dimethicone,
fragrance, ascorbyl palmitate

Bayer (reg'd), the Bayer Cross (reg'd), Coppertone[®]
and the Sport S are trademarks of Bayer.

© 2018 Bayer C8252 DOT 2P M5706

Dist. by: Bayer HealthCare LLC, Whippany, NJ 07981



COPPERTONE SPORT SPF 50

avobenzone, homosalate, octisalate, octocrylene aerosol, spray

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:11523-7451
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
-----------------	-------------------	----------

HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	100 mg in 1 g
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	30 mg in 1 g
OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	50 mg in 1 g
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	50 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
ISOBUTANE (UNII: BXR49TP611)	
NEOPENTYL GLYCOL DIHEPTANOATE (UNII: 5LKW3C543X)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
ASCORBYL PALMITATE (UNII: QN83US2B0N)	
ALCOHOL (UNII: 3K9958V90M)	

Product Characteristics

Color	yellow (clear to pale yellow)	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:11523-7451-1	45 g in 1 CAN; Type 0: Not a Combination Product	11/01/2018	09/01/2021

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	11/01/2018	09/01/2021

Labeler - Bayer Healthcare LLC. (112117283)

Revised: 12/2019

Bayer Healthcare LLC.