

SALICYLIC ACID- wart remover liquid liquid
CVS Pharmacy

CVS Wart Remover Liquid

Active ingredient

Salicylic acid 17%w/w

Purpose

Wart Remover

Use

- for the removal of common and plantar warts. The common wart is easily recognized by the rough 'cauliflower-like' appearance of the surface. The plantar wart exists only on the bottom of the foot and interrupts footprint pattern.

For external use only.

Flammable

- keep away from fire or flame
- **cap bottle tightly** and store at room temperature away heat

Do not use

- if you are a diabetic or have poor blood circulation, except under the advice and supervision of a doctor or podiatrist
- irritated, infected or reddened skin
- genital warts and warts on the face
- moles, birthmarks and warts with hair growing from them
- mucous membranes

When using this product

- avoid contact with eyes. If product gets into the eyes, flush with water for 15 minutes
- avoid inhaling vapors

Stop use and ask doctor if

discomfort persists

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- wash affected area, may soak wart in warm water for 5 minutes
- dry area thoroughly
- apply small amount of wart remover with applicator to sufficiently cover each wart
- let dry and repeat this procedure once or twice daily until wart is removed for up to 12 weeks

Other information

store between 20°C to 30°C (68°F to 86°F)

Inactive ingredients

camphor, castor oil, ethanol, ethyl ether, nitrocellulose

Questions?

Call 1-866-964-0939

Principal Display Panel

CVS Health

MAXIMUM STRENGTH

Wart Remover

Liquid with Salicylic acid

- Removes common & plantar warts safely and easily
- Convenient applicator
- safe & effective

NET 0.5 FL OZ (15mL)



Compare to the active ingredient in Compound W®*

NDC 59779-500-15

MAXIMUM STRENGTH

Wart Remover

LIQUID WITH SALICYLIC ACID


- Removes common & plantar warts safely & easily
- Convenient applicator
- Safe & effective



NET 0.5 FL OZ (15 mL)

Use for warts on feet & hands

- Removes common & plantar warts
- Safe, quick & effective
- With easy to use applicator



53-012CV-02



Compare to the active ingredient in Compound W®*

MAXIMUM STRENGTH

Wart Remover

LIQUID WITH SALICYLIC ACID

MAXIMUM STRENGTH

Wart Remover

LIQUID WITH SALICYLIC ACID

NET 0.5 FL OZ (15 mL)

NO VARNISH AREA (WHITE ONLY)

Distributed by: CVS Pharmacy, Inc.
One CVS Drive, Woonsocket, RI 02896
© 2020 CVS/pharmacy
CVS.com* 1-800-SHOP CVS
V-16372

Made in the USA with U.S. and imported parts



*This product is not manufactured or distributed by Mediatech Products Inc., owner of the registered trademark Compound W®.

#351170



Care ■ Wipe top of bottle down after each use ■ Avoid contact with surrounding skin when applying product

Questions? Call 1-888-964-0939

Inactive ingredients camphor, castor oil, ethanol, ethyl ether, menthol

Other information ■ Store between 20°-25°C (68°-77°F) ■ Store tightly to prevent solidification ■ Store in a cool place

■ Wart is removed for up to 12 weeks

■ Let dry and repeat this procedure once or twice daily as needed until each wart

■ Do not apply to face or neck

■ Carefully apply one drop at a time with applicator to sufficiently cover

■ Wash affected area, may soak wart in warm

■ Dry area thoroughly

■ Avoid contact with eyes. If product gets into eye, flush with water

■ Avoid inhalation vapors

■ Stop use and ask a doctor if discomfort persists

■ For 15 minutes

■ Keep out of reach of children. If swallowed, get medical help or

contact a Poison Control Center right away.

■ Do not use

■ If you are diabetic or have poor blood circulation

■ On genital warts and warts on the face

■ On moles, birthmarks and warts with hair growing from them

■ On mucous membranes

■ On irritated, inflamed or reddened skin

■ When using this product

■ Avoid contact with eyes. If product gets into eye, flush with water

■ For 15 minutes

■ Stop use and ask a doctor if discomfort persists

■ Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Warnings
For external use only.

Flammable
Keep away from fire or flame

Do not use
Cap bottle tightly and store at room temperature away from heat

Use
For the removal of common and plantar warts. The common wart is easily recognized by its rough "cauliflower-like" appearance of the surface. Plantar warts are recognized by their location on the bottom of the foot, its tenderness and the interruption of the footprint pattern.

Purpose
Wart remover

Active ingredient
Salicylic acid 17% w/v

Drug Facts

IMPORTANT: CLOSE CAP TIGHTLY AFTER USE

DO NOT USE IF NECKBAND IS BROKEN

DO NOT USE IF NECKBAND IS BROKEN

Active ingredient: Salicylic acid (17% w/w) **Purpose:** Wart remover. **Use:** For the removal of common and plantar warts. The common wart is easily recognized by the rough 'cauliflower-like' appearance of the surface. Plantar wart is recognized by its location only on the bottom of the foot, its tenderness and the interruption of the footprint pattern. **Warnings:** For external use only. **Flammable:** Keep away from fire or flame. **Cap bottle tightly** and store at room temperature away from heat.

 **CVS Health.**

NDC 59779-500-15

MAXIMUM STRENGTH
Wart Remover

LIQUID WITH SALICYLIC ACID

- Removes common & plantar warts safely and easily
- Convenient applicator
- Safe & effective

CLOSE GAP TIGHTLY
AFTER USE

NET
0.5 FL OZ (15 mL)

Do not use this product if you are diabetic or have poor blood circulation, except under the advice and supervision of a doctor or podiatrist. **Do not use** on irritated, infected or reddened skin or on moles, birthmarks, warts with hair growing from them, genital warts, warts on the face and mucous membranes. **When using this product** avoid contact with eyes. If product gets into the eye, flush with water for 15 minutes. Avoid inhaling vapors. **Stop use and ask a doctor** if discomfort persists. **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away. **Directions:** Wash affected area, may soak wart in warm water for 5 minutes. Dry area thoroughly. Carefully apply one drop at a time with applicator to sufficiently cover each wart. Let dry and repeat this procedure once or twice daily as needed until wart is removed for up to 12 weeks. **Other information:** Store between 20° – 25°C (68° – 77°F). Close tightly to prevent solidification. Store in a cool place. **Inactive ingredients:** camphor, castor oil, ethanol, ethyl ether, nitrocellulose. **Questions? Call 1-866-964-0939**. **Keep packaging for complete drug facts information.** **MADE IN USA WITH U.S. AND IMPORTED PARTS**
Distributed by: **CVS Pharmacy, Inc**
One CVS Drive, Woonsocket, RI 02895
© 2020 CVS/pharmacy CVS.com® 1-800-SHOP CVS V-16372

50-012CV-02

SALICYLIC ACID

wart remover liquid liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:59779-500
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SALICYLIC ACID (UNII: O414PZ4LPZ) (SALICYLIC ACID - UNII:O414PZ4LPZ)	SALICYLIC ACID	0.17 mg in 15 mL

Inactive Ingredients

Ingredient Name	Strength
PYROXYLIN (UNII: KYR8BR2X6O)	
CAMPHOR (NATURAL) (UNII: N20HL7Q941)	
CASTOR OIL (UNII: D5340Y2I9G)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:59779-500-15	15 mL in 1 BOTTLE, WTH APPLICATOR; Type 0: Not a Combination Product	01/01/2014	
2	NDC:59779-500-09	9 mL in 1 BOTTLE, WTH APPLICATOR; Type 0: Not a Combination Product	05/01/2015	05/02/2015

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M028	01/01/2014	

Labeler - CVS Pharmacy (062312574)

Revised: 12/2024

CVS Pharmacy