RELIEF AND COOLING- menthol cream Nutranext LLC

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Relief + Cooling Menthol Joint & Muscle Soother

Drug facts

Active ingredient

Menthol USP 3.7%

Purpose

Topical analgesic

Uses temporarily relieves minor aches and pains of muscles and joints due to

- arthritis
- simple backaches
- strains
- bruises
- sprains

Warnings

For external use only Flammable: Keep away from fire or flame.

Do not use

- on wounds or damaged skin
- with a heating pad
- with other ointments, creams, sprays or liniments

When using this product

- avoid contact with eyes
- do not bandage tightly
- wash hands with cool water after use

Stop use and ask a doctor if

- condition worsens or rash or irritation develops
- symptoms last more than 7 days
- condition clears up and occurs again within a few days

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center immediately.

Directions

adults and children 12 years of age and older: apply and massage onto affected area no more than 3 to 4 times daily

children under 12 years of age: ask a doctor

Other information

- close cap tightly
- store in a cool, dry place

Inactive ingredients Aloe Barbadensis Leaf Extract, Arnica Montana Flower Extract, Carbomer, Dimethyl Sulfone(MSM), EDTA, Ilex Paraguariensis Leaf Extract, Isopropyl Alcohol, Melaleuca Altemifolia (Tea Tree) Leaf Oil, Pyridoxine HCl (Vitamins B6), Phenoxyethanol & Methyl/Ethyl/Butyl/Propyl/Isobutylparabens, Polysorbate 20, Purified Water, Tocopheryl (Vitamin E) Acetate, Triethanolamine

FORMULATED BY NUTRANEXT

DISTRIBUTED BY NUTRANEXT DIRECT, LLC, SUNRISE, FL 33323

800-270-5771

Relief + Cooling

MENTHOL JOINT & MUSCLE SOOTHER

HOW IT WORKS

Menthol cream quickly stops aches and pains - no greasy residue, no lingering odor.

PAIN RELIEF

NET WT 3 OZ (85 G)

| Drug Facts (continued): Stop use and ask a dector if - condition worsens or rash or irritation develops + symptoms last more than 7 days • condition clears up and occurs again within | | | Drug Facts Active Ingredient Purpose Menthol USP 37% Purpose | | |
|---|---|-------------|--|--|--|
| symptoms last more than 7 days + condition clears up and occurs sign means a few days Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center immediately. | Relief + Cooling | | Vestimot Op 3.7% | | |
| the set of the set of a set and older: apply and massage | MENTHOL JOINT & MUSCLE SOOTHER | | For external use only Flammable: Keep away from fire or flame. | | |
| Directions + adults and children iz years of age and octor toppy and 2 years of onto affected area no more than 3 to 4 times daily + children under 12 years of age: ask a doctor | HOW IT WORKS | PAIN RELIEF | Do not use + on wounds or damaged skin + with a heating pad + with other ointments, creams, sprays or liniments | | |
| Other Information + close cap tightly + store in a cool, dry place Inactive Ingredients Aloe Barbadensis Leaf Extract, Arnica Montana Flower Extract, Carbomer, Dimethyl Suifone (MSM), EDTA, Ilex Paraguariensis Leaf Extract, Extract, Carbomer, Dimethyl Suifone (MSM), EDTA, Ilex Paraguariensis Leaf Extract, | Menthol cream quickly stops aches and | \sim | When using this product + avoid contact with eyes + do not bandage tightly | | |
| | pains—no greasy residue, no lingering odor. | × | wash hands with cool water after use | | |
| Extract, Cardomer, Dimeny, Saudore Jin, Economic Jacobi, Cardonine Isopropyi, Action, Melaleuca Alternifolia (Tea Tree) Leaf Oil, Pyridoxine HCI (Vitamin B6), Phenoxyethanol & Methyl(Ethyl(Butyl(Propyl/Isobutyl(parabens, Polysorbate 20, Purified Water, Tocopheryl (Vitamin E) Acetate, Triethanolamine | NET WT 3 OZ (85 G) | | FORMULATED BY NUTRANEXT DISTRIBUTED BY NUTRANEXT DIRECT, LLC, SUNRISE, FL 33323 800-270-5771 | | |

| .1 1 | | | | | |
|---|--|------------------------------|-----------------------|-------|----------------|
| nenthol cream | | | | | |
| | | | | | |
| Product Information | | | | | |
| Product T ype | HUMAN OTC DRUG | Item Code (Source) NDC:72914 | | | 2914-0002 |
| Route of Administration | TOPICAL | | | | |
| | | | | | |
| | | | | | |
| Active Ingredient/Active | Moiety | | | | |
| Iı | ıgredient Name | | Basis of Stren | σth | Strength |
| | igreutent nume | | Dusis of Stren | gui | Strength |
| | - | | MENTHOL | gtii | 3.7 g in 100 g |
| | - | | | gui | - |
| MENTHOL (UNII: L7T10EIP3A) (I | - | | | gtn | - |
| MENTHOL (UNII: L7T10EIP3A) (I | - | | | gtii | - |
| MENTHOL (UNII: L7T10EIP3A) (I | - | e | | gtii | - |
| MENTHOL (UNII: L7T10EIP3A) (I Inactive Ingredients | MENTHOL - UNII:L7T10EIP3A) Ingredient Nam | e | | gtii | 3.7 g in 100 g |
| MENTHOL (UNII: L7T10EIP3A) (P Inactive Ingredients ILEX PARAGUARIENSIS LEAF (| MENTHOL - UNII:L7T10EIP3A) Ingredient Nam UNII: 1Q953B4O4F) | e | | gtii | 3.7 g in 100 g |
| MENTHOL (UNII: L7T10EIP3A) (I Inactive Ingredients ILEX PARAGUARIENSIS LEAF (ISOPROPYL ALCOHOL (UNII: I | MENTHOL - UNII:L7T10EIP3A) Ingredient Nam UNII: 1Q953B4O4F) | | MENTHOL | g | 3.7 g in 100 g |
| MENTHOL (UNII: L7T10EIP3A) (P Inactive Ingredients ILEX PARAGUARIENSIS LEAF (ISOPROPYL ALCOHOL (UNII: P 2-(2-(2-(2-PHENOXYETHOXY)) | MENTHOL - UNII:L7T10EIP3A) Ingredient Nam UNII: 1Q953B4O4F) ND2M416302) | | MENTHOL | g (11 | 3.7 g in 100 g |
| MENTHOL (UNII: L7T10EIP3A) (I Inactive Ingredients ILEX PARAGUARIENSIS LEAF (ISOPROPYL ALCOHOL (UNII: I 2-(2-(2-(2-PHENOXYETHOXY)) WATER (UNII: 059QF0KO0R) | MENTHOL - UNII:L7T10EIP3A) Ingredient Nam UNII: 1Q953B4O4F) ND2M416302) | JNII: Y050HYR43 | MENTHOL XA) | g | 3.7 g in 100 g |
| MENTHOL (UNII: L7T10EIP3A) (I Inactive Ingredients ILEX PARAGUARIENSIS LEAF (ISOPROPYL ALCOHOL (UNII: I 2-(2-(2-(2-PHENOXYETHOXY)) WATER (UNII: 059QF0K00R) | MENTHOL - UNII:L7T10EIP3A) Ingredient Nam UNII: 1Q953B4O4F) ND2M416302) ETHOXY)ETHOXY)ETHANOL (U TYPE A (ALLYL SUCROSE CROS | JNII: Y050HYR43 | MENTHOL XA) | g (11 | 3.7 g in 100 g |

| E | THYLPARABEN (UNII | 14255EXE39) | | | | |
|----|--|---|--------------|----------------------|-----------|------------|
| IS | ISOBUTYLPARABEN (UNII: 0QQJ25X58G) | | | | | |
| A | ALOE VERA LEAF (UNII: ZY81Z83H0X) | | | | | |
| A | ARNICA MONTANA FLOWER (UNII: OZ0E5Y15PZ) | | | | | |
| EI | EDETATE DISO DIUM (UNII: 7FLD9 1C86K) | | | | | |
| Μ | MELALEUCA ALTERNIFOLIA LEAF (UNII: G43C57162K) | | | | | |
| D | DIMETHYL SULFONE (UNII: 9H4PO4Z4FT) | | | | | |
| P | PYRIDO XINE HYDRO CHLO RIDE (UNII: 68 Y4CF58 BV) | | | | | |
| Μ | METHYLPARABEN (UNII: A2I8C7HI9T) | | | | | |
| B | BUTYLPARABEN (UNII: 3QPI1U3FV8) | | | | | |
| T | TROLAMINE (UNII: 903K93S3TK) | | | | | |
| .A | LPHATOCOPHERO | L ACETATE, D- (UNII: A7E6112E4N) | | | | |
| | | | | | | |
| P | Packaging | | | | | |
| # | Item Code | Package Description | N | larketing Start Date | Marketing | End Date |
| | | rackage Description | 19. | arketing Start Date | Marketing | Lifu Date |
| 1 | NDC:72914-0002-2 | 85 g in 1 JAR; Type 0: Not a Combinatio | | /23/2019 | Marketing | Liiu Date |
| 1 | NDC:72914-0002-2 | | | 0 | Warketing | Lifu Date |
| | NDC:72914-0002-2 | 85 g in 1 JAR; Type 0: Not a Combinatio | | 0 | warke ung | Liiu Date |
| N | | 85 g in 1 JAR; Type 0: Not a Combinatio | n Product 08 | 0 | | g End Date |
| N | Aarketing Info | 85 g in 1 JAR; Type 0: Not a Combinatio rmation Application Number or Monog | n Product 08 | /23/20 19 | | |

Labeler - Nutranext LLC (968031174)

| Establishment | | | | |
|------------------|---------|-----------|----------------------------|--|
| Name | Address | ID/FEI | Business Operations | |
| Accupack Midwest | | 139637433 | manufacture(72914-0002) | |

Revised: 8/2019

Nutranext LLC