FACE AND BODY SPF 30- avobenzone,octinoxate,octocrylene,oxybenzone,titanium dioxide, zinc oxide cream AGEFARM SRL

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

SUNSCREEN SPF 30

ACTIVE INGREDIENTS

AVOBENZONE

OCTINOXATE

OCTOCRYLENE

OXYBENZONE

ZINC OXIDE

TITANIUM DIOXIDE

PURPOSE

SUNSCREEN

USES

helps prevent sunburn

use as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

WARNINGS

For external use only

Do not use damaged or broken skin

Stop use and ask doctor if rash occurs

When using this product, keep out of eyes. Rinse with water to remove

Keep out of reach of children. If swallowed, get medical help or contact Poison Control Center right away.

DIRECTIONS

apply liberally 15 minutes before sun exposure

reapply: at least every 2 hours, immediately after towel drying

use a water-resistant sunscreen if swimming or sweating

children under 6 months: Ask a doctor

Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use sunscreen with a broad spectrum SPF value of 15 or higher and other sun protection measures including:

limit time in the sun, especially from 10 a.m. - 2 p.m. wear long-sleeved shirts, pants, hats, and sunglasses

INACTIVE INGREDIENTS

ammonium acryloydimethyltaurate vp copolymer, bixa orellana seed extract, benzyl alcohol, bisethylhexyloxyphenol methoxyphenyl triazine, caprylic-capric triglyceride, cetaryl alcohol, citronellol, coumarin, c12-15 alkyl benzoate, decyl glucose, diisopropyl sebacate, dimethicone, dimethiconol behenate, ethylhexlglycerin, glycerin, glyceryl stearate, hexyl cinnamal, hydrolyzed soy protein, hydrolyzed wheat protein, limonene, linalool, menthylene bis-benzotriazoyl tetramethybutyphenol (nano), parfum, peg-100 stearate, propylene glycol, menthyl lactate, silica, tocopheryl acetate, tocopherol, tripeptide-1, vp-eicosene copolymer, water, xanthan gum

OTHER INFORMATION

Protect this product from excessive heat and direct sun

SUNSCREEN LABEL

Drug Facts		
Active ingredient	Ригроѕе	
AVOBENZONE 2%	Sunscreen	
OCTINOXATE 2%	Sunscreen	
OCTOCRYLENE 2%	Sunscreen	
OXYBENZONE 2%	Sunscreen	
ZINC OXIDE 2%	Sunscreen	
TITANIUM DIOXIDE 2%	Sunscreen	

Uses

- · helps prevent sunburn
- use as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

- For external use only
- Do not use on damaged or broken skin
- Stop use and ask doctor if rash occurs
- When using this product, keep out of eyes. Rinse with water to remove.
- Keep out of reach of children. If swallowed, get medical help or contact Poison Control Center right away.

Directions

- apply liberally 15 minutes before sun exposure
- reapply: at least every 2 hours, immediately after towel drying
- use a water-resistant sunscreen if swimming or sweating
- children under 6 months: Ask a doctor
- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF value of 15 or higher and other sun protection measures including:
- limit time in the sun, especially from 10 a.m. 2 p.m.
- wear long-sleeved shirts, pants, hats, and sunglasses

Inactive ingredients

ammonium acryloyldimethyltaurate vp copolymer, bixa orellana seed extract, benzyl alcohol, bis-ethylhexyloxyphenol methoxyphenyl triazine, caprylic-capric triglyceride, cetaryl alcohol, citronellol, coumarin, c12-15 alkyl benzoate, decyl glucose, diisopropyl sebacate, dimethicone, dimethiconol behenate, ethylhexylglycerin, glycerin, glyceryl stearate, hexyl cinnamal, hydrolyzed soy protein, hydrolyzed wheat protein, limonene, linalool, methylene bis-benzotriazolyl tetramethybutyphenol (nano), parfum, peg-100 stearate, propylene glycol, menthyl lactate, silica, tocopheryl acetate, tocopherol, tripeptide-1, vp-eicosene copolymer, water, xanthan gum

Other information

Protect this product from excessive heat and direct sun

SUNSCREEN 22 SPF 30.jpg

FACE AND BODY SPF 30

avobenzone, octinoxate, octocrylene, oxybenzone, titanium dioxide, zinc oxide cream

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:73310-3022
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	1 mg in 5 mL	
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	1 mg in 5 mL	
OXYBENZONE (UNII: 9500S7VE0Y) (OXYBENZONE - UNII:9500S7VE0Y)	OXYBENZONE	1 mg in 5 mL	
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	1 mg in 5 mL	
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	1 mg in 5 mL	
TITANIUM DIO XIDE (UNII: 15FIX9 V2JP) (TITANIUM DIO XIDE - UNII:15FIX9 V2JP)	TITANIUM DIO XIDE	1 mg in 5 mL	

Inactive Ingredients	
Ingredient Name	Strength
PEG-100 STEARATE (UNII: YD0 1N1999R)	1 mg in 5 mL

Product Characteristics			
Color	white (Cream)	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

]	Packaging			
#	# Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:73310-3022-	150 mL in 1 CONTAINER; Type 0: Not a Combination Product	08/28/2019	

Drug Facts

Active ingredient	Purpose
AVOBENZONE 3%	Sunscreen
OCTINOXATE 5.5%	Sunscreen
OCTOCRYLENE 5%	Sunscreen
OXYBENZONE 2.5	Sunscreen
TITANIUM DIOXIDE 2.4%	Sunscreen

Usas

- helps prevent sunburn
- use as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

- For external use only
- Do not use on damaged or broken skin.
- Stop use and ask doctor if rash occurs
- When using this product, keep out of eyes. Rinse with water to remove.
- Keep out of reach of children. If swallowed, get medical help or contact Poison Control Center right away.

Directions

- apply liberally 15 minutes before sun exposure
- reapply: at least every 2 hours, immediately after towel drying
- use a water-resistant sunscreen if swimming or sweating
- children under 6 months: Ask a doctor
- Sun Protection Measures. Spending time in the sun increases
 your risk of skin cancer and early skin aging. To decrease this
 risk, regularly use a sunscreen with a <u>broad spectrum</u> SPF
 value of 15 or higher and other sun protection measures
 including:
- limit time in the sun, especially from 10 a.m. 2 p.m.
- wear long-sleeved shirts, pants, hats, and sunglasses

Inartiva invandiante

and the second second

ammonium acryloyldimethyltaurate-vp copolymer, bisethylhexyloxyphenol methoxyphenyl triazine, BHT, butyrospermum
parkij butter extract, caprylic capric triglyceride, carbomer, carthamus,
geteanyl alcohol, citronellol, coumarin, diethylhexyl
syringylidenemalonate, decyl glucoside, dijsopropyl sebacate,
dimethicone, dimethiconol behenate, c12-15 alkyl benzoate, glycerin,
glyceryl stearate, hexyl cinnamal, hydrolyzed soy protein, hydrolyzed
wheat protein, [imparthes alba seed oil, limonene, linalool, methylene
bisbenzotriazolyl tetramethybutyphenol (nano), menthyl lactate,
methylisothiazolinone, glea europapea oil unasonifiables, parfum,
peg-100 stearate, phenoxyethanol, pseudoalteromonas ferment
extract, propylene glycol, tocopherylacetate, triethanolamine,
tripeptide-1, tripeptide-10 citrulline, vp-eicosene copolymer, water,
xanthan gum

Other Information

Protect this product from excessive heat and direct sun

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part352	08/28/2019	

Labeler - AGEFARM SRL (439202467)

Establishment			
Name	Address	ID/FEI	Business Operations
COSMESIT SRL		339071951	manufacture(73310-3022)

Revised: 9/2019 AGEFARM SRL