SUN SPR SPF 50- avobenzone,octinoxate,octocrylene,oxybenzone,titanium dioxide spray AGEFARM SRL

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

SUNSCREEN BODY SPF 50 SPRAY

ACTIVE INGREDIENTS

AVOBENZONE
OCTINOXATE
OCTOCRYLENE
TITANIUM DIOXIDE

PURPOSE

Sunscreen

USES

helps prevent sunburn

use as directed with other sun protection measures (see Directions), decrease the risk of skin cancer and early skin aging caused by the sun

WARNINGS

For external use only

Do not use on damaged or broken skin

Stop use and ask doctor if rash occurs

When using this product, keep out of eyes. Rinse with water to remove

Keep out of reach of children. If swallowed, get medical help or contact Poison Control Center right away.

DIRECTIONS

¹apply liberally 15 minutes before the sun exposure

reapplyat least every 2 hours, immediately after towel drying

use a water-resistant sunscreen if swimming or sweating

children under 6 months Ask a doctor

Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF value of 15 or higher and other sun protection measures including

limit the time in the sun, especially from 10 a.m. - 2p.m.

wear long-sleeved shirts, pants, hats, and sunglasses

INACTIVE INGREDIENTS

alcohol, BHT, bis-ethylhexyloxyphenol methoxphenyl triazine, butyrospermum parkii butter extract, caprylic - capric triglyceride, carthamus tinctorius seed oil, cellulose gum, citronellol, coumarin, cyclomethicone, c12-15 alkyl benzoate, decyl glucose, diisopropyl sebacate, dimethicone, glycerin, hexyl cinnamal, coumarin, hydrolyzed soy protein, hydrolyzed whaet protein, lecithin, limnanthes alba seed oil, limonene, linalool, methylene bis-benzotriazoly tetramethybutyphenol (nano), methylisothizolinone, menthyl lactate, microcrystalline cellulose, olea europapea oil unsonifiables, parfum, phenoxyhetanol, potassium cetyl phosphate, propylene gycol, silica, tocopheryl acetate, tripeptide-1, vp-eicosene copolymer, water, xanthan gum

STORAGE AND HANDLING

Protect this product from excessive heat and direct sun

PRINCIPAL LABEL

Screen Cream Body SPF 50

Drug Facts
Active ingradiant Plapase AVOBENZONE 2% Sunscreen OCTINOXATE 2% Sunscreen OCTOCMYLENE 2% Sunscreen OXYBENZONE 2% Sunscreen TITANIUM DIOXIDE 2% Sunscreen
Loss helps prevent surburn use as directed with other sun protection measures (see Directions), decreases the risk of silon cancer and early skin aging caused by the sun
Warnings For external use only Do not use on damaged or broken skin Stop use and sek doctor if rash occurs When using this product, keep out of eyes. Rinse with water to remove Keep out of reach of chicken. If swallowed, get medical help or contact Poison Control Center right way.
Diractions apply liberally 15 minutes before sun exposure reapply, at least every 2 hours, immediately after towel drying use a water-resistant sunscreen if avimming or sweating children under 6 months: Ask a doctor Sun Protoction Nessures. Spending time in the sun increases your risk of sin cancer and early sion aging. To decrease this risk, regularly use a sunscreen with a <u>broad spectrum</u> SPF value of 15 or higher and other sun protection measures including: I limit time in the sun, especially from 10 a.m. – 2 p.m. was long-seleved shifts, pants, hast, and sunglasses
Pactive Ingraciants alcohol. BHT, bis-gttyllgeg/geg/geg/geg/methoxybenyt triazine, byllgogegrupp gegi/ butter extract. caprylic/scapto triglyceride. certherue Brocous seed oil. cellulose gum, citronelloi. coumain, bydological cellulose, glycerin, havyi cinnamai, coumain, hydrolyzed say protein, hydrolyzed wheat protein, leathin, imgrathes alta seed oil. Immorene, linalou, methylene biologyoggol gersamethybrachedol (sero). methylisebiczoliope, methylia lacase. Immoreny salline cellulose, gleg coposed, gergogingsXX, gerganethybrachedol (sero). methylisebiczoliope, methylia lacase. hydrolygetgod, potassium gey phosphate, propylene gyogi, silica. bogoppen/, acaster, tripeptide-1. yp-giogege copolymer, water, vantars gum.
Other Information Protect this product from excessive heat and direct sun

SUNSCREEN 5033 BODY SPF50.jpg

SUN SPR SPF 50

avobenzone,octinoxate,octocrylene,oxybenzone,titanium dioxide spray

Product Information						
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:73310-5033			
Route of Administration	TOPICAL					

Active Ingredie	nt/Active	Moiety						
		Ingredient Name]	Basis of Stre	ngth	Strength
OCTINOXATE (UNII	5				0	CTINOXATE	1	mg in 5 mL
OCTOCRYLENE (UN	NII: 5A68W	GF6WM) (OCTOCRYLENE	- UNII:5A68WGF6	WM)	0	OCTOCRYLENE		mg in 5 mL
OXYBENZONE (UNI	I: 9500S7	VE0Y) (OXYBENZONE - U	NII:9500S7VE0Y)		0.	XYBENZONE	1	mg in 5 mL
TITANIUM DIO XIDE	E (UNII: 15F	IX9 V2JP) (TITANIUM DIO X	KIDE - UNII:15FIX9V	2JP)	TI	TANIUM DIO X	IDE 1	mg in 5 mL
AVOBENZONE (UNI	I: G63QQF	2NOX) (AVOBENZONE - U	JNII:G63QQF2NOX)	A	VOBENZONE	1	mg in 5 mL
Inactive Ingredi	ients							
Ingredient Name				S	Strength	l		
GLYCERIN (UNII: PD	GLYCERIN (UNII: PDC6A3C0OX)				1 mg in 5 mL			
Product Charact	teristics							
Color		white (CREAM)		Score	!			
Shape				Size				
Flavor				Impri	nt Code			
Contains								
Packaging								
# Item Code		Package Descri	ption			ing Start Date		eting End Date
	150 mL in Product	1 BOTTLE, SPRAY; Type 0:	: Not a Combination	1	08/28/2019)		

Drug Facts

Active Ingredient	Purpose
AVOBENZONE 3%	Sunscreen
OCTINOXATE 5.5%	Sunscreen
OCTOCRYLENE 5%	Sunscreen
OXYBENZONE 2.5	
TITANIUM DIOXIDE 2.4%	Sunscreen

Usas

- helps prevent sunburn
- use as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

- For external use only
- Do not use on damaged or broken skin.
- Stop use and ask doctor if rash occurs
- When using this product, keep out of eyes. Rinse with water to remove
- Keep out of reach of children. If swallowed, get medical help or contact Poison Control Center right away.

Directions

- apply liberally 15 minutes before sun exposure
- reapply: at least every 2 hours, immediately after towel drying
- use a water-resistant sunscreen if swimming or sweating.
- children under 6 months: Ask a doctor
- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF value of 15 or higher and other sun protection measures

including:

- limit time in the sun, especially from 10 a.m. 2 p.m.
- wear long-sleeved shirts, pants, hats, and sunglasses

Inactive ingredients

ammonium acryloyldimethyltaurate-vp copolymer, bisethylhexyloxyphenol methoxyphenyl triazine, BHT, butyrospermum parkii butter extract, caprylic capric triglyceride, carbomer, carthamus, cetearyl alcohol, citronellol, coumarin, diethylhexyl syringylidenemalonate, decyl glucoside, diisopropyl sebacate, dimethicone, dimethiconol behenate, c12-15 alkyl benzoate, glycerin, glyceryl stearate, hexyl cinnamal, hydrolyzed soy protein, hydrolyzed wheat protein, limnanthes alba seed oil, limonene, linalool, methylene bisbenzotriazolyl tetramethybutyphenol (nano), menthyl lactate, methylisothiazolinone, olea europapea oil unasonifiables, parfum, peg-100 stearate, phenoxyethanol, pseudoalteromonas ferment extract, propylene glycol, tocopherylacetate, triethanolamine, tripeptide-1, tripeptide-10 citrulline, vp-eicosene copolymer, water, xanthan gum

Other Information

Protect this product from excessive heat and direct sun

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part352	08/28/2019	

Labeler - AGEFARM SRL (439202467)

Establishment					
Name	Address	ID/FEI	Business Operations		
COSMESIT SRL		339071951	manufacture(73310-5033)		