

EXTRA STRENGTH ASPIRIN- aspirin tablet, film coated
HHH PHARMA USA LLC

Active ingredient (in each tablet)

Aspirin 325 mg (NSAID)*

***nonsteroidal anti-inflammatory drug**

Purpose

Pain reliever/Fever reducer

Uses

temporary relieves minor aches and pains due to:

- headache
- muscular aches
- backache
- minor pain of arthritis
- the common cold
- toothache
- premenstrual and menstrual cramps

Warnings

Reye's syndrome: Children and teenagers who have or are recovering from chicken pox or flu-like symptoms should not use this product. When using this product, if changes in behavior with nausea and vomiting occur, consult a doctor because these symptoms could be an early sign of Reye's syndrome, a rare but serious illness.

Allergy alert: Aspirin may cause a severe allergic reaction, which may include:

- hives
- shock
- facial swelling
- asthma (wheezing)

Stomach bleeding warning: This product contains an NSAID, which may cause severe stomach bleeding. The chance is higher if you

- are age 60 or older
- have had stomach ulcers or bleeding problems
- take a blood thinning (anticoagulant) or steroid drug
- take other drugs containing prescription or nonprescription NSAIDs (aspirin, ibuprofen, naproxen, or others)
- have 3 or more alcoholic drinks every day while using this product
- take more or for a longer time than directed

Do not use

- if you are allergic to aspirin or any other pain reliever/fever reducer

Ask a doctor before use if

- you have asthma
- stomach bleeding warning applies to you
- you have a history of stomach problems, such as heartburn
- you have high blood pressure, heart disease, liver cirrhosis, or kidney disease
- you are taking a diuretic

Ask a doctor or pharmacist before use if you are

- taking a prescription drug for diabetes, gout, or arthritis
- under a doctor's care for any serious condition
- taking any other drug

Stop use and ask a doctor if

- you experience any of the following signs of stomach bleeding:
 - feel faint
 - have bloody or black stools
 - vomit blood
 - have stomach pain that does not get better
- an allergic reaction occurs. Seek medical help right away.
- ringing in the ears or a loss of hearing occurs
- pain gets worse or lasts for more than 10 days
- fever gets worse or lasts more than 3 days
- redness or swelling is present in the painful area
- new symptoms occur

These could be signs of a serious condition.

If pregnant or breast-feeding,

If pregnant or breast-feeding, ask a health professional before use. It is especially important not to use aspirin during the last 3 months of pregnancy unless definitely directed to do so by a doctor because it may cause problems in the unborn child or complications during delivery.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away. Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

- drink a full glass of water with each dose
- **adults and children 12 years and over:**
 - take 1 to 2 tablets every 4 hours or 3 tablets every 6 hours, not to exceed 12 tablets in 24 hours
- **children under 12 years:**ask a doctor

Other information

- store at room temperature 15-30°C (59-86°F)
- read all product information before using

Inactive ingredients

Colloidal Silicon Dioxide, Corn Starch, Hydroxypropyl Methylcellulose, Microcrystalline Cellulose, Polyethylene Glycol, Polyvinyl Alcohol, Povidone, Talc, Titanium Dioxide

Questions or comments?

Call +1-848-235-5293

Monday through Friday 9AM - 4PM EST

Principal Display Panel

Drug Facts (Continued)
Ask a doctor before use if <ul style="list-style-type: none">■ you have asthma■ stomach bleeding warning applies to you■ you have a history of stomach problems, such as heartburn■ you have high blood pressure, heart disease, liver cirrhosis or kidney disease■ you are taking a diuretic
Ask a doctor or pharmacist before use if you are <ul style="list-style-type: none">■ taking a prescription drug for diabetes, gout, or arthritis■ under a doctor's care for any serious condition■ taking any other drug
Stop use and ask a doctor if <ul style="list-style-type: none">■ you experience any of the following signs of stomach bleeding: ■ feel faint ■ have bloody or black stools ■ vomit blood ■ have stomach pain that does not get better■ an allergic reaction occurs.■ Seek medical help right away.■ ringing in the ears or loss of hearing occurs■ pain gets worse or lasts for more than 10 days■ fever gets worse or lasts for more than 3 days■ redness or swelling present in the painful area■ new symptoms occur <p>These could be signs of a serious condition.</p>
If pregnant or breast-feeding , if pregnant or breast-feeding, ask a health professional before use. It is especially important not to use aspirin during the last 3 months of pregnancy unless definitely directed to do so by a doctor because it may cause problems in the unborn child or complications during delivery.
Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away. Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.
Directions <ul style="list-style-type: none">■ drink a full glass of water with each dose■ adults and children 12 years and over<ul style="list-style-type: none">■ take 1 to 2 tablets every 4 hours or 3 tablets every 6 hours, not to exceed 12 tablets in 24 hours■ children under 12 years: ask a doctor
Other information <ul style="list-style-type: none">■ store at room temperature 15-30°C (59-86°F)■ read all product information before using
Inactive ingredients: Colloidal Silicon Dioxide, Corn Starch, Hydroxypropyl Methylcellulose, Microcrystalline Cellulose, Polyethylene Glycol, Polyvinyl Alcohol, Povidone, Talc, Titanium Dioxide
Questions or comments? Call +1 848-235-5293 Monday through Friday 9AM - 4PM EST

NDC 83586-115-01

HH
Pharmaceuticals

Compare to the active ingredient in
Bayer® Extra Strength*

Extra Strength

Aspirin

325 mg

Pain Reliever / Fever Reducer (NSAID)

100 Coated Tablets

Drug Facts
Active ingredient (in each tablet) Aspirin 325 mg (NSAID)* Pain reliever/Fever reducer * nonsteroidal anti-inflammatory drug
Uses: ■ temporarily relieves minor aches and pains due to: ■ headache ■ muscular aches ■ backache ■ minor pain of arthritis ■ the common cold ■ toothache ■ premenstrual and menstrual cramps
Warnings Reye's syndrome: Children and teenagers who have or are recovering from chicken pox or flu-like symptoms should not use this product. When using this product, if changes in behavior with nausea and vomiting occur, consult a doctor because these symptoms could be an early sign of Reye's syndrome, a rare but serious illness. Allergy alert: Aspirin may cause a severe allergic reaction, which may include: ■ hives ■ shock ■ facial swelling ■ asthma (wheezing) Stomach bleeding warning: This product contains an NSAID, which may cause severe stomach bleeding. The chance is higher if you: ■ are age 60 or older ■ have had stomach ulcers or bleeding problems ■ take a blood thinning (anticoagulant) or steroid drug take other drugs containing prescription or nonprescription NSAIDs (aspirin, ibuprofen, naproxen, or others) ■ have 3 or more alcoholic drinks every day while using this product ■ take more or for a longer time than directed Do not use ■ if you are allergic to aspirin, or any other pain reliever/fever reducer
DRUG FACTS CONTINUED on back of the label ▶
TAMPER EVIDENT: DO NOT USE IF IMPRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING
<p>*This product is not manufactured or distributed by Bayer Health Care LLC, owner of the registered trademark Bayer® Extra Strength. Distributed by: HHH Pharma USA LLC, Rahway, NJ 07065 www.hhhpharma.com</p> <p>3 83586 11501 7</p> <p>PEEL HERE ▶</p>

EXTRA STRENGTH ASPIRIN

aspirin tablet, film coated

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:83586-115
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ASPIRIN (UNII: R16CO5Y76E) (ASPIRIN - UNII:R16CO5Y76E)	ASPIRIN	325 mg

Inactive Ingredients

Ingredient Name	Strength
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
STARCH, CORN (UNII: O8232NY3SJ)	
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
POLYVINYL ALCOHOL (UNII: 532B59J990)	
POVIDONE (UNII: FZ989GH94E)	
TALC (UNII: 7SEV7J4R1U)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	

Product Characteristics

Color	white	Score	no score
Shape	ROUND	Size	10mm
Flavor		Imprint Code	ASP325
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:83586-115-01	100 in 1 BOTTLE; Type 0: Not a Combination Product	07/28/2025	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	07/28/2025	

Labeler - HHH PHARMA USA LLC (062788820)

Registrant - HHH PHARMA USA LLC (062788820)

Establishment

Name	Address	ID/FEI	Business Operations
Elysium Pharmaceuticals Ltd		863182240	manufacture(83586-115)

Establishment

Name	Address	ID/FEI	Business Operations
HHH PHARMA USA LLC		062788820	pack(83586-115)

Revised: 7/2025

HHH PHARMA USA LLC