# NASAL- oxymetazoline hydrochloride spray Rite Aid Corporation

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

-----

## **Rite Aid Corporation Nasal Spray Drug Facts**

# Active ingredient

Oxymetazoline hydrochloride 0.05%

#### **Purpose**

Nasal decongestant

#### Uses

- temporarily relieves nasal congestion due to:
- common cold
- hay fever
- upper respiratory allergies
- temporarily relieves sinus congestion and pressure
- shrinks swollen nasal membranes so you can breathe more freely

#### Warnings

#### Ask a doctor before use if you have

- heart disease
- high blood pressure
- diabetes
- thyroid disease
- trouble urinating due to an enlarged prostate gland

#### When using this product

- do not use more than directed
- do not use for more than 3 days. Use only as directed. Frequent or prolonged use may cause nasal congestion to recur or worsen.
- temporary discomfort such as burning, stinging, sneezing or an increase in nasal discharge may occur
- use of this container by more than one person may spread infection

#### Stop use and ask a doctor if

symptoms persist

# If pregnant or breast-feeding,

ask a health professional before use.

# Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away (1-800-222-1222).

#### **Directions**

- adults and children 6 to under 12 years of age (with adult supervision): 2 or 3 sprays in each nostril not more often than every 10 to 12 hours. Do not exceed 2 doses in any 24-hour period.
- children under 6 years of age: ask a doctor

To Use: Push firmly down on cap and turn counter clockwise. To spray, squeeze bottle quickly and firmly. Do not tilt head backward while spraying. Wipe nozzle clean after use. Secure cap after use.

#### Other information

- store at 20-25°C (68-77°F)
- retain carton for future reference on full labeling

## **Inactive ingredients**

benzalkonium chloride solution, benzyl alcohol, dibasic sodium phosphate, edetate disodium, monobasic sodium phosphate, polyethylene glycol, povidone, propylene glycol, purified water

#### Questions or comments?

1-800-719-9260

#### **Principal Display Panel**

Compare to the active ingredient of Afrin® Original Nasal Spray

**MAXIMUM STRENGTH** 

nasal relief

nasal spray

oxymetazoline HCl 0.05%

nasal decongestant

**ORIGINAL** 

12 HOUR

fast, powerful congestion relief

for colds & allergies

1 FL OZ (30 mL)







IF YOU'RE NOT SATISFIED, WE'LL HAPPILY REFUND YOUR HONEY.

# Drug Facts

nasal decongestan t ox ymet azoline HC10.05%

feller lesen MAXIMUMSTRENGTH

Active ingredient

Purpose

DIA ЭЩЯ

Oxymetazoline hydrochloride 0.05%... ..Nasal deconge

ugagi abka

#### Uses

MAXIMUM

STRENGTH

oxymetazoline HCI 0.05%

> nasal decongestant

nasal relief

nasa

- temporarily relieves nasal congestion due to:
  common cold hay fever
- upper respiratory allergies
  temporarily relieves sinus congestion and pressure
- shrinks swollen nasal membranes so you can breathe more freely

#### Warnings

- Ask a doctor before use if you have heart disease

- high blood pressure
   thyroid disease diabetes trouble urinating due to an enlarged prostate gland

#### When using this product

- do not use more than directed do not use for more than 3 days. Use only as directed. Frequent or prolonged use may cause nasal congestion to recur or worse
- temporary discomfort such as burning, stinging, sneezing or an increase in nasal discharge may occur
- use of this container by more than one person may

Stop use and ask a doctor if symptoms persist

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away (1-800-222-1222).

#### Directions

- adults and children 6 to under 12 years of age (with adult supervision): 2 or 3 sprays in each nostril not more often than every 10 to 12 hours. Do not exceed 2 doess in any 24-hour period. ■ children under 6 years of age: ask a doctor
- To Use: Push firmly down on cap and turn counter clockwise. To spray, squeeze bottle quickly and firmly. Do not tilt head backward while spraying. Wipe nozzle clean after use. Secure cap after use.

#### Other information

- store at 20-25°C (68-77°F) retain carton for future reference on full labeling

#### Drug Facts (continued)

Inactive ingredients benzakonium chloride solution, enzył alcohol, dibasic sodium

phosphate, edetate disodium, monobasic sodium phosphate, polyethylene glycol, povidone, ropylene glycol, purified water

Questions or comments? -800-719-9260

This product is not manufactured or distributed by Bayer HealthCare LLC, distributor of Afrin® Original



DO NOT USE IF PRINTED NECKS



30410 83 C6

# **NASAL**

oxymetazoline hydrochloride spray

fast, powerful

congestion relief

for colds & allergies

1 FL 0Z (30 mL)

D			l	 T1	`		_ 4:	
Р	rn	11	H	Inf	nr	m	:11	an .

HUMAN OTC DRUG NDC:11822-0304 Product Type Item Code (Source)

NASAL Route of Administration

## Active Ingredient/Active Moiety

**Ingredient Name Basis of Strength** Strength

OXYMETAZOLINE HYDROCHLORIDE (UNII: K89 MJ0 S5VY) (OXYMETAZOLINE -	OXYMETAZOLINE	0.05 g
UNII:8 VLN5B44ZY)	HYDROCHLORIDE	in 100 mL

Inactive Ingredients			
Ingredient Name	Strength		
BENZALKO NIUM CHLO RIDE (UNII: F5UM2KM3W7)			
BENZYL ALCOHOL (UNII: LKG8494WBH)			
SODIUM PHO SPHATE, DIBASIC (UNII: GR686LBA74)			
EDETATE DISO DIUM (UNII: 7FLD91C86K)			
SODIUM PHO SPHATE, MO NO BASIC (UNII: 3980 JIH2SW)			
POLYETHYLENE GLYCOL (UNII: 3WJQ0SDW1A)			
PO VIDO NE (UNII: FZ989 GH94E)			
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)			
WATER (UNII: 059QF0KO0R)			

Product Characteristics					
Color	WHITE (Translucent)	Score			
Shape		Size			
Flavor		Imprint Code			
Contains					

	Packaging					
:	# Item Code	Package Description	<b>Marketing Start Date</b>	Marketing End Date		
	NDC:11822-0304-1	1 in 1 CARTON	12/19/2013			
	1	30 mL in 1 BOTTLE; Type 0: Not a Combination Product				

Marketing Information					
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date		
OTC monograph final	part341	12/19/2013			

# Labeler - Rite Aid Corporation (014578892)

Revised: 12/2019 Rite Aid Corporation