

OLIGO BIO IODINE- chelidonium majus, iodum, lycopus virginicus, ginkgo biloba, pinus sylvestris, fucus vesiculosus, spongia tosta, germanium sesquioxide, hypophysis suis, thyroidinum (suis), cysteinum, manganese gluconate, alpha-ketoglutaric acidum, calcarea carbonica, ferrum iodatum, fumaricum acidum, kali iodatum, natrum oxalaceticum, pulsatilla (vulgaris), argentum metallicum, aurum metallicum, cuprum metallicum, eugenol, formalinum, lidocaine, mercurius solubilis, molybdenum metallicum, niccolum metallicum, liquid

BioActive Nutritional, Inc.

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

DRUG FACTS:

ACTIVE INGREDIENTS:

Chelidonium Majus 3X, Iodium 4X, 6X, 12X, Lycopus Virginicus 4X, 6X, 12X, 30X, 200X, Ginkgo Biloba 6X, Pinus Sylvestris 6X, Fucus Vesiculosus 6X, 12X, 30X, Spongia Tosta 7X, Germanium Sesquioxide 8X, Hypophysis Suis 8X, 12X, 100X, 200X, Thyroidinum (Suis) 8X, 12X, 100X, 200X, Cysteinum 9X, Manganese Gluconate 10X, Alpha-Ketoglutaric Acidum 12X, Calcarea Carbonica 12X, Ferrum Iodatum 12X, Fumaricum Acidum 12X, Kali Iodatum 12X, Natrum Oxalaceticum 12X, Pulsatilla (Vulgaris) 12X, Argentum Metallicum 12X, 30X, 60X, 200X, Aurum Metallicum 12X, 30X, 60X, 200X, Cuprum Metallicum 12X, 30X, 60X, 200X, Eugenol 12X, 30X, 60X, 200X, Formalinum 12X, 30X, 60X, 200X, Lidocaine 12X, 30X, 60X, 200X, Mercurius Solubilis 12X, 30X, 60X, 200X, Molybdenum Metallicum 12X, 30X, 60X, 200X, Niccolum Metallicum 12X, 30X, 60X, 200X, Palladium Metallicum 12X, 30X, 60X, 200X, Stannum Metallicum 12X, 30X, 60X, 200X, Titanium Metallicum 12X, 30X, 60X, 200X, Zincum Metallicum 12X, 30X, 60X, 200X, Rubella Nosode 16X, 30X, 200X, Parotidinum 30X, 200X, Coxsackie Nosode A2 16C, 24C, 60C, 400C, Coxsackie Nosode A7 16C, 24C, 60C, 400C, Coxsackie Nosode B1 16C, 24C, 60C, 400C, Coxsackie Nosode B3 16C, 24C, 60C, 400C, Coxsackie Nosode B4 16C, 24C, 60C, 400C.

OTC - PURPOSE SECTION

For temporary relief of fatigue, muscular weakness, weak pulse, tendency to faint, cold hands & feet, low blood pressure, nervous tremor of limbs & sensitive to cold.

WARNINGS:

If pregnant or breast-feeding, ask a health care professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Do not use if tamper evident seal is broken or missing.

Store in a cool, dry place.

KEEP OUT OF REACH OF CHILDREN:

In case of overdose, get medical help or contact a Poison Control Center right away.

DIRECTIONS:

10 drops orally, 3 times a day. Consult a physician for use in children under 12 years of age.

INDICATIONS:

For temporary relief of fatigue, muscular weakness, weak pulse, tendency to faint, cold hands & feet, low blood pressure, nervous tremor of limbs & sensitive to cold.

INACTIVE INGREDIENTS:

Demineralized Water, 25% Ethanol

QUESTIONS:

Distributed by:
BioActive Nutritional, Inc.
1803 N. Wickham Rd.
Melbourne, FL 32935
bioactivenutritional.com

*For a complete list of Dental Isodes contact BioActive Nutritional, Inc.

PACKAGE LABEL DISPLAY:

BIOActive Nutritional

OLIGO BIO IODINE

HOMEOPATHIC

1 FL OZ (30 ml)



WARNINGS: If pregnant or breast-feeding, ask a health care professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. Do not use if tamper evident seal is broken or missing. Store in a cool, dry place.

LOT:

Distributed by:
BioActive Nutritional, Inc.
1803 N. Wickham Rd.
Melbourne, FL 32935
bioactivenutritional.com

OLIGO BIO IODINE

HOMEOPATHIC

ACTIVE INGREDIENTS:

Chelidonium Maj 3X. Iodium 4X, 6X, 12X. Lycopus 4X, 6X, 12X, 30X, 200X. Ginkgo, Pinus Syl 6X. Fucus 6X, 12X, 30X. Spongia 7X. Germanium Sesquioxide 8X. Hypophysis Suis, Thyroidinum 8X, 12X, 100X, 200X. Cysteinum 9X. Manganese Gluconate 10X. alpha-Ketoglutar Ac, Calc Carb, Ferrum Iod, Fumaricum Ac, Kali Iod, Natrum Oxalaceticum, Pulsatilla 12X. Arg Met, Aur Met, Cuprum Met, Eugenol, Formalinum, Lidocaine, Merc Solub, Molybdenum, Niccolum Met, Palladium, Stannum Met, Titanium, Zinc Met 12X, 30X, 60X, 200X. Rubella Nosode 16X, 30X, 200X. Mumps Nosode 30X, 200X. Coxsackie Nosodes (A2, A7, B1, B3, B4) 16C, 24C, 60C, 400C.

INACTIVE INGREDIENTS: Demineralized Water, 25% Ethanol

1 FL OZ (30 ml)

INDICATIONS:
For temporary relief of fatigue, muscular weakness, weak pulse, tendency to faint, cold hands & feet, low blood pressure, nervous tremor of limbs & sensitive to cold.

DIRECTIONS:
10 drops orally, 3 times a day. Consult a physician for use in children under 12 years of age.

OLIGO BIO IODINE

chelidonium majus, iodum, lycopus virginicus, ginkgo biloba, pinus sylvestris, fucus vesiculosus, spongia tosta, germanium sesquioxide, hypophysis suis, thyroidinum (suis), cysteinum, manganese gluconate, alpha-ketoglutaric acidum, calcarea carbonica, ferrum iodatum, fumaricum acidum, kali iodatum, natrum oxalaceticum, pulsatilla (vulgaris), argentum metallicum, aurum metallicum, cuprum metallicum, eugenol, formalinum, lidocaine, mercurius solubilis, molybdenum metallicum, niccolum metallicum, liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:43857-0541
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
CHELIDONIUM MAJUS WHOLE (UNII: 7E889U5RNN) (CHELIDONIUM MAJUS - UNII:7E889U5RNN)	CHELIDONIUM MAJUS WHOLE	3 [hp_X] in 1 mL
IODINE (UNII: 9679TC07X4) (IODINE - UNII:9679TC07X4)	IODINE	4 [hp_X] in 1 mL
LYCOPUS VIRGINICUS WHOLE (UNII: TWH5125Q6F) (LYCOPUS VIRGINICUS - UNII:TWH5125Q6F)	LYCOPUS VIRGINICUS WHOLE	4 [hp_X] in 1 mL
GINKGO (UNII: 19FUJ2C58T) (GINKGO - UNII:19FUJ2C58T)	GINKGO	6 [hp_X] in 1 mL
PINUS SYLVESTRIS LEAFY TWIG (UNII: Q1RGP4UB73) (PINUS SYLVESTRIS LEAFY TWG - UNII:Q1RGP4UB73)	PINUS SYLVESTRIS LEAFY TWG	6 [hp_X] in 1 mL
FUCUS VESICULOSUS (UNII: 535G2ABX9M) (FUCUS VESICULOSUS - UNII:535G2ABX9M)	FUCUS VESICULOSUS	6 [hp_X] in 1 mL
SPONGIA OFFICINALIS SKELETON, ROASTED (UNII: 1PIP394IID) (SPONGIA OFFICINALIS SKELETON, ROASTED - UNII:1PIP394IID)	SPONGIA OFFICINALIS SKELETON, ROASTED	7 [hp_X] in 1 mL
GERMANIUM SESQUIOXIDE (UNII: 96WE91N25T) (GERMANIUM SESQUIOXIDE - UNII:96WE91N25T)	GERMANIUM SESQUIOXIDE	8 [hp_X] in 1 mL
SUS SCROFA PITUITARY GLAND (UNII: L0PFEMQ1DT) (SUS SCROFA	SUS SCROFA PITUITARY	8 [hp_X]

PITUITARY GLAND - UNII:LOPFEMQ1DT)	GLAND	in 1 mL
THYROID (UNII: 6RV024OAUQ) (SUS SCROFA THYROID - UNII:6RV024OAUQ)	THYROID	8 [hp_X] in 1 mL
CYSTEINE (UNII: K848JZ4886) (CYSTEINE - UNII:K848JZ4886)	CYSTEINE	9 [hp_X] in 1 mL
MANGANESE GLUCONATE (UNII: 9YY2F980SV) (MANGANESE CATION (2+) - UNII:H6EP7W5457)	MANGANESE GLUCONATE	10 [hp_X] in 1 mL
OXOGLURIC ACID (UNII: 8ID597Z82X) (.ALPHA.-KETOGLUTARIC ACID - UNII:8ID597Z82X)	OXOGLURIC ACID	12 [hp_X] in 1 mL
OYSTER SHELL CALCIUM CARBONATE, CRUDE (UNII: 2E32821G6I) (OYSTER SHELL CALCIUM CARBONATE, CRUDE - UNII:2E32821G6I)	OYSTER SHELL CALCIUM CARBONATE, CRUDE	12 [hp_X] in 1 mL
FERROUS IODIDE (UNII: F5452U54PN) (FERROUS IODIDE - UNII:F5452U54PN)	FERROUS IODIDE	12 [hp_X] in 1 mL
FUMARIC ACID (UNII: 88XHZ13131) (FUMARIC ACID - UNII:88XHZ13131)	FUMARIC ACID	12 [hp_X] in 1 mL
POTASSIUM IODIDE (UNII: 1C4QK22F9J) (IODIDE ION - UNII:09G4I6V86Q)	IODIDE ION	12 [hp_X] in 1 mL
SODIUM DIETHYL OXALACETATE (UNII: 6CA025Y4FG) (DIETHYL OXALACETATE - UNII:15S56468G7)	SODIUM DIETHYL OXALACETATE	12 [hp_X] in 1 mL
PULSATILLA VULGARIS WHOLE (UNII: I76KB35JEV) (ANEMONE PULSATILLA - UNII:I76KB35JEV)	PULSATILLA VULGARIS WHOLE	12 [hp_X] in 1 mL
SILVER (UNII: 3M4G523W1G) (SILVER - UNII:3M4G523W1G)	SILVER	12 [hp_X] in 1 mL
GOLD (UNII: 79Y1949PYO) (GOLD - UNII:79Y1949PYO)	GOLD	12 [hp_X] in 1 mL
COPPER (UNII: 789U1901C5) (COPPER - UNII:789U1901C5)	COPPER	12 [hp_X] in 1 mL
EUGENOL (UNII: 3T8H1794QW) (EUGENOL - UNII:3T8H1794QW)	EUGENOL	12 [hp_X] in 1 mL
FORMALDEHYDE (UNII: 1HG84L3525) (FORMALDEHYDE - UNII:1HG84L3525)	FORMALDEHYDE	12 [hp_X] in 1 mL
LIDOCAINE (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE	12 [hp_X] in 1 mL
MERCURIUS SOLUBILIS (UNII: 324Y4038G2) (MERCURIUS SOLUBILIS - UNII:324Y4038G2)	MERCURIUS SOLUBILIS	12 [hp_X] in 1 mL
MOLYBDENUM (UNII: 81AH48963U) (MOLYBDENUM - UNII:81AH48963U)	MOLYBDENUM	12 [hp_X] in 1 mL
NICKEL (UNII: 7OV03QG267) (NICKEL - UNII:7OV03QG267)	NICKEL	12 [hp_X] in 1 mL
PALLADIUM (UNII: 5TWQ1V240M) (PALLADIUM - UNII:5TWQ1V240M)	PALLADIUM	12 [hp_X] in 1 mL
TIN (UNII: 387GMG9FH5) (TIN - UNII:387GMG9FH5)	TIN	12 [hp_X] in 1 mL
TITANIUM (UNII: D1JT611TNE) (TITANIUM - UNII:D1JT611TNE)	TITANIUM	12 [hp_X] in 1 mL
ZINC (UNII: J41CSQ7QDS) (ZINC - UNII:J41CSQ7QDS)	ZINC	12 [hp_X] in 1 mL
RUBELLA VIRUS (UNII: U751HEX436) (RUBELLA VIRUS - UNII:U751HEX436)	RUBELLA VIRUS	16 [hp_X] in 1 mL
MUMPS VIRUS (UNII: YF0S03R447) (MUMPS VIRUS - UNII:YF0S03R447)	MUMPS VIRUS	30 [hp_X] in 1 mL
HUMAN COXSACKIEVIRUS A2 (UNII: 82KK5J435E) (HUMAN COXSACKIEVIRUS A2 - UNII:82KK5J435E)	HUMAN COXSACKIEVIRUS A2	16 [hp_C] in 1 mL
HUMAN COXSACKIEVIRUS A7 (UNII: P3026TK92O) (HUMAN COXSACKIEVIRUS A7 - UNII:P3026TK92O)	HUMAN COXSACKIEVIRUS A7	16 [hp_C] in 1 mL
HUMAN COXSACKIEVIRUS B1 (UNII: ADL68M27WD) (HUMAN COXSACKIEVIRUS B1 - UNII:ADL68M27WD)	HUMAN COXSACKIEVIRUS B1	16 [hp_C] in 1 mL
HUMAN COXSACKIEVIRUS B3 (UNII: 69O1DAO10G) (HUMAN COXSACKIEVIRUS B3 - UNII:69O1DAO10G)	HUMAN COXSACKIEVIRUS B3	16 [hp_C] in 1 mL

HUMAN COXSACKIEVIRUS B4 (UNII: FYF75V7FDY) (HUMAN COXSACKIEVIRUS B4 - UNII:FYF75V7FDY)	HUMAN COXSACKIEVIRUS B4	16 [hp_C] in 1 mL
---	-------------------------	-------------------

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KOOR)	
ALCOHOL (UNII: 3K9958V90M)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:43857-0541-1	30 mL in 1 BOTTLE, DROPPER; Type 0: Not a Combination Product	11/21/2019	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		11/21/2019	

Labeler - BioActive Nutritional, Inc. (624980496)

Registrant - Apotheca Company (844330915)

Establishment

Name	Address	ID/FEI	Business Operations
Apotheca Company		844330915	manufacture(43857-0541) , api manufacture(43857-0541) , label(43857-0541) , pack(43857-0541)

Revised: 11/2023

BioActive Nutritional, Inc.