

VICKS VAPOCOOL SORE THROAT- benzocaine and menthol lozenge
The Procter & Gamble Manufacturing Company

VICKS[®] VapoCOOL[™] Sore Throat Lozenges

Drug Facts

Active ingredients (per lozenge)

Benzocaine 15 mg

Menthol 20 mg

Purpose

Oral anesthetic

Oral anesthetic

Uses

temporarily relieves occasional minor irritation and pain due to

- sore throat
- sore mouth

Warnings

Methemoglobinemia Warning-

Use of this product may cause methemoglobinemia, a serious condition that must be treated promptly because it reduces the amount of oxygen carried in blood. This can occur even if you have used this product before. Stop use and seek immediate medical attention if you or a child in your care develops:

- pale, gray or blue colored skin (cyanosis)
- headache
- rapid heart rate
- shortness of breath
- dizziness or lightheadedness
- fatigue or lack of energy

Allergy alert:

do not use this product if you have a history of allergy to local anesthetics such as procaine, butacaine, benzocaine, or other "caine" anesthetics. If a skin reaction occurs, stop use and seek medical help right away.

Sore Throat Warning -

Severe or persistent sore throat or sore throat accompanied by high fever, headache, nausea, and vomiting may be serious. Consult doctor promptly. Do not use more than 2 days or administer to children under 12 years of age.

Do not use

- for teething
- in children under 2

When using this product

do not exceed recommended dosage

Ask a doctor before use if you have

- a severe sore throat accompanied by difficulty in breathing or that lasts more than 2 days
- a sore throat accompanied by fever, headache, rash, swelling, nausea or vomiting

Stop use and ask a doctor if

- sore mouth symptoms do not improve in 7 days, or if irritation, pain, or redness persists or worsens

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- adults and children 12 years and over: dissolve 1 lozenge slowly in the mouth. Repeat every 2 hours as needed or as directed by a doctor.
- children under 12 years: do not use.

Other information

- store at room temperature; protect from moisture
- contains soy

Inactive ingredients

corn syrup, flavors, propylene glycol, sucrose

Questions?

1-800-283-4879

DIST. BY PROCTER & GAMBLE,

CINCINNATI OH 45202

PRINCIPAL DISPLAY PANEL - 16 Lozenges Carton

VICKS®

VapoCOOL

SORE THROAT

BENZOCAINE & MENTHOL - ORAL ANESTHETICS

COOLING + NUMBING

Soothes Throat Pain

Fast-acting

WINTERFROST

16 LOZENGES

VICKS® VapoCOOL™ SORE THROAT

VICKS®

VapoCOOL™ SORE THROAT

VICKS® VapoCOOL™ SORE THROAT

VICKS® VapoCOOL™ SORE THROAT

VapoCOOL™ SORE THROAT
BENZOCAINE & MENTHOL - ORAL ANESTHETICS

COOLING + NUMBING

Soothes Throat Pain
Fast-acting

WINTERFROST
16 LOZENGES

Drug Facts

Active ingredients (per lozenge)	Purpose
Benzocaine 15 mg	Oral anesthetic
Menthol 20 mg	Oral anesthetic

Uses temporarily relieves occasional minor irritation and pain due to • sore throat • sore mouth

Warnings
Methemoglobinemia Warning – Use of this product may cause methemoglobinemia, a serious condition that must be treated promptly because it reduces the amount of oxygen carried in blood. This can occur even if you have used this product before. Stop use and seek immediate medical attention if you or a child in your care develops: • pale, gray or blue colored skin (cyanosis) • headache • rapid heart rate • shortness of breath • dizziness or lightheadedness • fatigue or lack of energy

Allergy alert: do not use this product if you have a history of allergy to local anesthetics such as procaine, butacaine, benzocaine, or other "caine" anesthetics. If a skin reaction occurs, stop use and seek medical help right away.

Sore Throat Warning– Severe or persistent sore throat or sore throat accompanied by high fever, headache, nausea, and vomiting may be serious. Consult a doctor promptly. Do not use more than 2 days or administer to children under 12 years of age.

Do not use • for teething • in children under 2

When using this product do not exceed recommended dosage

Ask a doctor before use if you have
• a severe sore throat accompanied by difficulty in breathing or that lasts more than 2 days
• a sore throat accompanied by fever, headache, rash, swelling, nausea or vomiting

Stop use and ask a doctor if
• sore mouth symptoms do not improve in 7 days, or if irritation, pain, or redness persists or worsens
If pregnant or breast-feeding, ask a health professional before use. **Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away.

Directions
• adults and children 12 years and over: dissolve 1 lozenge slowly in the mouth. Repeat every 2 hours as needed or as directed by a doctor.
• children under 12 years: do not use.

Other information
• store at room temperature; protect from moisture • contains soy

Inactive ingredients
corn syrup, flavors, propylene glycol, sucrose

Questions? 1-800-283-4879

DIST. BY: PROCTER & GAMBLE,
CINCINNATI, OH 45202
Patents: www.pg.com/patents

P&G
www.pg.com
90173550

2390064050 2

VICKS VAPOCOOL SORE THROAT

benzocaine and menthol lozenge

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37000-935
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BENZOCAINE (UNII: U3RSY48JW5) (BENZOCAINE - UNII:U3RSY48JW5)	BENZOCAINE	15 mg
MENTHOL (UNII: L7T10EIP3A) (MENTHOL - UNII:L7T10EIP3A)	MENTHOL	20 mg

Inactive Ingredients

Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	
CORN SYRUP (UNII: 9G5L16BK6N)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	

Product Characteristics

Color	yellow	Score	no score
Shape	ROUND	Size	19mm
Flavor	MENTHOL	Imprint Code	Vicks;logo
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:37000-935-16	2 in 1 CARTON	10/09/2019	
1		8 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M022	10/09/2019	

Labeler - The Procter & Gamble Manufacturing Company (004238200)