

LBEL NATURAL FINISH MOISTURIZING FOUNDATION SPF 25 (CLAIRE 1) - BEIGE-  
 octinoxate and titanium dioxide liquid  
 LBEL NATURAL FINISH MOISTURIZING FOUNDATION SPF 25 (CLAIRE 2) - BEIGE-  
 octinoxate and titanium dioxide liquid  
 LBEL NATURAL FINISH MOISTURIZING FOUNDATION SPF 25 (CLAIRE 3) - BEIGE-  
 octinoxate and titanium dioxide liquid  
 LBEL NATURAL FINISH MOISTURIZING FOUNDATION SPF 25 (CLAIRE 4) - BEIGE-  
 octinoxate and titanium dioxide liquid  
 LBEL NATURAL FINISH MOISTURIZING FOUNDATION SPF 25 (MEDIUM 5) - BROWN-  
 octinoxate and titanium dioxide liquid  
 LBEL NATURAL FINISH MOISTURIZING FOUNDATION SPF 25 (MEDIUM 6) - BROWN-  
 octinoxate and titanium dioxide liquid  
 LBEL NATURAL FINISH MOISTURIZING FOUNDATION SPF 25 (MEDIUM 7) - BROWN-  
 octinoxate and titanium dioxide liquid  
 LBEL NATURAL FINISH MOISTURIZING FOUNDATION SPF 25 (OBSCURE 8) - BROWN-  
 octinoxate and titanium dioxide liquid  
 LBEL NATURAL FINISH MOISTURIZING FOUNDATION SPF 25 (OBSCURE 9) - BROWN-  
 octinoxate and titanium dioxide liquid  
 LBEL NATURAL FINISH MOISTURIZING FOUNDATION SPF 25 (MEDIUM 6A) -  
 BROWN- octinoxate and titanium dioxide liquid  
 LBEL NATURAL FINISH MOISTURIZING FOUNDATION SPF 25 (MEDIUM 6B) - BROWN-  
 octinoxate and titanium dioxide liquid  
 LBEL NATURAL FINISH MOISTURIZING FOUNDATION SPF 25 (OBSCURE 8A) -  
 BROWN- octinoxate and titanium dioxide liquid  
 LBEL NATURAL FINISH MOISTURIZING FOUNDATION SPF 25 (OBSCURE 8B) -  
 BROWN- octinoxate and titanium dioxide liquid  
 LBEL NATURAL FINISH MOISTURIZING FOUNDATION SPF 25 (OBSCURE 8C) -  
 BROWN- octinoxate and titanium dioxide liquid  
 LBEL NATURAL FINISH MOISTURIZING FOUNDATION SPF 25 (OBSCURE 10) -  
 BROWN- octinoxate and titanium dioxide liquid  
 LBEL NATURAL FINISH MOISTURIZING FOUNDATION SPF 25 (DORE 6) - BEIGE-  
 octinoxate and titanium dioxide liquid  
 Ventura International LTD

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----  
**L'BEL NATURAL FINISH MOISTURIZING FOUNDATION SPF 25**

***Drug Facts***

<b><i>Active Ingredients</i></b>	<b><i>Purpose</i></b>
Octinoxate 6.5 %	Sunscreen
Titanium Dioxide 1.6%	Sunscreen

**Uses**

- Helps prevent sunburn

**Warnings**

- **Skin Cancer / Skin Aging Alert:** Spending time in the sun increases your risk of skin cancer and

early skin aging. This product has been shown only to help prevent sunburn, **not** skin cancer or early skin aging.

- **For external use only.**
- **Do not use** on damaged or broken skin.
- **When using this product** keep out of eyes. Rinse with water to remove.
- **Stop use and ask a doctor if** rash occurs
- **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

### **Directions**

- Apply liberally and evenly 15 minutes before sun exposure.
- Reapply at least every 2 hours
- Use a water resistant sunscreen if swimming or sweating.
- Children under 6 months of age: Ask a doctor

### **Other information**

- Protect the product in this container from excessive heat and direct sun.

### **Inactive ingredients**

Water, cyclopentasiloxane, cyclohexasiloxane, propylene glycol dicaprylate/dicaprate, peg/ppg-18/18 dimethicone, trimethylsiloxysilicate, dimethicone/vinyl dimethicone crosspolymer, xylitylglucoside, octyldodecanol, oleth-5, polymethyl methacrylate, anhydroxylitol, glycerin, linoleic acid, peg/ppg-19/19 dimethicone, microcrystalline wax, c12-15 alkyl benzoate, xylitol, diazolidinyl urea, alumina, petrolatum, tocopheryl acetate, triethoxycaprylylsilane, phospholipids, ribes nigrum (black currant) seed oil, silica, methylparaben, propylparaben, fragrance, copernicia cerifera (carnauba) wax, tribehenin, cholesterol, methicone, bht, menthoxypropanediol, euphorbia cerifera (candelilla) wax, beeswax, cetearyl alcohol, cetearyl glucoside, polyglyceryl-2 dipolyhydroxystearate, glycosphingolipids, ceramide 2, decyl glucoside, linolenic acid, peg-10 rapeseed sterol, palmitoyl oligopeptide.

### **May contain**

Titanium dioxide, iron oxides , iron oxides, iron oxides.

Distributed by Ventura Corporation, Ltd. San Juan, Puerto Rico 00926.

### **PRINCIPAL DISPLAY PANEL - 30 ml Bottle Box (Claire 1) Beige**

EFFET  
PARFAIT

natural finish  
moisturizing  
**foundation**  
**SPF 25**

30 ml e (1 fl.oz.)

**L'BEL**



**Drug Facts**

**Active Ingredients**  
 Octinoxate 6.5%.....Sunscreen  
 Titanium Dioxide 1.6%.....Sunscreen

**Purpose**  
 .....Sunscreen


**Uses**  
 ■ Helps prevent sunburn.

**Warnings**  
 ■ **Skin Cancer / Skin Aging Alert:** Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging.  
 ■ For external use only.  
 ■ Do not use on damaged or broken skin.  
 ■ When using this product keep out of eyes. Rinse with water to remove.  
 ■ Stop use and ask a doctor if rash occurs.

**Drug Facts (continued)**  
 ■ Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.  
**Directions**  
 ■ Apply liberally and evenly 15 minutes before sun exposure.  
 ■ Reapply at least every 2 hours.  
 ■ Use a water resistant sunscreen if swimming or sweating.  
 ■ Children under 6 months of age. Ask a doctor.  
**Other information**  
 ■ Protect the product in this container from excessive heat and direct sun.

**Inactive ingredients** Water, cyclopentasiloxane, cyclohexasiloxane, propylene glycol dicaprylate/dicaprate, peg/ppg-18/18 dimethicone, trimethylsiloxysulfate, dimethicone/

**Drug Facts (continued)**  
 vinyl dimethicone crosspolymer, xylitylglucoside, octyldecyl alcohol, oleth-5, polymethyl methacrylate, anhydroxytolitol, glycerin, inoleic acid, peg/ppg-19/19 dimethicone, microcrystalline wax, c12-15 alkyl benzoate, xylitol, diazolidinyl urea, alumina, petrolatum, tocopheryl acetate, triethoxycaprylylsilane, phospholipids, ribes nigrum (black currant) seed oil, silica, methylparaben, propylparaben, fragrance, copernicia cerifera (carnauba) wax, tribehenin, cholesterol, methicone, bht, menthoxypropanediol, euphorbia cerifera (candelilla) wax, beeswax, cetearyl alcohol, cetearyl glucoside, polyglyceryl-2 dipolyhydroxystearate, glycosphingolipids, ceramide 2, decyl glucoside, inolenic acid, peg-10 rapeseed sterol, palmitoyl oligopeptide. May contain: Titanium dioxide, iron oxides, iron oxides, iron oxides.



**EFFET PARFAIT**

natural finish  
 moisturizing  
**foundation**  
**SPF 25**

30 ml e (1 fl.oz.)

**L'BEL**

US: Distributed by Ventura International Ltd, DBA Belcorp USA, San Francisco, CA 94111. **PUERTO RICO:** Distributed by Ventura Corporation, Ltd, San Juan, Puerto Rico 00926. Made in Colombia.

[www.lbel.com](http://www.lbel.com)

**PRINCIPAL DISPLAY PANEL - 30 ml Bottle Box (Claire 2) Beige**

EFFET  
PARFAIT

natural finish  
moisturizing  
**foundation**

**SPF 25**

30 ml e (1 fl.oz.)

**L'BEL**



**Drug Facts**

**Active Ingredients**

Octinoxate 6.5%.....Sunscreen  
Titanium Dioxide 1.6%.....Sunscreen

**Uses**

- Helps prevent sunburn.

**Warnings**

- **Skin Cancer / Skin Aging Alert:** Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging.
- For external use only.
- Do not use on damaged or broken skin.
- When using this product keep out of eyes. Rinse with water to remove.
- Stop use and ask a doctor if rash occurs.

**Drug Facts (continued)**

- Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- Apply liberally and evenly 15 minutes before sun exposure.
- Reapply at least every 2 hours.
- Use a water resistant sunscreen if swimming or sweating.
- Children under 6 months of age: Ask a doctor.

**Other information**

- Protect the product in this container from excessive heat and direct sun.

**Inactive ingredients** Water, cyclopentasiloxane, cyclohexasiloxane, propylene glycol dicaprylate/dicaprate, peg/ppg-18/18 dimethicone, trimethylsilyloxyoctylate, dimethicone/

**Drug Facts (continued)**

vinyl dimethicone crosspolymer, xylitylglucoside, octyldecyl alcohol, oleth-5, polymethyl methacrylate, anhydroxytolitol, glycerin, inoleic acid, peg/ppg-19/19 dimethicone, microcrystalline wax, c12-15 alkyl benzoate, xylitol, diazolidinyl urea, alumina, petrolatum, tocopheryl acetate, triethoxycaprylylsilane, phospholipids, ribes nigrum (black currant) seed oil, silica, methylparaben, propylparaben, fragrance, copernicia cerifera (carnauba) wax, tribehenin, cholesterol, methicone, bht, menthoxypropanediol, euphorbia cerifera (candelilla) wax, beeswax, cetearyl alcohol, cetearyl glucoside, polyglyceryl-2 dipolyhydroxystearate, glycosphingolipids, ceramide 2, decyl glucoside, inolenic acid, peg-10 rapeseed sterol, palmitoyl oligopeptide. May contain: Titanium dioxide, iron oxides, iron oxides, iron oxides.



**EFFET  
PARFAIT**

natural finish  
moisturizing  
**foundation**  
**SPF 25**

30 ml e (1 fl.oz.)

**L'BEL**

US: Distributed by Ventura International Ltd, DBA Belcorp USA, San Francisco, CA 94111. **PUERTO RICO:** Distributed by Ventura Corporation, Ltd, San Juan, Puerto Rico 00926. Made in Colombia.

[www.lbel.com](http://www.lbel.com)

**PRINCIPAL DISPLAY PANEL - 30 ml Bottle Box (Claire 3) Beige**

EFFET  
PARFAIT

natural finish  
moisturizing  
**foundation**

**SPF 25**

30 ml e (1 fl.oz.)

**L'BEL**



**Drug Facts**

**Active Ingredients**  
 Octinoxate 6.5%.....Sunscreen  
 Titanium Dioxide 1.6%.....Sunscreen

**Purpose**  
 .....Sunscreen

**Uses**  
 ■ Helps prevent sunburn.

**Warnings**  
 ■ **Skin Cancer / Skin Aging Alert:** Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging.  
 ■ For external use only.  
 ■ Do not use on damaged or broken skin.  
 ■ When using this product keep out of eyes. Rinse with water to remove.  
 ■ Stop use and ask a doctor if rash occurs.

**Drug Facts (continued)**  
 ■ Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.  
**Directions**  
 ■ Apply liberally and evenly 15 minutes before sun exposure.  
 ■ Reapply at least every 2 hours.  
 ■ Use a water resistant sunscreen if swimming or sweating.  
 ■ Children under 6 months of age: Ask a doctor.  
**Other information**  
 ■ Protect the product in this container from excessive heat and direct sun.

**Inactive ingredients** Water, cyclopentasiloxane, cyclohexasiloxane, propylene glycol dicaprylate/dicaprate, peg/ppg-18/18 dimethicone, trimethylsilyloxyoctylate, dimethicone/

**Drug Facts (continued)**  
 vinyl dimethicone crosspolymer, xylitylglucoside, octyldecyl alcohol, oleth-5, polymethyl methacrylate, anhydroxytolitol, glycerin, inoleic acid, peg/ppg-19/19 dimethicone, microcrystalline wax, c12-15 alkyl benzoate, xylitol, diazolidinyl urea, alumina, petrolatum, tocopheryl acetate, triethoxycaprylylsilane, phospholipids, ribes nigrum (black currant) seed oil, silica, methylparaben, propylparaben, fragrance, copernicia cerifera (carnauba) wax, tribehenin, cholesterol, methicone, bht, menthoxypropanediol, euphorbia cerifera (candelilla) wax, beeswax, cetearyl alcohol, cetearyl glucoside, polyglyceryl-2 dipolyhydroxystearate, glycosphingolipids, ceramide 2, decyl glucoside, inolenic acid, peg-10 rapeseed sterol, palmitoyl oligopeptide. May contain: Titanium dioxide, iron oxides, iron oxides, iron oxides.



**EFFET  
PARFAIT**

natural finish  
moisturizing  
**foundation**  
**SPF 25**

30 ml e (1 fl.oz.)

**L'BEL**

US: Distributed by Ventura International Ltd, DBA Belcorp USA, San Francisco, CA 94111. **PUERTO RICO:** Distributed by Ventura Corporation, Ltd, San Juan, Puerto Rico 00926. Made in Colombia.

[www.lbel.com](http://www.lbel.com)



**PRINCIPAL DISPLAY PANEL - 30 ml Bottle Box (Claire 4) Beige**

EFFET  
PARFAIT

natural finish  
moisturizing

**foundation**

**SPF 25**

30 ml e (1 fl.oz.)

**L'BEL**



**Drug Facts**

**Active Ingredients**  
 Octinoxate 6.5%.....Sunscreen  
 Titanium Dioxide 1.6%.....Sunscreen

**Purpose**  
 .....Sunscreen


**Uses**  
 ■ Helps prevent sunburn.

**Warnings**  
 ■ **Skin Cancer / Skin Aging Alert:** Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging.  
 ■ For external use only.  
 ■ Do not use on damaged or broken skin.  
 ■ When using this product keep out of eyes. Rinse with water to remove.  
 ■ Stop use and ask a doctor if rash occurs.

**Drug Facts (continued)**  
 ■ Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.  
**Directions**  
 ■ Apply liberally and evenly 15 minutes before sun exposure.  
 ■ Reapply at least every 2 hours.  
 ■ Use a water resistant sunscreen if swimming or sweating.  
 ■ Children under 6 months of age: Ask a doctor.  
**Other information**  
 ■ Protect the product in this container from excessive heat and direct sun.

**Inactive ingredients** Water, cyclopentasiloxane, cyclohexasiloxane, propylene glycol dicaprylate/dicaprate, peg/ppg-18/18 dimethicone, trimethylsiloxysilicate, dimethicone/

**Drug Facts (continued)**  
 vinyl dimethicone crosspolymer, xylitylglucoside, octyldecyl alcohol, oleth-5, polymethyl methacrylate, anhydroxytolitol, glycerin, inoleic acid, peg/ppg-19/19 dimethicone, microcrystalline wax, c12-15 alkyl benzoate, xylitol, diazolidinyl urea, alumina, petrolatum, tocopheryl acetate, triethoxycaprylylsilane, phospholipids, ribes nigrum (black currant) seed oil, silica, methylparaben, propylparaben, fragrance, copernicia cerifera (carnauba) wax, tribehenin, cholesterol, methicone, bht, menthoxypropanediol, euphorbia cerifera (candelilla) wax, beeswax, cetearyl alcohol, cetearyl glucoside, polyglyceryl-2 dipolyhydroxystearate, glycosphingolipids, ceramide 2, decyl glucoside, inolenic acid, peg-10 rapeseed sterol, palmitoyl oligopeptide. May contain: Titanium dioxide, iron oxides, iron oxides, iron oxides.



**EFFET PARFAIT**

natural finish  
 moisturizing  
**foundation**  
**SPF 25**

30 ml e (1 fl.oz.)

**L'BEL**

US: Distributed by Ventura International Ltd, DBA Belcorp USA, San Francisco, CA 94111. **PUERTO RICO:** Distributed by Ventura Corporation, Ltd, San Juan, Puerto Rico 00926. Made in Colombia.

[www.lbel.com](http://www.lbel.com)

**PRINCIPAL DISPLAY PANEL - 30 ml Bottle Box (Medium 5) Brown**

EFFET

PARFAIT

natural finish

moisturizing

**foundation**

**SPF 25**

30 ml e (1 fl.oz.)

**L'BEL**



**Drug Facts**

**Active Ingredients**  
 Octinoxate 6.5%.....Sunscreen  
 Titanium Dioxide 1.6%.....Sunscreen

**Purpose**  
 .....Sunscreen


**Uses**  
 ■ Helps prevent sunburn.

**Warnings**  
 ■ **Skin Cancer / Skin Aging Alert:** Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging.  
 ■ For external use only.  
 ■ Do not use on damaged or broken skin.  
 ■ When using this product keep out of eyes. Rinse with water to remove.  
 ■ Stop use and ask a doctor if rash occurs.

**Drug Facts (continued)**  
 ■ Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.  
**Directions**  
 ■ Apply liberally and evenly 15 minutes before sun exposure.  
 ■ Reapply at least every 2 hours.  
 ■ Use a water resistant sunscreen if swimming or sweating.  
 ■ Children under 6 months of age: Ask a doctor.  
**Other information**  
 ■ Protect the product in this container from excessive heat and direct sun.

**Inactive ingredients** Water, cyclopentasiloxane, cyclohexasiloxane, propylene glycol dicaprylate/dicaprate, peg/ppg-18/18 dimethicone, trimethylsiloxysulfate, dimethicone/

**Drug Facts (continued)**  
 vinyl dimethicone crosspolymer, xylitylglucoside, octyldecyl alcohol, oleth-5, polymethyl methacrylate, anhydroxytolitol, glycerin, inoleic acid, peg/ppg-19/19 dimethicone, microcrystalline wax, c12-15 alkyl benzoate, xylitol, diazolidinyl urea, alumina, petrolatum, tocopheryl acetate, triethoxycaprylylsilane, phospholipids, ribes nigrum (black currant) seed oil, silica, methylparaben, propylparaben, fragrance, copernicia cerifera (carnauba) wax, tribehenin, cholesterol, methicone, bht, menthoxypropanediol, euphorbia cerifera (candelilla) wax, beeswax, cetearyl alcohol, cetearyl glucoside, polyglyceryl-2 dipolyhydroxystearate, glycosphingolipids, ceramide 2, decyl glucoside, inolenic acid, peg-10 rapeseed sterol, palmitoyl oligopeptide. May contain: Titanium dioxide, iron oxides, iron oxides, iron oxides.



**EFFET PARFAIT**

natural finish  
 moisturizing  
**foundation**  
**SPF 25**

30 ml e (1 fl.oz.)

**L'BEL**

US: Distributed by Ventura International Ltd, DBA Belcorp USA, San Francisco, CA 94111. **PUERTO RICO:** Distributed by Ventura Corporation, Ltd, San Juan, Puerto Rico 00926. Made in Colombia.

[www.lbel.com](http://www.lbel.com)

**PRINCIPAL DISPLAY PANEL - 30 ml Bottle Box (Medium 6) Brown**

EFFET  
PARFAIT

natural finish  
moisturizing  
**foundation**

**SPF 25**

30 ml e (1 fl.oz.)

**L'BEL**



**Drug Facts**

**Active Ingredients**  
 Octinoxate 6.5%.....Sunscreen  
 Titanium Dioxide 1.6%.....Sunscreen

**Uses**  
 ■ Helps prevent sunburn.

**Warnings**  
 ■ **Skin Cancer / Skin Aging Alert:** Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging.  
 ■ For external use only.  
 ■ Do not use on damaged or broken skin.  
 ■ When using this product keep out of eyes. Rinse with water to remove.  
 ■ Stop use and ask a doctor if rash occurs.

**Drug Facts (continued)**  
 ■ Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.  
**Directions**  
 ■ Apply liberally and evenly 15 minutes before sun exposure.  
 ■ Reapply at least every 2 hours.  
 ■ Use a water resistant sunscreen if swimming or sweating.  
 ■ Children under 6 months of age. Ask a doctor.  
**Other information**  
 ■ Protect the product in this container from excessive heat and direct sun.

**Inactive ingredients** Water, cyclopentasiloxane, cyclohexasiloxane, propylene glycol dicaprylate/dicaprate, peg/ppg-18/18 dimethicone, trimethylsiloxysulfate, dimethicone/

**Drug Facts (continued)**  
 vinyl dimethicone crosspolymer, xylitylglucoside, octyldecyl alcohol, oleth-5, polymethyl methacrylate, anhydroxytolitol, glycerin, inoleic acid, peg/ppg-19/19 dimethicone, microcrystalline wax, c12-15 alkyl benzoate, xylitol, diazolidinyl urea, alumina, petrolatum, tocopheryl acetate, triethoxycaprylylsilane, phospholipids, ribes nigrum (black currant) seed oil, silica, methylparaben, propylparaben, fragrance, copernicia cerifera (carnauba) wax, tribehenin, cholesterol, methicone, bht, menthoxypropanediol, euphorbia cerifera (candelilla) wax, beeswax, cetearyl alcohol, cetearyl glucoside, polyglyceryl-2 dipolyhydroxystearate, glycosphingolipids, ceramide 2, decyl glucoside, inolenic acid, peg-10 rapeseed sterol, palmitoyl oligopeptide. May contain: Titanium dioxide, iron oxides, iron oxides, iron oxides.



EFFET PARFAIT

natural finish  
moisturizing  
**foundation**  
**SPF 25**

30 ml e (1 fl.oz.)

L'BEL

US: Distributed by Ventura International Ltd, DBA Belcorp USA, San Francisco, CA 94111. **PUERTO RICO:** Distributed by Ventura Corporation, Ltd, San Juan, Puerto Rico 00926. Made in Colombia.

[www.lbel.com](http://www.lbel.com)

**PRINCIPAL DISPLAY PANEL - 30 ml Bottle Box (Medium 7) Brown**

EFFET  
PARFAIT

natural finish  
moisturizing  
**foundation**

**SPF 25**

30 ml e (1 fl.oz.)

**L'BEL**



**Drug Facts**

**Active Ingredients**  
 Octinoxate 6.5%.....Sunscreen  
 Titanium Dioxide 1.6%.....Sunscreen

**Uses**  
 ■ Helps prevent sunburn.

**Warnings**  
 ■ **Skin Cancer / Skin Aging Alert:** Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging.  
 ■ For external use only.  
 ■ Do not use on damaged or broken skin.  
 ■ When using this product keep out of eyes. Rinse with water to remove.  
 ■ Stop use and ask a doctor if rash occurs.

**Drug Facts (continued)**  
 ■ Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.  
**Directions**  
 ■ Apply liberally and evenly 15 minutes before sun exposure.  
 ■ Reapply at least every 2 hours.  
 ■ Use a water resistant sunscreen if swimming or sweating.  
 ■ Children under 6 months of age: Ask a doctor.  
**Other information**  
 ■ Protect the product in this container from excessive heat and direct sun.

**Inactive ingredients** Water, cyclopentasiloxane, cyclohexasiloxane, propylene glycol dicaprylate/dicaprate, peg/ppg-18/18 dimethicone, trimethylsilyloxyoctylate, dimethicone/

**Drug Facts (continued)**  
 vinyl dimethicone crosspolymer, xylitylglucoside, octyldecyl alcohol, oleth-5, polymethyl methacrylate, anhydroxytolitol, glycerin, inoleic acid, peg/ppg-19/19 dimethicone, microcrystalline wax, c12-15 alkyl benzoate, xylitol, diazolidinyl urea, alumina, petrolatum, tocopheryl acetate, triethoxycaprylylsilane, phospholipids, ribes nigrum (black currant) seed oil, silica, methylparaben, propylparaben, fragrance, copernicia cerifera (carnauba) wax, tribehenin, cholesterol, methicone, bht, menthoxypropanediol, euphorbia cerifera (candelilla) wax, beeswax, cetearyl alcohol, cetearyl glucoside, polyglyceryl-2 dipolyhydroxystearate, glycosphingolipids, ceramide 2, decyl glucoside, inolenic acid, peg-10 rapeseed sterol, palmitoyl oligopeptide. May contain: Titanium dioxide, iron oxides, iron oxides, iron oxides.



**EFFET  
PARFAIT**

natural finish  
moisturizing  
**foundation**  
**SPF 25**

30 ml e (1 fl.oz.)

**L'BEL**

US: Distributed by Ventura International Ltd, DBA Belcorp USA, San Francisco, CA 94111. **PUERTO RICO:** Distributed by Ventura Corporation, Ltd, San Juan, Puerto Rico 00926. Made in Colombia.

[www.lbel.com](http://www.lbel.com)



**PRINCIPAL DISPLAY PANEL - 30 ml Bottle Box (Obscure 8) Brown**

EFFET

PARFAIT

natural finish

moisturizing

**foundation**

**SPF 25**

30 ml e (1 fl.oz.)

**L'BEL**



**Drug Facts**

**Active Ingredients**  
 Octinoxate 6.5%.....Sunscreen  
 Titanium Dioxide 1.6%.....Sunscreen

**Uses**  
 ■ Helps prevent sunburn.

**Warnings**  
 ■ **Skin Cancer / Skin Aging Alert:** Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging.  
 ■ For external use only.  
 ■ Do not use on damaged or broken skin.  
 ■ When using this product keep out of eyes. Rinse with water to remove.  
 ■ Stop use and ask a doctor if rash occurs.

**Drug Facts (continued)**  
 ■ Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.  
**Directions**  
 ■ Apply liberally and evenly 15 minutes before sun exposure.  
 ■ Reapply at least every 2 hours.  
 ■ Use a water resistant sunscreen if swimming or sweating.  
 ■ Children under 6 months of age: Ask a doctor.  
**Other information**  
 ■ Protect the product in this container from excessive heat and direct sun.

**Drug Facts (continued)**  
 vinyl dimethicone crosspolymer, xylitylglucoside, octyldecyl alcohol, oleth-5, polymethyl methacrylate, anhydroxylitol, glycerin, inoleic acid, peg/ppg-19/19 dimethicone, microcrystalline wax, c12-15 alkyl benzoate, xylitol, diazolidinyl urea, alumina, petrolatum, tocopheryl acetate, triethoxycaprylylsilane, phospholipids, ribes nigrum (black currant) seed oil, silica, methylparaben, propylparaben, fragrance, copernicia cerifera (carnauba) wax, tribehenin, cholesterol, methicone, bht, menthoxypropanediol, euphorbia cerifera (candelilla) wax, beeswax, cetearyl alcohol, cetearyl glucoside, polyglyceryl-2 dipolyhydroxystearate, glycosphingolipids, ceramide 2, decyl glucoside, inolenic acid, peg-10 rapeseed sterol, palmitoyl oligopeptide. May contain: Titanium dioxide, iron oxides, iron oxides, iron oxides.

**EFFET PARFAIT**

natural finish  
 moisturizing  
**foundation**  
**SPF 25**

30 ml e (1 fl.oz.)



**L'BEL**

US: Distributed by Ventura International Ltd, DBA Belcorp USA, San Francisco, CA 94111. **PUERTO RICO:** Distributed by Ventura Corporation, Ltd, San Juan, Puerto Rico 00926. Made in Colombia.

[www.lbel.com](http://www.lbel.com)

**PRINCIPAL DISPLAY PANEL - 30 ml Bottle Box (Obscure 9) Brown**

EFFET  
PARFAIT

natural finish  
moisturizing  
**foundation**

**SPF 25**

30 ml e (1 fl.oz.)

**L'BEL**



**Drug Facts**

**Active Ingredients**  
 Octinoxate 6.5%.....Sunscreen  
 Titanium Dioxide 1.6%.....Sunscreen

**Purpose**  
 .....Sunscreen

**Uses**  
 ■ Helps prevent sunburn.

**Warnings**  
 ■ **Skin Cancer / Skin Aging Alert:** Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging.  
 ■ For external use only.  
 ■ Do not use on damaged or broken skin.  
 ■ When using this product keep out of eyes. Rinse with water to remove.  
 ■ Stop use and ask a doctor if rash occurs.

**Drug Facts (continued)**  
 ■ Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.  
**Directions**  
 ■ Apply liberally and evenly 15 minutes before sun exposure.  
 ■ Reapply at least every 2 hours.  
 ■ Use a water resistant sunscreen if swimming or sweating.  
 ■ Children under 6 months of age: Ask a doctor.  
**Other information**  
 ■ Protect the product in this container from excessive heat and direct sun.

**Inactive ingredients** Water, cyclopentasiloxane, cyclohexasiloxane, propylene glycol dicaprylate/dicaprate, peg/ppg-18/18 dimethicone, trimethylsilyloxyoctylate, dimethicone/

**Drug Facts (continued)**  
 vinyl dimethicone crosspolymer, xylitylglucoside, octyldecyl alcohol, oleth-5, polymethyl methacrylate, anhydroxytolitol, glycerin, inoleic acid, peg/ppg-19/19 dimethicone, microcrystalline wax, c12-15 alkyl benzoate, xylitol, diazolidinyl urea, alumina, petrolatum, tocopheryl acetate, triethoxycaprylylsilane, phospholipids, ribes nigrum (black currant) seed oil, silica, methylparaben, propylparaben, fragrance, copernicia cerifera (carnauba) wax, tribehenin, cholesterol, methicone, bht, menthoxypropanediol, euphorbia cerifera (candelilla) wax, beeswax, cetearyl alcohol, cetearyl glucoside, polyglyceryl-2 dipolyhydroxystearate, glycosphingolipids, ceramide 2, decyl glucoside, inolenic acid, peg-10 rapeseed sterol, palmitoyl oligopeptide. May contain: Titanium dioxide, iron oxides, iron oxides, iron oxides.



**EFFET  
PARFAIT**

natural finish  
moisturizing  
**foundation**  
**SPF 25**

30 ml e (1 fl.oz.)

**L'BEL**

US: Distributed by Ventura International Ltd, DBA Belcorp USA, San Francisco, CA 94111. **PUERTO RICO:** Distributed by Ventura Corporation, Ltd, San Juan, Puerto Rico 00926. Made in Colombia.

[www.lbel.com](http://www.lbel.com)

**PRINCIPAL DISPLAY PANEL - 30 ml Bottle Box (Medium 6A) Brown**

EFFET  
PARFAIT

natural finish  
moisturizing  
**foundation**

**SPF 25**

30 ml e (1 fl.oz.)

**L'BEL**



**Drug Facts**

**Active Ingredients**  
 Octinoxate 6.5%.....Sunscreen  
 Titanium Dioxide 1.6%.....Sunscreen

**Purpose**  
 .....Sunscreen


**Uses**  
 ■ Helps prevent sunburn.

**Warnings**  
 ■ **Skin Cancer / Skin Aging Alert:** Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging.  
 ■ For external use only.  
 ■ Do not use on damaged or broken skin.  
 ■ When using this product keep out of eyes. Rinse with water to remove.  
 ■ Stop use and ask a doctor if rash occurs.

**Drug Facts (continued)**  
 ■ Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.  
**Directions**  
 ■ Apply liberally and evenly 15 minutes before sun exposure.  
 ■ Reapply at least every 2 hours.  
 ■ Use a water resistant sunscreen if swimming or sweating.  
 ■ Children under 6 months of age. Ask a doctor.  
**Other information**  
 ■ Protect the product in this container from excessive heat and direct sun.

**Inactive ingredients** Water, cyclopentasiloxane, cyclohexasiloxane, propylene glycol dicaprylate/dicaprate, peg/ppg-18/18 dimethicone, trimethylsiloxysulfate, dimethicone/

**Drug Facts (continued)**  
 vinyl dimethicone crosspolymer, xylitylglucoside, octyldecyl alcohol, oleth-5, polymethyl methacrylate, anhydroxytolitol, glycerin, inoleic acid, peg/ppg-19/19 dimethicone, microcrystalline wax, c12-15 alkyl benzoate, xylitol, diazolidinyl urea, alumina, petrolatum, tocopheryl acetate, triethoxycaprylylsilane, phospholipids, ribes nigrum (black currant) seed oil, silica, methylparaben, propylparaben, fragrance, copernicia cerifera (carnauba) wax, tribehenin, cholesterol, methicone, bht, menthoxypropanediol, euphorbia cerifera (candelilla) wax, beeswax, cetearyl alcohol, cetearyl glucoside, polyglyceryl-2 dipolyhydroxystearate, glycosphingolipids, ceramide 2, decyl glucoside, inolenic acid, peg-10 rapeseed sterol, palmitoyl oligopeptide. May contain: Titanium dioxide, iron oxides, iron oxides, iron oxides.



**EFFET PARFAIT**

natural finish  
 moisturizing  
**foundation**  
**SPF 25**

30 ml e (1 fl.oz.)

**L'BEL**

US: Distributed by Ventura International Ltd, DBA Belcorp USA, San Francisco, CA 94111. **PUERTO RICO:** Distributed by Ventura Corporation, Ltd, San Juan, Puerto Rico 00926. Made in Colombia.

[www.lbel.com](http://www.lbel.com)

**PRINCIPAL DISPLAY PANEL - 30 ml Bottle Box (Medium 6B) Brown**

EFFET  
PARFAIT

natural finish  
moisturizing  
**foundation**

**SPF 25**

30 ml e (1 fl.oz.)

**L'BEL**



**Drug Facts**

**Active Ingredients**  
 Octinoxate 6.5%.....Sunscreen  
 Titanium Dioxide 1.6%.....Sunscreen

**Purpose**  
 .....Sunscreen

**Uses**  
 ■ Helps prevent sunburn.

**Warnings**  
 ■ **Skin Cancer / Skin Aging Alert:** Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging.  
 ■ For external use only.  
 ■ Do not use on damaged or broken skin.  
 ■ When using this product keep out of eyes. Rinse with water to remove.  
 ■ Stop use and ask a doctor if rash occurs.

**Drug Facts (continued)**  
 ■ Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.  
**Directions**  
 ■ Apply liberally and evenly 15 minutes before sun exposure.  
 ■ Reapply at least every 2 hours.  
 ■ Use a water resistant sunscreen if swimming or sweating.  
 ■ Children under 6 months of age: Ask a doctor.  
**Other information**  
 ■ Protect the product in this container from excessive heat and direct sun.

**Inactive ingredients** Water, cyclopentasiloxane, cyclohexasiloxane, propylene glycol dicaprylate/dicaprate, peg/ppg-18/18 dimethicone, trimethylsiloxysulfate, dimethicone/

**Drug Facts (continued)**  
 vinyl dimethicone crosspolymer, xylitylglucoside, octyldecyl alcohol, oleth-5, polymethyl methacrylate, anhydroxytolitol, glycerin, inoleic acid, peg/ppg-19/19 dimethicone, microcrystalline wax, c12-15 alkyl benzoate, xylitol, diazolidinyl urea, alumina, petrolatum, tocopheryl acetate, triethoxycaprylylsilane, phospholipids, ribes nigrum (black currant) seed oil, silica, methylparaben, propylparaben, fragrance, copernicia cerifera (carnauba) wax, tribehenin, cholesterol, methicone, bht, menthoxypropanediol, euphorbia cerifera (candelilla) wax, beeswax, cetearyl alcohol, cetearyl glucoside, polyglyceryl-2 dipolyhydroxystearate, glycosphingolipids, ceramide 2, decyl glucoside, inolenic acid, peg-10 rapeseed sterol, palmitoyl oligopeptide. May contain: Titanium dioxide, iron oxides, iron oxides, iron oxides.



**EFFET  
PARFAIT**

natural finish  
moisturizing  
**foundation**  
**SPF 25**

30 ml e (1 fl.oz.)

**L'BEL**

US: Distributed by Ventura International Ltd, DBA Belcorp USA, San Francisco, CA 94111. **PUERTO RICO:** Distributed by Ventura Corporation, Ltd, San Juan, Puerto Rico 00926. Made in Colombia.

[www.lbel.com](http://www.lbel.com)



**PRINCIPAL DISPLAY PANEL - 30 ml Bottle Box (Obscure 8A) Brown**

EFFET  
PARFAIT

natural finish  
moisturizing  
**foundation**

**SPF 25**

30 ml e (1 fl.oz.)

**L'BEL**



**Drug Facts**

**Active Ingredients**  
 Octinoxate 6.5%.....Sunscreen  
 Titanium Dioxide 1.6%.....Sunscreen

**Purpose**  
 .....Sunscreen

**Uses**  
 ■ Helps prevent sunburn.

**Warnings**  
 ■ **Skin Cancer / Skin Aging Alert:** Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging.  
 ■ For external use only.  
 ■ Do not use on damaged or broken skin.  
 ■ When using this product keep out of eyes. Rinse with water to remove.  
 ■ Stop use and ask a doctor if rash occurs.

**Drug Facts (continued)**  
 ■ Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.  
**Directions**  
 ■ Apply liberally and evenly 15 minutes before sun exposure.  
 ■ Reapply at least every 2 hours.  
 ■ Use a water resistant sunscreen if swimming or sweating.  
 ■ Children under 6 months of age: Ask a doctor.  
**Other information**  
 ■ Protect the product in this container from excessive heat and direct sun.

**Inactive ingredients** Water, cyclopentasiloxane, cyclohexasiloxane, propylene glycol dicaprylate/dicaprate, peg/ppg-18/18 dimethicone, trimethylsiloxysulfate, dimethicone/

**Drug Facts (continued)**  
 vinyl dimethicone crosspolymer, xylitylglucoside, octyldecyl alcohol, oleth-5, polymethyl methacrylate, anhydroxytolitol, glycerin, inoleic acid, peg/ppg-19/19 dimethicone, microcrystalline wax, c12-15 alkyl benzoate, xylitol, diazolidinyl urea, alumina, petrolatum, tocopheryl acetate, triethoxycaprylylsilane, phospholipids, ribes nigrum (black currant) seed oil, silica, methylparaben, propylparaben, fragrance, copernicia cerifera (carnauba) wax, tribehenin, cholesterol, methicone, bht, menthoxypropanediol, euphorbia cerifera (candelilla) wax, beeswax, cetearyl alcohol, cetearyl glucoside, polyglyceryl-2 dipolyhydroxystearate, glycosphingolipids, ceramide 2, decyl glucoside, inolenic acid, peg-10 rapeseed sterol, palmitoyl oligopeptide. May contain: Titanium dioxide, iron oxides, iron oxides, iron oxides.



**EFFET  
PARFAIT**

natural finish  
moisturizing  
**foundation**  
**SPF 25**

30 ml e (1 fl.oz.)

**L'BEL**

US: Distributed by Ventura International Ltd, DBA Belcorp USA, San Francisco, CA 94111. **PUERTO RICO:** Distributed by Ventura Corporation, Ltd, San Juan, Puerto Rico 00926. Made in Colombia.

[www.lbel.com](http://www.lbel.com)

**PRINCIPAL DISPLAY PANEL - 30 ml Bottle Box (Obscure 8B) Brown**

EFFET  
PARFAIT

natural finish  
moisturizing  
**foundation**

**SPF 25**

30 ml e (1 fl.oz.)

**L'BEL**



**Drug Facts**

**Active Ingredients**  
 Octinoxate 6.5%.....Sunscreen  
 Titanium Dioxide 1.6%.....Sunscreen

**Purpose**  
 Helps prevent sunburn.

**Uses**  
 ■ Helps prevent sunburn.

**Warnings**  
 ■ **Skin Cancer / Skin Aging Alert:** Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging.  
 ■ For external use only.  
 ■ Do not use on damaged or broken skin.  
 ■ When using this product keep out of eyes. Rinse with water to remove.  
 ■ Stop use and ask a doctor if rash occurs.

**Drug Facts (continued)**  
 ■ Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.  
**Directions**  
 ■ Apply liberally and evenly 15 minutes before sun exposure.  
 ■ Reapply at least every 2 hours.  
 ■ Use a water resistant sunscreen if swimming or sweating.  
 ■ Children under 6 months of age: Ask a doctor.  
**Other information**  
 ■ Protect the product in this container from excessive heat and direct sun.

**Inactive ingredients** Water, cyclopentasiloxane, cyclohexasiloxane, propylene glycol dicaprylate/dicaprate, peg/ppg-18/18 dimethicone, trimethylsilyloxyoctyl dimethicone/

**Drug Facts (continued)**  
 vinyl dimethicone crosspolymer, xylitylglucoside, octyldecyl alcohol, oleth-5, polymethyl methacrylate, anhydroxytolitol, glycerin, inoleic acid, peg/ppg-19/19 dimethicone, microcrystalline wax, c12-15 alkyl benzoate, xylitol, diazolidinyl urea, alumina, petrolatum, tocopheryl acetate, triethoxycaprylylsilane, phospholipids, ribes nigrum (black currant) seed oil, silica, methylparaben, propylparaben, fragrance, copernicia cerifera (carnauba) wax, tribehenin, cholesterol, methicone, bht, menthoxypropanediol, euphorbia cerifera (candelilla) wax, beeswax, cetearyl alcohol, cetearyl glucoside, polyglyceryl-2 dipolyhydroxystearate, glycosphingolipids, ceramide 2, decyl glucoside, inolenic acid, peg-10 rapeseed sterol, palmitoyl oligopeptide. May contain: Titanium dioxide, iron oxides, iron oxides, iron oxides.



**EFFET  
PARFAIT**

natural finish  
moisturizing  
**foundation**  
**SPF 25**

30 ml e (1 fl.oz.)

**L'BEL**

US: Distributed by Ventura International Ltd, DBA Belcorp USA, San Francisco, CA 94111. **PUERTO RICO:** Distributed by Ventura Corporation, Ltd, San Juan, Puerto Rico 00926. Made in Colombia.

[www.lbel.com](http://www.lbel.com)

**PRINCIPAL DISPLAY PANEL - 30 ml Bottle Box (Obscure 8C) Brown**

EFFET

PARFAIT

natural finish

moisturizing

**foundation**

**SPF 25**

30 ml e (1 fl.oz.)

**L'BEL**



**Drug Facts**

**Active Ingredients**  
 Octinoxate 6.5%.....Sunscreen  
 Titanium Dioxide 1.6%.....Sunscreen

**Purpose**  
 .....Sunscreen

**Uses**  
 ■ Helps prevent sunburn.

**Warnings**  
 ■ **Skin Cancer / Skin Aging Alert:** Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging.  
 ■ For external use only.  
 ■ Do not use on damaged or broken skin.  
 ■ When using this product keep out of eyes. Rinse with water to remove.  
 ■ Stop use and ask a doctor if rash occurs.

**Drug Facts (continued)**  
 ■ Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.  
**Directions**  
 ■ Apply liberally and evenly 15 minutes before sun exposure.  
 ■ Reapply at least every 2 hours.  
 ■ Use a water resistant sunscreen if swimming or sweating.  
 ■ Children under 6 months of age. Ask a doctor.  
**Other information**  
 ■ Protect the product in this container from excessive heat and direct sun.

**Inactive ingredients** Water, cyclopentasiloxane, cyclohexasiloxane, propylene glycol dicaprylate/dicaprate, peg/ppg-18/18 dimethicone, trimethylsiloxysulfate, dimethicone/

**Drug Facts (continued)**  
 vinyl dimethicone crosspolymer, xylitylglucoside, octyldecyl alcohol, oleth-5, polymethyl methacrylate, anhydroxylytol, glycerin, inoleic acid, peg/ppg-19/19 dimethicone, microcrystalline wax, c12-15 alkyl benzoate, xylitol, diazolidinyl urea, alumina, petrolatum, tocopheryl acetate, triethoxycaprylylsilane, phospholipids, ribes nigrum (black currant) seed oil, silica, methylparaben, propylparaben, fragrance, copernicia cerifera (carnauba) wax, tribehenin, cholesterol, methicone, bht, menthoxypropanediol, euphorbia cerifera (candelilla) wax, beeswax, cetearyl alcohol, cetearyl glucoside, polyglyceryl-2 dipolyhydroxystearate, glycosphingolipids, ceramide 2, decyl glucoside, inolenic acid, peg-10 rapeseed sterol, palmitoyl oligopeptide. May contain: Titanium dioxide, iron oxides, iron oxides, iron oxides.



**EFFET  
PARFAIT**

natural finish  
moisturizing  
**foundation**  
**SPF 25**

30 ml e (1 fl.oz.)

**L'BEL**

US: Distributed by Ventura International Ltd, DBA Belcorp USA, San Francisco, CA 94111. **PUERTO RICO:** Distributed by Ventura Corporation, Ltd, San Juan, Puerto Rico 00926. Made in Colombia.

[www.lbel.com](http://www.lbel.com)

**PRINCIPAL DISPLAY PANEL - 30 ml Bottle Box (Obscure 10) Brown**

EFFET  
PARFAIT

natural finish  
moisturizing  
**foundation**

**SPF 25**

30 ml e (1 fl.oz.)

**L'BEL**



**Drug Facts**

**Active Ingredients**  
 Octinoxate 6.5%.....Sunscreen  
 Titanium Dioxide 1.6%.....Sunscreen

**Uses**  
 ■ Helps prevent sunburn.

**Warnings**  
 ■ **Skin Cancer / Skin Aging Alert:** Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging.  
 ■ For external use only.  
 ■ Do not use on damaged or broken skin.  
 ■ When using this product keep out of eyes. Rinse with water to remove.  
 ■ Stop use and ask a doctor if rash occurs.

**Drug Facts (continued)**  
 ■ Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.  
**Directions**  
 ■ Apply liberally and evenly 15 minutes before sun exposure.  
 ■ Reapply at least every 2 hours.  
 ■ Use a water resistant sunscreen if swimming or sweating.  
 ■ Children under 6 months of age: Ask a doctor.  
**Other information**  
 ■ Protect the product in this container from excessive heat and direct sun.

**Inactive ingredients** Water, cyclopentasiloxane, cyclohexasiloxane, propylene glycol dicaprylate/dicaprate, peg/ppg-18/18 dimethicone, trimethylsiloxysulfate, dimethicone/

**Drug Facts (continued)**  
 vinyl dimethicone crosspolymer, xylitylglucoside, octyldecyl alcohol, oleth-5, polymethyl methacrylate, anhydroxytolitol, glycerin, inoleic acid, peg/ppg-19/19 dimethicone, microcrystalline wax, c12-15 alkyl benzoate, xylitol, diazolidinyl urea, alumina, petrolatum, tocopheryl acetate, triethoxycaprylylsilane, phospholipids, ribes nigrum (black currant) seed oil, silica, methylparaben, propylparaben, fragrance, copernicia cerifera (carnauba) wax, tribehenin, cholesterol, methicone, bht, menthoxypropanediol, euphorbia cerifera (candelilla) wax, beeswax, cetearyl alcohol, cetearyl glucoside, polyglyceryl-2 dipolyhydroxystearate, glycosphingolipids, ceramide 2, decyl glucoside, inolenic acid, peg-10 rapeseed sterol, palmitoyl oligopeptide. May contain: Titanium dioxide, iron oxides, iron oxides, iron oxides.



**EFFET  
PARFAIT**

natural finish  
moisturizing  
**foundation**  
**SPF 25**

30 ml e (1 fl.oz.)

**L'BEL**

US: Distributed by Ventura International Ltd, DBA Belcorp USA, San Francisco, CA 94111. **PUERTO RICO:** Distributed by Ventura Corporation, Ltd, San Juan, Puerto Rico 00926. Made in Colombia.

[www.lbel.com](http://www.lbel.com)



**PRINCIPAL DISPLAY PANEL - 30 ml Bottle Box (Dore 6) Beige**

EFFET  
PARFAIT

natural finish  
moisturizing  
**foundation**

**SPF 25**

30 ml e (1 fl.oz.)

**L'BEL**



**Drug Facts**

**Active Ingredients**  
 Octinoxate 6.5% .....Sunscreen  
 Titanium Dioxide 1.6% .....Sunscreen

**Uses**  
 ■ Helps prevent sunburn.

**Warnings**  
 ■ **Skin Cancer / Skin Aging Alert:** Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging.  
 ■ For external use only.  
 ■ Do not use on damaged or broken skin.  
 ■ When using this product keep out of eyes. Rinse with water to remove.  
 ■ Stop use and ask a doctor if rash occurs.

**Drug Facts (continued)**  
 ■ Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.  
**Directions**  
 ■ Apply liberally and evenly 15 minutes before sun exposure.  
 ■ Reapply at least every 2 hours.  
 ■ Use a water resistant sunscreen if swimming or sweating.  
 ■ Children under 6 months of age: Ask a doctor.  
**Other information**  
 ■ Protect the product in this container from excessive heat and direct sun.

**Inactive ingredients** Water, cyclopentasiloxane, cyclohexasiloxane, propylene glycol dicaprylate/dicaprate, peg/ppg-18/18 dimethicone, trimethylsiloxysulfate, dimethicone/

**Drug Facts (continued)**  
 vinyl dimethicone crosspolymer, xylitylglucoside, octyldecyl alcohol, oleth-5, polymethyl methacrylate, anhydroxylytol, glycerin, inoleic acid, peg/ppg-19/19 dimethicone, microcrystalline wax, c12-15 alkyl benzoate, xylitol, diazolidinyl urea, alumina, petrolatum, tocopheryl acetate, triethoxycaprylylsilane, phospholipids, ribes nigrum (black currant) seed oil, silica, methylparaben, propylparaben, fragrance, copernicia cerifera (carnauba) wax, tribehenin, cholesterol, methicone, bht, menthoxypropanediol, euphorbia cerifera (candelilla) wax, beeswax, cetearyl alcohol, cetearyl glucoside, polyglyceryl-2 dipolyhydroxystearate, glycosphingolipids, ceramide 2, decyl glucoside, inolenic acid, peg-10 rapeseed sterol, palmitoyl oligopeptide. May contain: Titanium dioxide, iron oxides, iron oxides, iron oxides.



# EFFET PARFAIT

natural finish  
moisturizing  
**foundation**  
**SPF 25**

30 ml e (1 fl.oz.)

## L'BEL

US: Distributed by Ventura International Ltd, DBA Belcorp USA, San Francisco, CA 94111. **PUERTO RICO:** Distributed by Ventura Corporation, Ltd, San Juan, Puerto Rico 00926. Made in Colombia.

[www.lbel.com](http://www.lbel.com)

# LBEL NATURAL FINISH MOISTURIZING FOUNDATION SPF 25 (CLAIRE 1) - BEIGE

octinoxate and titanium dioxide liquid

## Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:14783-241
Route of Administration	TOPICAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Octinoxate (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	0.065 g in 1 mL
Titanium Dioxide (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	0.016 g in 1 mL

## Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)	
CYCLOMETHICONE 6 (UNII: XHK3U310BA)	
PROPYLENE GLYCOL DICAPRYLATE/DICAPRATE (UNII: O4446S9CRA)	
PEG/PPG-18/18 DIMETHICONE (UNII: 9H0AO7T794)	
XYLITYLGLUCOSIDE (UNII: O0IEZ166FB)	
OCTYLDODECANOL (UNII: 461N1O614Y)	
OLETH-5 (UNII: 1GH33785AY)	
ANHYDROXYLITOL (UNII: 8XWR7NN42F)	
GLYCERIN (UNII: PDC6A3C0OX)	
LINOLEIC ACID (UNII: 9KJL21T0QJ)	
PEG/PPG-19/19 DIMETHICONE (UNII: EHH90CO7TL)	
MICROCRYSTALLINE WAX (UNII: XOF597Q3KY)	
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)	
XYLITOL (UNII: VCQ006KQ1E)	
DIAZOLIDINYL UREA (UNII: H5RIZ3MPW4)	
ALUMINUM OXIDE (UNII: LM26O6933)	
PETROLATUM (UNII: 4T6H12BN9U)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
TRIETHOXYCAPRYLSILANE (UNII: LDC331P08E)	
RIBES NIGRUM SEED OIL (UNII: GKE1188837)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
METHYL PARABEN (UNII: A2I8C7HI9T)	
PROPYL PARABEN (UNII: Z8IX2SC1OH)	
CARNAUBA WAX (UNII: R12CBM0EIZ)	
TRIBEHENIN (UNII: 8OC9U7TQZ0)	
CHOLESTEROL (UNII: 97C5T2UQ7J)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
3-((L-MENTHYL)OXY)PROPANE-1,2-DIOL (UNII: KD6TZ2QICH)	
CANDELILLA WAX (UNII: WL0328HX19)	
YELLOW WAX (UNII: 2ZA36H0S2V)	

CETOSTEARYL ALCOHOL (UNII: 2DMT128M1S)	
CETEARYL GLUCOSIDE (UNII: 09FUA47KNA)	
POLYGLYCERYL-2 DIPOLYHYDROXYSTEARATE (UNII: 9229XJ4V12)	
CERAMIDE 2 (UNII: C04977SRJ5)	
DECYL GLUCOSIDE (UNII: Z17H97EA6Y)	
LINOLENIC ACID (UNII: 0RBV727H71)	
PEG-10 RAPESEED STEROL (UNII: 258O76T85M)	
PALMITOYL OLIGOPEPTIDE (UNII: HO4ZT5S86C)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:14783-241-02	1 in 1 BOX		
1	NDC:14783-241-01	30 mL in 1 BOTTLE, PLASTIC		
2	NDC:14783-241-04	1 in 1 BOX		
2	NDC:14783-241-03	27 mL in 1 BOTTLE, PLASTIC		
3	NDC:14783-241-06	1 in 1 BOX		
3	NDC:14783-241-05	4.5 mL in 1 BOTTLE, PLASTIC		
4	NDC:14783-241-08	1 in 1 BOX		
4	NDC:14783-241-07	3 mL in 1 TUBE		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	12/16/2013	

## LBEL NATURAL FINISH MOISTURIZING FOUNDATION SPF 25 (CLAIRE 2) - BEIGE

octinoxate and titanium dioxide liquid

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:14783-242
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Octinoxate (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	0.065 g in 1 mL
Titanium Dioxide (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	0.016 g in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0K00R)	
CYCLOMETHICONE 5 (UNII: 0THF5PCI0R)	

CYCLOMETHICONE 6 (UNII: XHK3U310BA)
PROPYLENE GLYCOL DICAPRYLATE/DICAPRATE (UNII: O4446S9CRA)
PEG/PPG-18/18 DIMETHICONE (UNII: 9H0AO7T794)
XYLITYLGLUCOSIDE (UNII: O0IEZ166FB)
OCTYLDODECANOL (UNII: 461N1O614Y)
OLETH-5 (UNII: 1GH33785AY)
ANHYDROXYLITOL (UNII: 8XWR7NN42F)
GLYCERIN (UNII: PDC6A3C0OX)
LINOLEIC ACID (UNII: 9KJL21T0QJ)
PEG/PPG-19/19 DIMETHICONE (UNII: EHH90CO7TL)
MICROCRYSTALLINE WAX (UNII: XOF597Q3KY)
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)
XYLITOL (UNII: VCQ006KQ1E)
DIAZOLIDINYL UREA (UNII: H5RIZ3MPW4)
ALUMINUM OXIDE (UNII: LM26O6933)
PETROLATUM (UNII: 4T6H12BN9U)
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)
TRIETHOXYCAPRYLSILANE (UNII: LDC331P08E)
RIBES NIGRUM SEED OIL (UNII: GKE1188837)
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)
METHYLPARABEN (UNII: A2I8C7HI9T)
PROPYLPARABEN (UNII: Z8IX2SC1OH)
CARNAUBA WAX (UNII: R12CBM0EIZ)
TRIBEHENIN (UNII: 8OC9U7TQZ0)
CHOLESTEROL (UNII: 97C5T2UQ7J)
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)
3-((L-MENTHYL)OXY)PROPANE-1,2-DIOL (UNII: KD6TZ2QICH)
CANDELILLA WAX (UNII: WL0328HX19)
YELLOW WAX (UNII: 2ZA36H0S2V)
CETOSTEARYL ALCOHOL (UNII: 2DMT128M1S)
CETEARYL GLUCOSIDE (UNII: 09FUA47KNA)
POLYGLYCERYL-2 DIPOLYHYDROXYSTEARATE (UNII: 9229XJ4V12)
CERAMIDE 2 (UNII: C04977SRJ5)
DECYL GLUCOSIDE (UNII: Z17H97EA6Y)
LINOLENIC ACID (UNII: 0RBV727H71)
PEG-10 RAPESEED STEROL (UNII: 258O76T85M)
PALMITOYL OLIGOPEPTIDE (UNII: HO4ZT5S86C)
FERRIC OXIDE RED (UNII: 1K09F3G675)

<b>Packaging</b>				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:14783-242-02	1 in 1 BOX		
1	NDC:14783-242-01	30 mL in 1 BOTTLE, PLASTIC		
2	NDC:14783-242-04	1 in 1 BOX		
2	NDC:14783-242-03	27 mL in 1 BOTTLE, PLASTIC		
3	NDC:14783-242-06	1 in 1 BOX		
3	NDC:14783-242-05	4.5 mL in 1 BOTTLE, PLASTIC		
4	NDC:14783-242-08	1 in 1 BOX		

4 | NDC:14783-242-07

3 mL in 1 TUBE

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	12/16/2013	

**LBEL NATURAL FINISH MOISTURIZING FOUNDATION SPF 25 (CLAIRE 3) - BEIGE**

octinoxate and titanium dioxide liquid

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:14783-243
<b>Route of Administration</b>	TOPICAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
<b>Octinoxate</b> (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	0.065 g in 1 mL
<b>Titanium Dioxide</b> (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	0.016 g in 1 mL

**Inactive Ingredients**

Ingredient Name	Strength
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>CYCLOMETHICONE 5</b> (UNII: 0THF5PCI0R)	
<b>CYCLOMETHICONE 6</b> (UNII: XHK3U310BA)	
<b>PROPYLENE GLYCOL DICAPRYLATE/DICAPRATE</b> (UNII: O4446S9CRA)	
<b>PEG/PPG-18/18 DIMETHICONE</b> (UNII: 9H0AO7T794)	
<b>XYLITYLGLUCOSIDE</b> (UNII: O0IEZ166FB)	
<b>OCTYLDODECANOL</b> (UNII: 461N1O614Y)	
<b>OLETH-5</b> (UNII: 1GH3785AY)	
<b>ANHYDROXYLITOL</b> (UNII: 8XWR7NN42F)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>LINOLEIC ACID</b> (UNII: 9KJL21T0QJ)	
<b>PEG/PPG-19/19 DIMETHICONE</b> (UNII: EHH90CO7TL)	
<b>MICROCRYSTALLINE WAX</b> (UNII: XOF597Q3KY)	
<b>ALKYL (C12-15) BENZOATE</b> (UNII: A9EJ3J61HQ)	
<b>XYLITOL</b> (UNII: VCQ006KQ1E)	
<b>DIAZOLIDINYL UREA</b> (UNII: H5RIZ3MPW4)	
<b>ALUMINUM OXIDE</b> (UNII: LM26O6933)	
<b>PETROLATUM</b> (UNII: 4T6H12BN9U)	
<b>.ALPHA.-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)	
<b>TRIETHOXYCAPRYLYLSILANE</b> (UNII: LDC331P08E)	
<b>RIBES NIGRUM SEED OIL</b> (UNII: GKE1188837)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	

METHYL PARABEN (UNII: A2I8C7HI9T)
PROPYL PARABEN (UNII: Z8IX2SC1OH)
CARNAUBA WAX (UNII: R12CBM0EIZ)
TRIBEHENIN (UNII: 8OC9U7TQZ0)
CHOLESTEROL (UNII: 97C5T2UQ7J)
BUTYLATED HYDROXY TOLUENE (UNII: 1P9D0Z171K)
3-((L-MENTHYL) OXY) PRO PANE-1,2-DIOL (UNII: KD6TZ2QICH)
CANDELILLA WAX (UNII: WL0328HX19)
YELLOW WAX (UNII: 2ZA36H0S2V)
CETOSTEARYL ALCOHOL (UNII: 2DMT128MIS)
CETEARYL GLUCOSIDE (UNII: 09FUA47KNA)
POLYGLYCERYL-2 DIPOLYHYDROXY STEARATE (UNII: 9229XJ4V12)
CERAMIDE 2 (UNII: C04977SRJ5)
DECYL GLUCOSIDE (UNII: Z17H97EA6Y)
LINOLENIC ACID (UNII: 0RBV727H71)
PEG-10 RAPESEED STEROL (UNII: 258O76T85M)
PALMITOYL OLIGOPEPTIDE (UNII: HO4ZT5S86C)
FERRIC OXIDE RED (UNII: 1K09F3G675)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:14783-243-02	1 in 1 BOX		
1	NDC:14783-243-01	30 mL in 1 BOTTLE, PLASTIC		
2	NDC:14783-243-04	1 in 1 BOX		
2	NDC:14783-243-03	27 mL in 1 BOTTLE, PLASTIC		
3	NDC:14783-243-06	1 in 1 BOX		
3	NDC:14783-243-05	4.5 mL in 1 BOTTLE, PLASTIC		
4	NDC:14783-243-08	1 in 1 BOX		
4	NDC:14783-243-07	3 mL in 1 TUBE		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	12/16/2013	

## LBEL NATURAL FINISH MOISTURIZING FOUNDATION SPF 25 (CLAIRE 4) - BEIGE

octinoxate and titanium dioxide liquid

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:14783-244
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>Octinoxate</b> (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	0.065 g in 1 mL
<b>Titanium Dioxide</b> (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	0.016 g in 1 mL

### Inactive Ingredients

<b>Ingredient Name</b>	<b>Strength</b>
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>CYCLOMETHICONE 5</b> (UNII: 0THT5PCI0R)	
<b>CYCLOMETHICONE 6</b> (UNII: XHK3U310BA)	
<b>PROPYLENE GLYCOL DICAPRYLATE/DICAPRATE</b> (UNII: O4446S9CRA)	
<b>PEG/PPG-18/18 DIMETHICONE</b> (UNII: 9H0AO7T794)	
<b>XYLITYLGLUCOSIDE</b> (UNII: O0IEZ166FB)	
<b>OCTYLDODECANOL</b> (UNII: 461N1O614Y)	
<b>OLETH-5</b> (UNII: 1GH33785AY)	
<b>ANHYDROXYLITOL</b> (UNII: 8XWR7NN42F)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>LINOLEIC ACID</b> (UNII: 9KJL21T0QJ)	
<b>PEG/PPG-19/19 DIMETHICONE</b> (UNII: EHH90CO7TL)	
<b>MICROCRYSTALLINE WAX</b> (UNII: XOF597Q3KY)	
<b>ALKYL (C12-15) BENZOATE</b> (UNII: A9EJ3J61HQ)	
<b>XYLITOL</b> (UNII: VCQ006KQ1E)	
<b>DIAZOLIDINYL UREA</b> (UNII: H5RIZ3MPW4)	
<b>ALUMINUM OXIDE</b> (UNII: LM26O6933)	
<b>PETROLATUM</b> (UNII: 4T6H12BN9U)	
<b>.ALPHA.-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)	
<b>TRIETHOXYCAPRYLYLSILANE</b> (UNII: LDC331P08E)	
<b>RIBES NIGRUM SEED OIL</b> (UNII: GKE1188837)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>METHYLPARABEN</b> (UNII: A2I8C7HI9T)	
<b>PROPYLPARABEN</b> (UNII: Z8IX2SC1OH)	
<b>CARNAUBA WAX</b> (UNII: R12CBM0EIZ)	
<b>TRIBEHENIN</b> (UNII: 8OC9U7TQZ0)	
<b>CHOLESTEROL</b> (UNII: 97C5T2UQ7J)	
<b>BUTYLATED HYDROXYTOLUENE</b> (UNII: 1P9D0Z171K)	
<b>3-((L-MENTHYL)OXY)PROPANE-1,2-DIOL</b> (UNII: KD6TZ2QICH)	
<b>CANDELILLA WAX</b> (UNII: WL0328HX19)	
<b>YELLOW WAX</b> (UNII: 2ZA36H0S2V)	
<b>CETOSTEARYL ALCOHOL</b> (UNII: 2DMT128M1S)	
<b>CETEARYL GLUCOSIDE</b> (UNII: 09FUA47KNA)	
<b>POLYGLYCERYL-2 DIPOLYHYDROXYSTEARATE</b> (UNII: 9229XJ4V12)	
<b>CERAMIDE 2</b> (UNII: C04977SRJ5)	
<b>DECYL GLUCOSIDE</b> (UNII: Z17H97EA6Y)	
<b>LINOLENIC ACID</b> (UNII: 0RBV727H71)	
<b>PEG-10 RAPESEED STEROL</b> (UNII: 258O76T85M)	
<b>PALMITOYL OLIGOPEPTIDE</b> (UNII: HO4ZT5S86C)	
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)	



**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:14783-244-02	1 in 1 BOX		
1	NDC:14783-244-01	30 mL in 1 BOTTLE, PLASTIC		
2	NDC:14783-244-04	1 in 1 BOX		
2	NDC:14783-244-03	27 mL in 1 BOTTLE, PLASTIC		
3	NDC:14783-244-06	1 in 1 BOX		
3	NDC:14783-244-05	4.5 mL in 1 BOTTLE, PLASTIC		
4	NDC:14783-244-08	1 in 1 BOX		
4	NDC:14783-244-07	3 mL in 1 TUBE		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	12/16/2013	

**LBEL NATURAL FINISH MOISTURIZING FOUNDATION SPF 25 (MEDIUM 5) - BROWN**

octinoxate and titanium dioxide liquid

**Product Information**

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:14783-245
Route of Administration	TOPICAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
Octinoxate (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	0.065 g in 1 mL
Titanium Dioxide (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	0.016 g in 1 mL

**Inactive Ingredients**

Ingredient Name	Strength
WATER (UNII: 059QF0K00R)	
CYCLOMETHICONE 5 (UNII: 0THT5PC10R)	
CYCLOMETHICONE 6 (UNII: XHK3U310BA)	
PROPYLENE GLYCOL DICAPRYLATE/DICAPRATE (UNII: O4446S9CRA)	
PEG/PPG-18/18 DIMETHICONE (UNII: 9H0AO7T794)	
XYLITYLGLUCOSIDE (UNII: O0IEZ166FB)	
OCTYLDODECANOL (UNII: 461N1O614Y)	
OLETH-5 (UNII: 1GH33785AY)	
ANHYDROXYLITOL (UNII: 8XWR7NN42F)	
GLYCERIN (UNII: PDC6A3C0OX)	
LINOLEIC ACID (UNII: 9KJL21T0QJ)	
PEG/PPG-19/19 DIMETHICONE (UNII: EHH90CO7TL)	
MICROCRYSTALLINE WAX (UNII: XOF597Q3KY)	

ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)
XYLITOL (UNII: VCQ006KQ1E)
DIAZOLIDINYL UREA (UNII: H5RIZ3MPW4)
ALUMINUM OXIDE (UNII: LM26O6933)
PETROLATUM (UNII: 4T6H12BN9U)
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)
TRIETHOXYCAPRYLSILANE (UNII: LDC331P08E)
RIBES NIGRUM SEED OIL (UNII: GKE1188837)
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)
METHYLPARABEN (UNII: A2I8C7HI9T)
PROPYLPARABEN (UNII: Z8IX2SC1OH)
CARNAUBA WAX (UNII: R12CBM0EIZ)
TRIBEHENIN (UNII: 8OC9U7TQZ0)
CHOLESTEROL (UNII: 97C5T2UQ7J)
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)
3-((L-MENTHYL)OXY)PROPANE-1,2-DIOL (UNII: KD6TZ2QICH)
CANDELILLA WAX (UNII: WL0328HX19)
YELLOW WAX (UNII: 2ZA36H0S2V)
CETOSTEARYL ALCOHOL (UNII: 2DMT128MIS)
CETEARYL GLUCOSIDE (UNII: 09FUA47KNA)
POLYGLYCERYL-2 DIPOLYHYDROXYSTEARATE (UNII: 9229XJ4V12)
CERAMIDE 2 (UNII: C04977SRJ5)
DECYL GLUCOSIDE (UNII: Z17H97EA6Y)
LINOLENIC ACID (UNII: 0RBV727H71)
PEG-10 RAPESEED STEROL (UNII: 258O76T85M)
PALMITOYL OLIGOPEPTIDE (UNII: HO4ZT5S86C)
FERRIC OXIDE RED (UNII: 1K09F3G675)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:14783-245-02	1 in 1 BOX		
1	NDC:14783-245-01	30 mL in 1 BOTTLE, PLASTIC		
2	NDC:14783-245-04	1 in 1 BOX		
2	NDC:14783-245-03	27 mL in 1 BOTTLE, PLASTIC		
3	NDC:14783-245-06	1 in 1 BOX		
3	NDC:14783-245-05	4.5 mL in 1 BOTTLE, PLASTIC		
4	NDC:14783-245-08	1 in 1 BOX		
4	NDC:14783-245-07	3 mL in 1 TUBE		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	12/16/2013	

**LBEL NATURAL FINISH MOISTURIZING FOUNDATION SPF 25 (MEDIUM 6) - BROWN**

octinoxate and titanium dioxide liquid

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:14783-246
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>Octinoxate</b> (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	0.065 g in 1 mL
<b>Titanium Dioxide</b> (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	0.016 g in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>CYCLOMETHICONE 5</b> (UNII: 0THF5PCI0R)	
<b>CYCLOMETHICONE 6</b> (UNII: XHK3U310BA)	
<b>PROPYLENE GLYCOL DICAPRYLATE/DICAPRATE</b> (UNII: O4446S9CRA)	
<b>PEG/PPG-18/18 DIMETHICONE</b> (UNII: 9H0AO7T794)	
<b>XYLITYLGLUCOSIDE</b> (UNII: O0IEZ166FB)	
<b>OCTYLDODECANOL</b> (UNII: 461N1O614Y)	
<b>OLETH-5</b> (UNII: 1GH33785AY)	
<b>ANHYDROXYLITOL</b> (UNII: 8XWR7NN42F)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>LINOLEIC ACID</b> (UNII: 9KJL21T0QJ)	
<b>PEG/PPG-19/19 DIMETHICONE</b> (UNII: EHH90CO7TL)	
<b>MICROCRYSTALLINE WAX</b> (UNII: XOF597Q3KY)	
<b>ALKYL (C12-15) BENZOATE</b> (UNII: A9EJ3J61HQ)	
<b>XYLITOL</b> (UNII: VCQ006KQ1E)	
<b>DIAZOLIDINYL UREA</b> (UNII: H5RIZ3MPW4)	
<b>ALUMINUM OXIDE</b> (UNII: LM26O6933)	
<b>PETROLATUM</b> (UNII: 4T6H12BN9U)	
<b>.ALPHA.-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)	
<b>TRIETHOXYCAPRYLSILANE</b> (UNII: LDC331P08E)	
<b>RIBES NIGRUM SEED OIL</b> (UNII: GKE1188837)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>METHYLPARABEN</b> (UNII: A2I8C7HI9T)	
<b>PROPYLPARABEN</b> (UNII: Z8IX2SC1OH)	
<b>CARNAUBA WAX</b> (UNII: R12CBM0EIZ)	
<b>TRIBEHENIN</b> (UNII: 8OC9U7TQZ0)	
<b>CHOLESTEROL</b> (UNII: 97C5T2UQ7J)	
<b>BUTYLATED HYDROXYTOLUENE</b> (UNII: 1P9D0Z171K)	
<b>3-((L-MENTHYL)OXY)PROPANE-1,2-DIOL</b> (UNII: KD6TZ2QICH)	
<b>CANDELILLA WAX</b> (UNII: WL0328HX19)	
<b>YELLOW WAX</b> (UNII: 2ZA36H0S2V)	
<b>CETOSTEARYL ALCOHOL</b> (UNII: 2DMT128MIS)	
<b>CETEARYL GLUCOSIDE</b> (UNII: 09FUA47KNA)	

<b>POLYGLYCERYL-2 DIPOLYHYDROXYSTEARATE</b> (UNII: 9229XJ4V12)
<b>CERAMIDE 2</b> (UNII: C04977SRJ5)
<b>DECYL GLUCOSIDE</b> (UNII: Z17H97EA6Y)
<b>LINOLENIC ACID</b> (UNII: 0RBV727H71)
<b>PEG-10 RAPESEED STEROL</b> (UNII: 258O76T85M)
<b>PALMITOYL OLIGOPEPTIDE</b> (UNII: HO4ZT5S86C)
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)

--

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:14783-246-02	1 in 1 BOX		
1	NDC:14783-246-01	30 mL in 1 BOTTLE, PLASTIC		
2	NDC:14783-246-04	1 in 1 BOX		
2	NDC:14783-246-03	27 mL in 1 BOTTLE, PLASTIC		
3	NDC:14783-246-06	1 in 1 BOX		
3	NDC:14783-246-05	4.5 mL in 1 BOTTLE, PLASTIC		
4	NDC:14783-246-08	1 in 1 BOX		
4	NDC:14783-246-07	3 mL in 1 TUBE		

--

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	12/16/2013	

--

**LBEL NATURAL FINISH MOISTURIZING FOUNDATION SPF 25 (MEDIUM 7) - BROWN**

octinoxate and titanium dioxide liquid

--

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:14783-247
<b>Route of Administration</b>	TOPICAL		

--

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
<b>Octinoxate</b> (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	0.065 g in 1 mL
<b>Titanium Dioxide</b> (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	0.016 g in 1 mL

--

**Inactive Ingredients**

Ingredient Name	Strength
<b>WATER</b> (UNII: 059QF0K00R)	
<b>CYCLOMETHICONE 5</b> (UNII: 0THF5PC10R)	
<b>CYCLOMETHICONE 6</b> (UNII: XHK3U310BA)	
<b>PROPYLENE GLYCOL DICAPRYLATE/DICAPRATE</b> (UNII: O4446S9CRA)	

<b>PEG/PPG-18/18 DIMETHICONE</b> (UNII: 9H0AO7T794)
<b>XYLITYLGLUCOSIDE</b> (UNII: O0IEZ166FB)
<b>OCTYLDODECANOL</b> (UNII: 461N1O614Y)
<b>OLETH-5</b> (UNII: 1GH33785AY)
<b>ANHYDROXYLITOL</b> (UNII: 8XWR7NN42F)
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)
<b>LINOLEIC ACID</b> (UNII: 9KJL21T0QJ)
<b>PEG/PPG-19/19 DIMETHICONE</b> (UNII: EHH90CO7TL)
<b>MICROCRYSTALLINE WAX</b> (UNII: XOF597Q3KY)
<b>ALKYL (C12-15) BENZOATE</b> (UNII: A9EJ3J61HQ)
<b>XYLITOL</b> (UNII: VCQ006KQ1E)
<b>DIAZOLIDINYL UREA</b> (UNII: H5RIZ3MPW4)
<b>ALUMINUM OXIDE</b> (UNII: LM26O6933)
<b>PETROLATUM</b> (UNII: 4T6H12BN9U)
<b>.ALPHA.-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)
<b>TRIETHOXYCAPRYLSILANE</b> (UNII: LDC331P08E)
<b>RIBES NIGRUM SEED OIL</b> (UNII: GKE1188837)
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)
<b>METHYLPARABEN</b> (UNII: A2I8C7HI9T)
<b>PROPYLPARABEN</b> (UNII: Z8IX2SC1OH)
<b>CARNAUBA WAX</b> (UNII: R12CBM0EIZ)
<b>TRIBEHENIN</b> (UNII: 8OC9U7TQZ0)
<b>CHOLESTEROL</b> (UNII: 97C5T2UQ7J)
<b>BUTYLATED HYDROXYTOLUENE</b> (UNII: 1P9D0Z171K)
<b>3-((L-MENTHYL)OXY)PROPANE-1,2-DIOL</b> (UNII: KD6TZ2QICH)
<b>CANDELILLA WAX</b> (UNII: WL0328HX19)
<b>YELLOW WAX</b> (UNII: 2ZA36H0S2V)
<b>CETOSTEARYL ALCOHOL</b> (UNII: 2DMT128M1S)
<b>CETEARYL GLUCOSIDE</b> (UNII: 09FUA47KNA)
<b>POLYGLYCERYL-2 DIPOLYHYDROXYSTEARATE</b> (UNII: 9229XJ4V12)
<b>CERAMIDE 2</b> (UNII: C04977SRJ5)
<b>DECYL GLUCOSIDE</b> (UNII: Z17H97EA6Y)
<b>LINOLENIC ACID</b> (UNII: 0RBV727H71)
<b>PEG-10 RAPESEED STEROL</b> (UNII: 258O76T85M)
<b>PALMITOYL OLIGOPEPTIDE</b> (UNII: HO4ZT5S86C)
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:14783-247-02	1 in 1 BOX		
1	NDC:14783-247-01	30 mL in 1 BOTTLE, PLASTIC		
2	NDC:14783-247-04	1 in 1 BOX		
2	NDC:14783-247-03	27 mL in 1 BOTTLE, PLASTIC		
3	NDC:14783-247-06	1 in 1 BOX		
3	NDC:14783-247-05	4.5 mL in 1 BOTTLE, PLASTIC		
4	NDC:14783-247-08	1 in 1 BOX		
4	NDC:14783-247-07	3 mL in 1 TUBE		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	12/16/2013	

## LBEL NATURAL FINISH MOISTURIZING FOUNDATION SPF 25 (OBSCURE 8) - BROWN

octinoxate and titanium dioxide liquid

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:14783-248
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Octinoxate (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	0.065 g in 1 mL
Titanium Dioxide (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	0.016 g in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)	
CYCLOMETHICONE 6 (UNII: XHK3U310BA)	
PROPYLENE GLYCOL DICAPRYLATE/DICAPRATE (UNII: O4446S9CRA)	
PEG/PPG-18/18 DIMETHICONE (UNII: 9H0AO7T794)	
XYLITYLGLUCOSIDE (UNII: O0IEZ166FB)	
OCTYLDODECANOL (UNII: 461N1O614Y)	
OLETH-5 (UNII: 1GH33785AY)	
ANHYDROXYLITOL (UNII: 8XWR7NN42F)	
GLYCERIN (UNII: PDC6A3C0OX)	
LINOLEIC ACID (UNII: 9KJL21T0QJ)	
PEG/PPG-19/19 DIMETHICONE (UNII: EHH90CO7TL)	
MICROCRYSTALLINE WAX (UNII: XOF597Q3KY)	
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)	
XYLITOL (UNII: VCQ006KQ1E)	
DIAZOLIDINYL UREA (UNII: H5RIZ3MPW4)	
ALUMINUM OXIDE (UNII: LM26O6933)	
PETROLATUM (UNII: 4T6H12BN9U)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
RIBES NIGRUM SEED OIL (UNII: GKE1188837)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
CARNAUBA WAX (UNII: R12CBM0EIZ)	

TRIBEHENIN (UNII: 8OC9U7TQZ0)
CHOLESTEROL (UNII: 97C5T2UQ7J)
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)
3-((L-MENTHYL)OXY)PROPANE-1,2-DIOL (UNII: KD6TZ2QICH)
CANDELILLA WAX (UNII: WL0328HX19)
YELLOW WAX (UNII: 2ZA36H0S2V)
CETOSTEARYL ALCOHOL (UNII: 2DMT128MIS)
CETEARYL GLUCOSIDE (UNII: 09FUA47KNA)
POLYGLYCERYL-2 DIPOLYHYDROXYSTEARATE (UNII: 9229XJ4V12)
CERAMIDE 2 (UNII: C04977SRJ5)
DECYL GLUCOSIDE (UNII: Z17H97EA6Y)
LINOLENIC ACID (UNII: 0RBV727H71)
PEG-10 RAPESEED STEROL (UNII: 258O76T85M)
PALMITOYL OLIGOPEPTIDE (UNII: HO4ZT5S86C)
FERRIC OXIDE RED (UNII: 1K09F3G675)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:14783-248-02	1 in 1 BOX		
1	NDC:14783-248-01	30 mL in 1 BOTTLE, PLASTIC		
2	NDC:14783-248-04	1 in 1 BOX		
2	NDC:14783-248-03	27 mL in 1 BOTTLE, PLASTIC		
3	NDC:14783-248-06	1 in 1 BOX		
3	NDC:14783-248-05	4.5 mL in 1 BOTTLE, PLASTIC		
4	NDC:14783-248-08	1 in 1 BOX		
4	NDC:14783-248-07	3 mL in 1 TUBE		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	12/16/2013	

## LBEL NATURAL FINISH MOISTURIZING FOUNDATION SPF 25 (OBSCURE 9) - BROWN

octinoxate and titanium dioxide liquid

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:14783-249
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Octinoxate (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	0.065 g in 1 mL
Titanium Dioxide (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	0.016 g in 1 mL

## Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)	
CYCLOMETHICONE 6 (UNII: XHK3U310BA)	
PROPYLENE GLYCOL DICAPRYLATE/DICAPRATE (UNII: O4446S9CRA)	
PEG/PPG-18/18 DIMETHICONE (UNII: 9H0AO7T794)	
XYLITYLGLUCOSIDE (UNII: O0IEZ166FB)	
OCTYLDODECANOL (UNII: 461N1O614Y)	
OLETH-5 (UNII: 1GH33785AY)	
ANHYDROXYLITOL (UNII: 8XWR7NN42F)	
GLYCERIN (UNII: PDC6A3C0OX)	
LINOLEIC ACID (UNII: 9KJL21T0QJ)	
PEG/PPG-19/19 DIMETHICONE (UNII: EHH90CO7TL)	
MICROCRYSTALLINE WAX (UNII: XOF597Q3KY)	
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)	
XYLITOL (UNII: VCQ006KQ1E)	
DIAZOLIDINYL UREA (UNII: H5RIZ3MPW4)	
ALUMINUM OXIDE (UNII: LM26O6933)	
PETROLATUM (UNII: 4T6H12BN9U)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
TRIETHOXYCAPRYLSILANE (UNII: LDC331P08E)	
RIBES NIGRUM SEED OIL (UNII: GKE1188837)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
CARNAUBA WAX (UNII: R12CBM0EIZ)	
TRIBEHENIN (UNII: 8OC9U7TQZ0)	
CHOLESTEROL (UNII: 97C5T2UQ7J)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
3-((L-MENTHYL)OXY)PROPANE-1,2-DIOL (UNII: KD6TZ2QICH)	
CANDELILLA WAX (UNII: WL0328HX19)	
YELLOW WAX (UNII: 2ZA36H0S2V)	
CETOSTEARYL ALCOHOL (UNII: 2DMT128M1S)	
CETEARYL GLUCOSIDE (UNII: 09FUA47KNA)	
POLYGLYCERYL-2 DIPOLYHYDROXYSTEARATE (UNII: 9229XJ4V12)	
CERAMIDE 2 (UNII: C04977SRJ5)	
DECYL GLUCOSIDE (UNII: Z17H97EA6Y)	
LINOLENIC ACID (UNII: 0RBV727H71)	
PEG-10 RAPESEED STEROL (UNII: 258O76T85M)	
PALMITOYL OLIGOPEPTIDE (UNII: HO4ZT5S86C)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:14783-249-02	1 in 1 BOX		



1	NDC:14783-249-01	30 mL in 1 BOTTLE, PLASTIC		
2	NDC:14783-249-04	1 in 1 BOX		
2	NDC:14783-249-03	27 mL in 1 BOTTLE, PLASTIC		
3	NDC:14783-249-06	1 in 1 BOX		
3	NDC:14783-249-05	4.5 mL in 1 BOTTLE, PLASTIC		
4	NDC:14783-249-08	1 in 1 BOX		
4	NDC:14783-249-07	3 mL in 1 TUBE		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	12/16/2013	

## LBEL NATURAL FINISH MOISTURIZING FOUNDATION SPF 25 (MEDIUM 6A) - BROWN

octinoxate and titanium dioxide liquid

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:14783-250
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>Octinoxate</b> (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	0.065 g in 1 mL
<b>Titanium Dioxide</b> (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	0.016 g in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>WATER</b> (UNII: 059QF0K00R)	
<b>CYCLOMETHICONE 5</b> (UNII: 0THT5PC10R)	
<b>CYCLOMETHICONE 6</b> (UNII: XHK3U310BA)	
<b>PROPYLENE GLYCOL DICAPRYLATE/DICAPRATE</b> (UNII: O4446S9CRA)	
<b>PEG/PPG-18/18 DIMETHICONE</b> (UNII: 9H0AO7T794)	
<b>XYLITYLGLUCOSIDE</b> (UNII: O0IEZ166FB)	
<b>OCTYLDODECANOL</b> (UNII: 461N1O614Y)	
<b>OLETH-5</b> (UNII: 1GH33785AY)	
<b>ANHYDROXYLITOL</b> (UNII: 8XWR7NN42F)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>LINOLEIC ACID</b> (UNII: 9KJL21T0QJ)	
<b>PEG/PPG-19/19 DIMETHICONE</b> (UNII: EHH90CO7TL)	
<b>MICROCRYSTALLINE WAX</b> (UNII: XOF597Q3KY)	
<b>ALKYL (C12-15) BENZOATE</b> (UNII: A9EJ3J61HQ)	
<b>XYLITOL</b> (UNII: VCQ006KQ1E)	
<b>DIAZOLIDINYL UREA</b> (UNII: H5RIZ3MPW4)	

ALUMINUM OXIDE (UNII: LM26O6933)
PETROLATUM (UNII: 4T6H12BN9U)
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)
RIBES NIGRUM SEED OIL (UNII: GKE1188837)
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)
METHYL PARABEN (UNII: A2I8C7HI9T)
PROPYL PARABEN (UNII: Z8IX2SC1OH)
CARNAUBA WAX (UNII: R12CBM0EIZ)
TRIBEHENIN (UNII: 8OC9U7TQZ0)
CHOLESTEROL (UNII: 97C5T2UQ7J)
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)
3-((L-MENTHYL)OXY)PROPANE-1,2-DIOL (UNII: KD6TZ2QICH)
CANDELILLA WAX (UNII: WL0328HX19)
YELLOW WAX (UNII: 2ZA36H0S2V)
CETOSTEARYL ALCOHOL (UNII: 2DMT128MIS)
CETEARYL GLUCOSIDE (UNII: 09FUA47KNA)
POLYGLYCERYL-2 DIPOLYHYDROXYSTEARATE (UNII: 9229XJ4V12)
CERAMIDE 2 (UNII: C04977SRJ5)
DECYL GLUCOSIDE (UNII: Z17H97EA6Y)
LINOLENIC ACID (UNII: 0RBV727H71)
PEG-10 RAPESEED STEROL (UNII: 258O76T85M)
PALMITOYL OLIGOPEPTIDE (UNII: HO4ZT5S86C)
FERRIC OXIDE RED (UNII: 1K09F3G675)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:14783-250-02	1 in 1 BOX		
1	NDC:14783-250-01	30 mL in 1 BOTTLE, PLASTIC		
2	NDC:14783-250-04	1 in 1 BOX		
2	NDC:14783-250-03	27 mL in 1 BOTTLE, PLASTIC		
3	NDC:14783-250-06	1 in 1 BOX		
3	NDC:14783-250-05	4.5 mL in 1 BOTTLE, PLASTIC		
4	NDC:14783-250-08	1 in 1 BOX		
4	NDC:14783-250-07	3 mL in 1 TUBE		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	12/16/2013	

## LBEL NATURAL FINISH MOISTURIZING FOUNDATION SPF 25 (MEDIUM 6B) - BROWN

octinoxate and titanium dioxide liquid

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:14783-251
<b>Route of Administration</b>	TOPICAL		
<b>Active Ingredient/Active Moiety</b>			
	<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
	Octinoxate (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	0.065 g in 1 mL
	Titanium Dioxide (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	0.016 g in 1 mL
<b>Inactive Ingredients</b>			
	<b>Ingredient Name</b>		<b>Strength</b>
	WATER (UNII: 059QF0KO0R)		
	CYCLOMETHICONE 5 (UNII: 0TH5PCI0R)		
	CYCLOMETHICONE 6 (UNII: XHK3U310BA)		
	PROPYLENE GLYCOL DICAPRYLATE/DICAPRATE (UNII: O4446S9CRA)		
	PEG/PPG-18/18 DIMETHICONE (UNII: 9H0AO7T794)		
	XYLITYLGLUCOSIDE (UNII: O0IEZ166FB)		
	OCTYLDODECANOL (UNII: 461N1O614Y)		
	OLETH-5 (UNII: 1GH33785AY)		
	ANHYDROXYLITOL (UNII: 8XWR7NN42F)		
	GLYCERIN (UNII: PDC6A3C0OX)		
	LINOLEIC ACID (UNII: 9KJL21T0QJ)		
	PEG/PPG-19/19 DIMETHICONE (UNII: EHH90CO7TL)		
	MICROCRYSTALLINE WAX (UNII: XOF597Q3KY)		
	ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)		
	XYLITOL (UNII: VCQ006KQ1E)		
	DIAZOLIDINYL UREA (UNII: H5RIZ3MPW4)		
	ALUMINUM OXIDE (UNII: LM26O6933)		
	PETROLATUM (UNII: 4T6H12BN9U)		
	.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)		
	TRIETHOXYCAPRYLSILANE (UNII: LDC331P08E)		
	RIBES NIGRUM SEED OIL (UNII: GKE1188837)		
	SILICON DIOXIDE (UNII: ETJ7Z6XBU4)		
	METHYLPARABEN (UNII: A2I8C7HI9T)		
	PROPYLPARABEN (UNII: Z8IX2SC1OH)		
	CARNAUBA WAX (UNII: R12CBM0EIZ)		
	TRIBEHENIN (UNII: 8OC9U7TQZ0)		
	CHOLESTEROL (UNII: 97C5T2UQ7J)		
	BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)		
	3-((L-MENTHYL)OXY)PROPANE-1,2-DIOL (UNII: KD6TZ2QICH)		
	CANDELILLA WAX (UNII: WL0328HX19)		
	YELLOW WAX (UNII: 2ZA36H0S2V)		
	CETOSTEARYL ALCOHOL (UNII: 2DMT128M1S)		
	CETEARYL GLUCOSIDE (UNII: 09FUA47KNA)		
	POLYGLYCERYL-2 DIPOLYHYDROXYSTEARATE (UNII: 9229XJ4V12)		
	CERAMIDE 2 (UNII: C04977SRJ5)		
	DECYL GLUCOSIDE (UNII: Z17H97EA6Y)		
	LINOLENIC ACID (UNII: 0RBV727H71)		

PEG-10 RAPESEED STEROL (UNII: 258O76T85M)

PALMITOYL OLIGOPEPTIDE (UNII: HO4ZT5S86C)

FERRIC OXIDE RED (UNII: 1K09F3G675)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:14783-251-02	1 in 1 BOX		
1	NDC:14783-251-01	30 mL in 1 BOTTLE, PLASTIC		
2	NDC:14783-251-04	1 in 1 BOX		
2	NDC:14783-251-03	27 mL in 1 BOTTLE, PLASTIC		
3	NDC:14783-251-06	1 in 1 BOX		
3	NDC:14783-251-05	4.5 mL in 1 BOTTLE, PLASTIC		
4	NDC:14783-251-08	1 in 1 BOX		
4	NDC:14783-251-07	3 mL in 1 TUBE		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	12/16/2013	

## LBEL NATURAL FINISH MOISTURIZING FOUNDATION SPF 25 (OBSCURE 8A) - BROWN

octinoxate and titanium dioxide liquid

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:14783-252
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Octinoxate (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	0.065 g in 1 mL
Titanium Dioxide (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	0.016 g in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0K00R)	
CYCLOMETHICONE 5 (UNII: 0THT5PC10R)	
CYCLOMETHICONE 6 (UNII: XHK3U310BA)	
PROPYLENE GLYCOL DICAPRYLATE/DICAPRATE (UNII: O4446S9CRA)	
PEG/PPG-18/18 DIMETHICONE (UNII: 9H0AO7T794)	
XYLITYLGLUCOSIDE (UNII: O0IEZ166FB)	
OCTYLDODECANOL (UNII: 461N1O614Y)	
OLETH-5 (UNII: 1GH33785AY)	

ANHYDROXYLITOL (UNII: 8XWR7NN42F)	
GLYCERIN (UNII: PDC6A3C0OX)	
LINOLEIC ACID (UNII: 9KJL21T0QJ)	
PEG/PPG-19/19 DIMETHICONE (UNII: EHH90CO7TL)	
MICROCRYSTALLINE WAX (UNII: XOF597Q3KY)	
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)	
XYLITOL (UNII: VCQ006KQ1E)	
DIAZOLIDINYL UREA (UNII: H5RIZ3MPW4)	
ALUMINUM OXIDE (UNII: LM26O6933)	
PETROLATUM (UNII: 4T6H12BN9U)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
TRIETHOXYCAPRYLSILANE (UNII: LDC331P08E)	
RIBES NIGRUM SEED OIL (UNII: GKE1188837)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
CARNAUBA WAX (UNII: R12CBM0EIZ)	
TRIBEHENIN (UNII: 8OC9U7TQZ0)	
CHOLESTEROL (UNII: 97C5T2UQ7J)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
3-((L-MENTHYL)OXY)PROPANE-1,2-DIOL (UNII: KD6TZ2QICH)	
CANDELILLA WAX (UNII: WL0328HX19)	
YELLOW WAX (UNII: 2ZA36H0S2V)	
CETOSTEARYL ALCOHOL (UNII: 2DMT128MIS)	
CETEARYL GLUCOSIDE (UNII: 09FUA47KNA)	
POLYGLYCERYL-2 DIPOLYHYDROXYSTEARATE (UNII: 9229XJ4V12)	
CERAMIDE 2 (UNII: C04977SRJ5)	
DECYL GLUCOSIDE (UNII: Z17H97EA6Y)	
LINOLENIC ACID (UNII: 0RBV727H71)	
PEG-10 RAPESEED STEROL (UNII: 258O76T85M)	
PALMITOYL OLIGOPEPTIDE (UNII: HO4ZT5S86C)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:14783-252-02	1 in 1 BOX		
1	NDC:14783-252-01	30 mL in 1 BOTTLE, PLASTIC		
2	NDC:14783-252-04	1 in 1 BOX		
2	NDC:14783-252-03	27 mL in 1 BOTTLE, PLASTIC		
3	NDC:14783-252-06	1 in 1 BOX		
3	NDC:14783-252-05	4.5 mL in 1 BOTTLE, PLASTIC		
4	NDC:14783-252-08	1 in 1 BOX		
4	NDC:14783-252-07	3 mL in 1 TUBE		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	12/16/2013	

# LBEL NATURAL FINISH MOISTURIZING FOUNDATION SPF 25 (OBSCURE 8B) - BROWN

octinoxate and titanium dioxide liquid

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:14783-253
<b>Route of Administration</b>	TOPICAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>Octinoxate</b> (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	0.065 g in 1 mL
<b>Titanium Dioxide</b> (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	0.016 g in 1 mL

## Inactive Ingredients

Ingredient Name	Strength
<b>WATER</b> (UNII: 059QF0K00R)	
<b>CYCLOMETHICONE 5</b> (UNII: 0THF5PCI0R)	
<b>CYCLOMETHICONE 6</b> (UNII: XHK3U310BA)	
<b>PROPYLENE GLYCOL DICAPRYLATE/DICAPRATE</b> (UNII: O4446S9CRA)	
<b>PEG/PPG-18/18 DIMETHICONE</b> (UNII: 9H0AO7T794)	
<b>XYLITYLGLUCOSIDE</b> (UNII: O0IEZ166FB)	
<b>OCTYLDODECANOL</b> (UNII: 461N1O614Y)	
<b>OLETH-5</b> (UNII: 1GH33785AY)	
<b>ANHYDROXYLITOL</b> (UNII: 8XWR7NN42F)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>LINOLEIC ACID</b> (UNII: 9KJL21T0QJ)	
<b>PEG/PPG-19/19 DIMETHICONE</b> (UNII: EHH90CO7TL)	
<b>MICROCRYSTALLINE WAX</b> (UNII: XOF597Q3KY)	
<b>ALKYL (C12-15) BENZOATE</b> (UNII: A9EJ3J61HQ)	
<b>XYLITOL</b> (UNII: VCQ006KQ1E)	
<b>DIAZOLIDINYL UREA</b> (UNII: H5RIZ3MPW4)	
<b>ALUMINUM OXIDE</b> (UNII: LM26O6933)	
<b>PETROLATUM</b> (UNII: 4T6H12BN9U)	
<b>.ALPHA.-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)	
<b>TRIETHOXYCAPRYLSILANE</b> (UNII: LDC331P08E)	
<b>RIBES NIGRUM SEED OIL</b> (UNII: GKE1188837)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>METHYLPARABEN</b> (UNII: A2I8C7HI9T)	
<b>PROPYLPARABEN</b> (UNII: Z8IX2SC1OH)	
<b>CARNAUBA WAX</b> (UNII: R12CBM0EIZ)	
<b>TRIBEHENIN</b> (UNII: 8OC9U7TQZ0)	
<b>CHOLESTEROL</b> (UNII: 97C5T2UQ7J)	
<b>BUTYLATED HYDROXYTOLUENE</b> (UNII: 1P9D0Z171K)	
<b>3-((L-MENTHYL)OXY)PROPANE-1,2-DIOL</b> (UNII: KD6TZ2QICH)	

CANDELILLA WAX (UNII: WL0328HX19)
YELLOW WAX (UNII: 2ZA36H0S2V)
CETOSTEARYL ALCOHOL (UNII: 2DMT128M1S)
CETEARYL GLUCOSIDE (UNII: 09FUA47KNA)
POLYGLYCERYL-2 DIPOLYHYDROXYSTEARATE (UNII: 9229XJ4V12)
CERAMIDE 2 (UNII: C04977SRJ5)
DECYL GLUCOSIDE (UNII: Z17H97EA6Y)
LINOLENIC ACID (UNII: 0RBV727H71)
PEG-10 RAPESEED STEROL (UNII: 258O76T85M)
PALMITOYL OLIGOPEPTIDE (UNII: HO4ZT5S86C)
FERRIC OXIDE RED (UNII: 1K09F3G675)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:14783-253-02	1 in 1 BOX		
1	NDC:14783-253-01	30 mL in 1 BOTTLE, PLASTIC		
2	NDC:14783-253-04	1 in 1 BOX		
2	NDC:14783-253-03	27 mL in 1 BOTTLE, PLASTIC		
3	NDC:14783-253-06	1 in 1 BOX		
3	NDC:14783-253-05	4.5 mL in 1 BOTTLE, PLASTIC		
4	NDC:14783-253-08	1 in 1 BOX		
4	NDC:14783-253-07	3 mL in 1 TUBE		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	12/16/2013	

## LBEL NATURAL FINISH MOISTURIZING FOUNDATION SPF 25 (OBSCURE 8C) - BROWN

octinoxate and titanium dioxide liquid

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:14783-254
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Octinoxate (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	0.065 g in 1 mL
Titanium Dioxide (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	0.016 g in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
-----------------	----------

<b>WATER</b> (UNII: 059QF0KO0R)
<b>CYCLOMETHICONE 5</b> (UNII: 0THT5PCI0R)
<b>CYCLOMETHICONE 6</b> (UNII: XHK3U310BA)
<b>PROPYLENE GLYCOL DICAPRYLATE/DICAPRATE</b> (UNII: O4446S9CRA)
<b>PEG/PPG-18/18 DIMETHICONE</b> (UNII: 9H0AO7T794)
<b>XYLITYLGLUCOSIDE</b> (UNII: O0IEZ166FB)
<b>OCTYLDODECANOL</b> (UNII: 461N1O614Y)
<b>OLETH-5</b> (UNII: 1GH33785AY)
<b>ANHYDROXYLITOL</b> (UNII: 8XWR7NN42F)
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)
<b>LINOLEIC ACID</b> (UNII: 9KJL21T0QJ)
<b>PEG/PPG-19/19 DIMETHICONE</b> (UNII: EHH90CO7TL)
<b>MICROCRYSTALLINE WAX</b> (UNII: XOF597Q3KY)
<b>ALKYL (C12-15) BENZOATE</b> (UNII: A9EJ3J61HQ)
<b>XYLITOL</b> (UNII: VCQ006KQ1E)
<b>DIAZOLIDINYL UREA</b> (UNII: H5RIZ3MPW4)
<b>ALUMINUM OXIDE</b> (UNII: LM26O6933)
<b>PETROLATUM</b> (UNII: 4T6H12BN9U)
<b>.ALPHA.-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)
<b>TRIETHOXYCAPRYLSILANE</b> (UNII: LDC331P08E)
<b>RIBES NIGRUM SEED OIL</b> (UNII: GKE1188837)
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)
<b>METHYLPARABEN</b> (UNII: A2I8C7HI9T)
<b>PROPYLPARABEN</b> (UNII: Z8IX2SC1OH)
<b>CARNAUBA WAX</b> (UNII: R12CBM0EIZ)
<b>TRIBEHENIN</b> (UNII: 8OC9U7TQZ0)
<b>CHOLESTEROL</b> (UNII: 97C5T2UQ7J)
<b>BUTYLATED HYDROXYTOLUENE</b> (UNII: 1P9D0Z171K)
<b>3-((L-MENTHYL)OXY)PROPANE-1,2-DIOL</b> (UNII: KD6TZ2QICH)
<b>CANDELILLA WAX</b> (UNII: WL0328HX19)
<b>YELLOW WAX</b> (UNII: 2ZA36H0S2V)
<b>CETOSTEARYL ALCOHOL</b> (UNII: 2DMT128M1S)
<b>CETEARYL GLUCOSIDE</b> (UNII: 09FUA47KNA)
<b>POLYGLYCERYL-2 DIPOLYHYDROXYSTEARATE</b> (UNII: 9229XJ4V12)
<b>CERAMIDE 2</b> (UNII: C04977SRJ5)
<b>DECYL GLUCOSIDE</b> (UNII: Z17H97EA6Y)
<b>LINOLENIC ACID</b> (UNII: 0RBV727H71)
<b>PEG-10 RAPESEED STEROL</b> (UNII: 258O76T85M)
<b>PALMITOYL OLIGOPEPTIDE</b> (UNII: HO4ZT5S86C)
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:14783-254-02	1 in 1 BOX		
1	NDC:14783-254-01	30 mL in 1 BOTTLE, PLASTIC		
2	NDC:14783-254-04	1 in 1 BOX		
2	NDC:14783-254-03	27 mL in 1 BOTTLE, PLASTIC		
3	NDC:14783-254-06	1 in 1 BOX		



3	NDC:14783-254-05	4.5 mL in 1 BOTTLE, PLASTIC		
4	NDC:14783-254-08	1 in 1 BOX		
4	NDC:14783-254-07	3 mL in 1 TUBE		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	12/16/2013	

## LBEL NATURAL FINISH MOISTURIZING FOUNDATION SPF 25 (OBSCURE 10) - BROWN

octinoxate and titanium dioxide liquid

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:14783-255
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Octinoxate (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	0.065 g in 1 mL
Titanium Dioxide (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	0.016 g in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)	
CYCLOMETHICONE 6 (UNII: XHK3U310BA)	
PROPYLENE GLYCOL DICAPRYLATE/DICAPRATE (UNII: O4446S9CRA)	
PEG/PPG-18/18 DIMETHICONE (UNII: 9H0AO7T794)	
XYLITYLGLUCOSIDE (UNII: 00IEZ166FB)	
OCTYLDODECANOL (UNII: 461N1O614Y)	
OLETH-5 (UNII: 1GH33785AY)	
ANHYDROXYLITOL (UNII: 8XWR7NN42F)	
GLYCERIN (UNII: PDC6A3C0OX)	
LINOLEIC ACID (UNII: 9KJL21T0QJ)	
PEG/PPG-19/19 DIMETHICONE (UNII: EHH90CO7TL)	
MICROCRYSTALLINE WAX (UNII: XOF597Q3KY)	
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)	
XYLITOL (UNII: VCQ006KQ1E)	
DIAZOLIDINYL UREA (UNII: H5RIZ3MPW4)	
ALUMINUM OXIDE (UNII: LM26O6933)	
PETROLATUM (UNII: 4T6H12BN9U)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	

RIBES NIGRUM SEED OIL (UNII: GKE1188837)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
CARNAUBA WAX (UNII: R12CBM0EIZ)	
TRIBEHENIN (UNII: 8OC9U7TQZ0)	
CHOLESTEROL (UNII: 97C5T2UQ7J)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
3-((L-MENTHYL)OXY)PROPANE-1,2-DIOL (UNII: KD6TZ2QICH)	
CANDELILLA WAX (UNII: WL0328HX19)	
YELLOW WAX (UNII: 2ZA36H0S2V)	
CETOSTEARYL ALCOHOL (UNII: 2DMT128MIS)	
CETEARYL GLUCOSIDE (UNII: 09FUA47KNA)	
POLYGLYCERYL-2 DIPOLYHYDROXYSTEARATE (UNII: 9229XJ4V12)	
CERAMIDE 2 (UNII: C04977SRJ5)	
DECYL GLUCOSIDE (UNII: Z17H97EA6Y)	
LINOLENIC ACID (UNII: 0RBV727H71)	
PEG-10 RAPESEED STEROL (UNII: 258O76T85M)	
PALMITOYL OLIGOPEPTIDE (UNII: HO4ZT5S86C)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:14783-255-02	1 in 1 BOX		
1	NDC:14783-255-01	30 mL in 1 BOTTLE, PLASTIC		
2	NDC:14783-255-04	1 in 1 BOX		
2	NDC:14783-255-03	27 mL in 1 BOTTLE, PLASTIC		
3	NDC:14783-255-06	1 in 1 BOX		
3	NDC:14783-255-05	4.5 mL in 1 BOTTLE, PLASTIC		
4	NDC:14783-255-08	1 in 1 BOX		
4	NDC:14783-255-07	3 mL in 1 TUBE		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	12/16/2013	

## LBEL NATURAL FINISH MOISTURIZING FOUNDATION SPF 25 (DORE 6) - BEIGE

octinoxate and titanium dioxide liquid

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:14783-256
Route of Administration	TOPICAL		

**Active Ingredient/Active Moiety**

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>Octinoxate</b> (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	0.065 g in 1 mL
<b>Titanium Dioxide</b> (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	0.016 g in 1 mL

**Inactive Ingredients**

<b>Ingredient Name</b>	<b>Strength</b>
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>CYCLOMETHICONE 5</b> (UNII: 0THT5PCI0R)	
<b>CYCLOMETHICONE 6</b> (UNII: XHK3U310BA)	
<b>PROPYLENE GLYCOL DICAPRYLATE/DICAPRATE</b> (UNII: O4446S9CRA)	
<b>PEG/PPG-18/18 DIMETHICONE</b> (UNII: 9H0AO7T794)	
<b>XYLITYLGLUCOSIDE</b> (UNII: O0IEZ166FB)	
<b>OCTYLDODECANOL</b> (UNII: 461N1O614Y)	
<b>OLETH-5</b> (UNII: 1GH33785AY)	
<b>ANHYDROXYLITOL</b> (UNII: 8XWR7NN42F)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>LINOLEIC ACID</b> (UNII: 9KJL21T0QJ)	
<b>PEG/PPG-19/19 DIMETHICONE</b> (UNII: EHH90CO7TL)	
<b>MICROCRYSTALLINE WAX</b> (UNII: XOF597Q3KY)	
<b>ALKYL (C12-15) BENZOATE</b> (UNII: A9EJ3J61HQ)	
<b>XYLITOL</b> (UNII: VCQ006KQ1E)	
<b>DIAZOLIDINYL UREA</b> (UNII: H5RIZ3MPW4)	
<b>ALUMINUM OXIDE</b> (UNII: LM26O6933)	
<b>PETROLATUM</b> (UNII: 4T6H12BN9U)	
<b>.ALPHA.-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)	
<b>TRIETHOXYCAPRYLSILANE</b> (UNII: LDC331P08E)	
<b>RIBES NIGRUM SEED OIL</b> (UNII: GKE1188837)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>METHYL PARABEN</b> (UNII: A2I8C7HI9T)	
<b>PROPYL PARABEN</b> (UNII: Z8IX2SC1OH)	
<b>CARNAUBA WAX</b> (UNII: R12CBM0EIZ)	
<b>TRIBEHENIN</b> (UNII: 8OC9U7TQZ0)	
<b>CHOLESTEROL</b> (UNII: 97C5T2UQ7J)	
<b>BUTYLATED HYDROXYTOLUENE</b> (UNII: 1P9D0Z171K)	
<b>3-((L-MENTHYL)OXY)PROPANE-1,2-DIOL</b> (UNII: KD6TZ2QICH)	
<b>CANDELILLA WAX</b> (UNII: WL0328HX19)	
<b>YELLOW WAX</b> (UNII: 2ZA36H0S2V)	
<b>CETOSTEARYL ALCOHOL</b> (UNII: 2DMT128M1S)	
<b>CETEARYL GLUCOSIDE</b> (UNII: 09FUA47KNA)	
<b>POLYGLYCERYL-2 DIPOLYHYDROXYSTEARATE</b> (UNII: 9229XJ4V12)	
<b>CERAMIDE 2</b> (UNII: C04977SRJ5)	
<b>DECYL GLUCOSIDE</b> (UNII: Z17H97EA6Y)	
<b>LINOLENIC ACID</b> (UNII: 0RBV727H71)	
<b>PEG-10 RAPESEED STEROL</b> (UNII: 258O76T85M)	
<b>PALMITOYL OLIGOPEPTIDE</b> (UNII: HO4ZT5S86C)	
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:14783-256-02	1 in 1 BOX		
1	NDC:14783-256-01	30 mL in 1 BOTTLE, PLASTIC		
2	NDC:14783-256-04	1 in 1 BOX		
2	NDC:14783-256-03	27 mL in 1 BOTTLE, PLASTIC		
3	NDC:14783-256-06	1 in 1 BOX		
3	NDC:14783-256-05	4.5 mL in 1 BOTTLE, PLASTIC		
4	NDC:14783-256-08	1 in 1 BOX		
4	NDC:14783-256-07	3 mL in 1 TUBE		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	12/16/2013	

**Labeler** - Ventura International LTD (603192787)

## Establishment

Name	Address	ID/FEI	Business Operations
Bel Star S.A. (Colombia)		880160197	MANUFACTURE(14783-241, 14783-242, 14783-243, 14783-244, 14783-245, 14783-246, 14783-247, 14783-248, 14783-249, 14783-250, 14783-251, 14783-252, 14783-253, 14783-254, 14783-255, 14783-256)

Revised: 12/2013

Ventura International LTD