

SPORT SPF 30- avobenzone 1.8% homosalate 7.0% octocrylene 5.0% lotion

Top Care

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Drug Facts

Active ingredients	Purpose
Avobenzone 1.8%.....	Sunscreen
Homosalate 7.0%.....	Sunscreen
Octocrylene 5.0%.....	Sunscreen

Uses • helps prevent sunburn

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes.

Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away

Directions • apply liberally 15 minutes before sun exposure • reapply: • after 80 minutes of swimming or sweating • immediately after towel drying • at least every 2 hours
• **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m. – 2 p.m. • wear long-sleeve shirts, pants, hats, and sunglasses
• children under 6 months: Ask a doctor

Other information

• protect this product from excessive heat and direct sun • may stain fabrics.

Inactive ingredients

Water,
Butyloctyl Salicylate, Sorbitol, Aluminum Starch Octenylsuccinate, VP/Eicosene Copolymer, Stearic Acid, Benzyl Alcohol, Carbomer, Dimethicone, Disodium EDTA,

Methylparaben, Polyglyceryl-3 Distearate, Propylparaben, Sorbitan Isostearate, Tocopherol, Triethanolamine.



TopCare®
SPORT
sunscreen lotion

water resistant
(80 minutes)
UVA/UVB
protection

**Broad Spectrum
SPF 30**

*COMPARE TO THE ACTIVE
INGREDIENTS IN BANANA BOAT®

8 FL OZ (237 mL)

Drug Facts

Active ingredients	Purpose
Avobenzone 1.8%	Sunscreen
Homosalate 7.0%	Sunscreen
Octocrylene 5.0%	Sunscreen

Uses • helps prevent sunburn

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions • apply liberally 15 minutes before sun exposure
• reapply: • after 80 minutes of swimming or sweating • immediately after towel drying
• at least every 2 hours
• **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m. – 2 p.m. • wear long-sleeve shirts, pants, hats, and sunglasses
• children under 6 months: Ask a doctor

Other information

• protect this product from excessive heat and direct sun • may stain fabrics.

Inactive ingredients Aluminum Starch Octenylsuccinate, Benzyl Alcohol, Butyloctyl Salicylate, Carbomer, Dimethicone, Disodium EDTA, Methylparaben, Polyglyceryl-3 Distearate, Propylparaben, Sorbitan Isostearate, Sorbitol, Stearic Acid, Tocopherol, Triethanolamine, VP/Eicosene Copolymer, Water.

*THIS PRODUCT IS NOT MANUFACTURED OR DISTRIBUTED BY EDGELL PERSONAL CARE BRANDS, LLC., DISTRIBUTOR OF BANANA BOAT®.



DISTRIBUTED BY
TOPCO ASSOCIATES LLC
ELK GROVE VILLAGE, IL 60007
© TOPCO PQU1016
QUESTIONS? 1-888-423-0139
topcare@topco.com
www.topcarebrand.com

SPORT SPF 30

avobenzone 1.8% homosalate 7.0% octocrylene 5.0% lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:36800-713
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Avobenzone (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	Avobenzone	1.8 g in 100 mL
Homosalate (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	Homosalate	7 g in 100 mL
Octocrylene (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	Octocrylene	5 g in 100 mL

Inactive Ingredients

Ingredient Name	Strength
Aluminum Starch Octenylsuccinate (UNII: I9PJ0O6294)	
Benzyl Alcohol (UNII: LKG8494WBH)	
Butyloctyl Salicylate (UNII: 2EH13UN8D3)	
CARBOMER HOMO POLYMER TYPE C (ALLYL PENTAERYTHRITOL CROSSLINKED) (UNII: 4Q93RCW27E)	
Dimethicone (UNII: 92RU3N3Y1O)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
Methylparaben (UNII: A2B8C7HI9T)	
Polyglyceryl-3 Distearate (UNII: Z11LK470XV)	
Propylparaben (UNII: Z8IX2SC1OH)	
Sorbitan Isostearate (UNII: 01S2G2C1E4)	
Sorbitol (UNII: 506T60A25R)	
Stearic Acid (UNII: 4ELV7Z65AP)	
Tocopherol (UNII: R0ZB2556P8)	
TROLAMINE (UNII: 9O3K93S3TK)	
EICOSYL POVIDONE (UNII: XQQ9MKE2BJ)	
Water (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:36800-713-06	237 mL in 1 CONTAINER; Type 0: Not a Combination Product	12/22/2016	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	12/22/2016	

Labeler - Top Care (006935977)

Registrant - Product Quest Mfg (927768135)

Establishment

Name	Address	ID/FEI	Business Operations
Product Quest Mfg		927768135	manufacture(36800-713) , label(36800-713)

Revised: 7/2018

Top Care