

**MENSTRUAL COMPLETE MAXIMUM STRENGTH- acetaminophen, caffeine,  
pyrilamine maleate tablet, film coated  
CHAIN DRUG MARKETING ASSOCIATION INC**

-----  
**Quality Choice 44-390**

***Active ingredients (in each caplet)***

Acetaminophen 500 mg  
Caffeine 60 mg  
Pyrilamine maleate 15 mg

***Purpose***

Pain reliever  
Diuretic  
Antihistamine

***Uses***

for the temporary relief of these symptoms associated with menstrual periods:

- bloating
- headache
- muscle aches
- cramps
- backache
- fatigue
- water-weight gain

***Warnings***

**Liver warning:** This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

**Allergy alert:** Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

**Do not use**

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you have ever had an allergic reaction to this product or any of its ingredients

**Ask a doctor before use if you have**

- difficulty in urination due to enlargement of the prostate gland
- liver disease
- a breathing problem such as emphysema or chronic bronchitis
- glaucoma

**Ask a doctor or pharmacist before use if you are**

- taking the blood thinning drug warfarin
- taking sedatives or tranquilizers

**When using this product**

- avoid alcoholic beverages
- excitability may occur, especially in children
- alcohol, sedatives, and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery
- you may get drowsy
- limit the use of caffeine-containing medications, foods, or beverages while taking this product because too much caffeine may cause nervousness, irritability, sleeplessness, and, occasionally, rapid heartbeat. The recommended dose of this product contains about as much caffeine as a cup of coffee.

**Stop use and ask a doctor if**

- new symptoms occur
- redness or swelling is present
- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days

These could be signs of a serious condition.

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children.**

In case of accidental overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

***Directions***

- **do not take more than the recommended dose**
- adults and children 12 years and over:
  - take 2 caplets with water
  - repeat every 6 hours, as needed

- do not exceed 6 caplets per day
- children under 12 years: ask a doctor

**Other information**

- store at 25°C (77°F); excursions permitted between 15°C-30°C (59°F-86°F)
- see end flap for expiration date and lot number

**Inactive ingredients**

corn starch, croscarmellose sodium, crospovidone, hypromellose, magnesium stearate, microcrystalline cellulose, polydextrose, polyethylene glycol, povidone, silicon dioxide, stearic acid, titanium dioxide, triacetin

**Questions or comments?**

**1-800-426-9391**

**Principal Display Panel**

**QC®  
QUALITY  
CHOICE**

**NDC 63868-032-24**

\*Compare to the active ingredients  
in MIDOL® COMPLETE

Maximum Strength

**Menstrual Complete**

**Acetaminophen** 500 mg, Caffeine 60 mg

Pyriminamine maleate 15 mg

Pain Reliever / Diuretic / Antihistamine

Multi-Symptom Relief

Actual

Size

**24** Caplets

**TAMPER EVIDENT: DO NOT USE IF IMPRINTED  
SAFETY SEAL UNDER CAP IS BROKEN OR MISSING**

\*This product is not manufactured or distributed by  
Bayer HealthCare LLC, owner of the registered  
trademark Midol® Complete.

50844 REV0517A39008

**100% QC**

• SATISFACTION

GUARANTEED •


Distributed by C.D.M.A., Inc. ©

43157 W 9 Mile Rd

Novi, MI 48375

[www.qualitychoice.com](http://www.qualitychoice.com)

Questions: 248-449-9300



TAMPER EVIDENT: DO NOT USE IF IMPRINTED  
SAFETY SEAL UNDER CAP IS BROKEN OR MISSING

NDC 63868-032-24

\*Compare to the active ingredients  
in MIDOL® COMPLETE



## Maximum Strength Menstrual Complete

Acetaminophen 500 mg, Caffeine 60 mg  
Pyrilamine maleate 15 mg

Pain Reliever / Diuretic / Antihistamine  
Multi-Symptom Relief



Actual  
Size

24 Caplets

**Drug Facts (continued)**

Keep out of reach of children. In case of accidental overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

**Directions**

- do not take more than the recommended dose
- adults and children 12 years and over:
  - take 2 caplets with water
  - repeat every 6 hours, as needed
  - do not exceed 6 caplets per day
- children under 12 years: ask a doctor

**Drug Facts (continued)**

**Other information**

- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- see end flap for expiration date and lot number

**Inactive ingredients** corn starch, croscarmellose sodium, crospovidone, hypromellose, magnesium stearate, microcrystalline cellulose, polydextrose, polyethylene glycol, povidone, silicon dioxide, stearic acid, titanium dioxide, triacetin

**Questions or comments?**  
1-800-426-9391

**Drug Facts (continued)**

**Do not use**

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you have ever had an allergic reaction to this product or any of its ingredients

**Ask a doctor before use if you have**

- difficulty in urination due to enlargement of the prostate gland
- liver disease
- a breathing problem such as emphysema or chronic bronchitis
- glaucoma

**Ask a doctor or pharmacist before use if you are**

- taking the blood thinning drug warfarin
- taking sedatives or tranquilizers

**When using this product**

- you may get drowsy
- avoid alcoholic beverages

**Drug Facts (continued)**

**Limit the use of caffeine-containing medications,**

- because too much caffeine may cause nervousness, irritability, sleeplessness, and, occasionally, rapid heartbeat. The recommended dose of this product contains about as much caffeine as a cup of coffee.

**Stop use and ask a doctor if**

- new symptoms occur
- redness or swelling is present
- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days

**If pregnant or breast-feeding, ask a health professional before use.**

**Drug Facts**

**Active ingredients**  
(in each caplet)  
Acetaminophen 500 mg ..... Pain reliever  
Caffeine 60 mg .....  
Pyrilamine maleate 15 mg ..... Antihistamine

**Purpose**  
Pain reliever  
Diuretic

**Uses**  
for the temporary relief of these symptoms associated with menstrual periods:  
■ bloating  
■ headache  
■ muscle aches  
■ cramps  
■ backache  
■ fatigue

**Warnings**  
Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take  
■ more than 4,000 mg of acetaminophen in 24 hours  
■ with other drugs containing acetaminophen  
■ 3 or more alcoholic drinks every day while using this product

**Allergy alert:** Acetaminophen may cause severe skin reactions. Symptoms may include:  
■ skin reddening  
■ blisters  
■ rash

**Drug Facts (continued)**

KEEP OUT OF REACH OF CHILDREN  
FOR COMPLETE  
PRODUCT INFORMATION

\*This product is not manufactured or distributed by  
Bayer HealthCare LLC, owner of the registered  
trademark Midol® Complete.  
50844 REV0517A39008

**100% SATISFACTION  
GUARANTEED**

Distributed by C.D.M.A., Inc.®  
43157 W. 31st Ave Rd  
Novi, MI 48375  
www.qualitychoice.com  
Questions: 248-449-9300

No Print / Varnish Area  
Lot no. & Exp. date

B-0220-390-08  
REV0517A39008

Quality Choice 44-390

**MENSTRUAL COMPLETE MAXIMUM STRENGTH**  
acetaminophen, caffeine, pyrilamine maleate tablet, film coated

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:63868-032
Route of Administration	ORAL		

Active Ingredient/Active Moiety			
Ingredient Name		Basis of Strength	Strength
<b>ACETAMINOPHEN</b> (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)		ACETAMINOPHEN	500 mg
<b>CAFFEINE</b> (UNII: 3G6A5W338E) (CAFFEINE - UNII:3G6A5W338E)		CAFFEINE	60 mg
<b>PYRILAMINE MALEATE</b> (UNII: R35D29L3ZA) (PYRILAMINE - UNII:HPE317O9TL)		PYRILAMINE MALEATE	15 mg

Inactive Ingredients	
Ingredient Name	Strength
<b>STARCH, CORN</b> (UNII: O8232NY3SJ)	
<b>CROSCARMELLOSE SODIUM</b> (UNII: M28OL1HH48)	
<b>CROSPVIDONE, UNSPECIFIED</b> (UNII: 2S7830E561)	
<b>HYPROMELLOSE, UNSPECIFIED</b> (UNII: 3NXW29V3WO)	
<b>MAGNESIUM STEARATE</b> (UNII: 70097M6I30)	
<b>MICROCRYSTALLINE CELLULOSE</b> (UNII: OP1R32D61U)	
<b>POLYDEXTROSE</b> (UNII: VH2XOU12IE)	
<b>POLYETHYLENE GLYCOL, UNSPECIFIED</b> (UNII: 3WJQ0SDW1A)	
<b>POVIDONE, UNSPECIFIED</b> (UNII: FZ989GH94E)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	
<b>TRIACETIN</b> (UNII: XHX3C3X673)	

Product Characteristics			
Color	white	Score	no score
Shape	OVAL	Size	17mm
Flavor		Imprint Code	44;390
Contains			

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:63868-032-24	1 in 1 CARTON	04/29/2002	
1		24 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date

OTC Monograph Drug	M013	04/29/2002	
--------------------	------	------------	--

**Labeler -** CHAIN DRUG MARKETING ASSOCIATION INC (011920774)

**Establishment**

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		038154464	pack(63868-032)

**Establishment**

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867837	manufacture(63868-032) , pack(63868-032)

**Establishment**

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867894	manufacture(63868-032)

**Establishment**

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		967626305	pack(63868-032)

**Establishment**

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		117025878	manufacture(63868-032)