

BAYER GENUINE ASPIRIN- aspirin tablet
JC World Bell Wholesale Co., Inc.

BAYER 2'S BLISTER PACK

Drug Facts

Active ingredients (in each tablet)

Aspirin 325 mg (NSAID)*

*nonsteroidal anti-inflammatory drug

Purposes

Pain reliever/fever reducer

Uses

temporarily relieves minor aches and pains due to:

- headache • muscle pain
- toothache • menstrual pain
- colds • minor pain of arthritis
- temporarily reduces fever

Warnings

Reye's syndrome: Children and teenagers who have or are recovering from chicken pox or flu-like symptoms should not use this product. When using this product, if changes in behavior with nausea and vomiting occur, consult a doctor because these symptoms could be an early sign of Reye's syndrome, a rare but serious illness.

Allergy alert: Aspirin may cause a severe allergic reaction which may include:

- hives
- facial swelling
- asthma (wheezing)
- shock

Stomach bleeding warning: This product contains an NSAID, which may cause severe stomach bleeding. The chance is higher if you

- are age 60 or older
- have had stomach ulcers or bleeding problems
- take a blood thinning (anticoagulant) or steroid drug
- take other drugs containing prescription or nonprescription NSAIDs (aspirin, ibuprofen, naproxen, or others)

- have 3 or more alcoholic drinks every day while using this product
- take more or for a longer time than directed

Do not use

- if you are allergic to aspirin or any other pain reliever/fever reducer
- if you have ever had an allergic reaction to this product or any of its ingredients

Ask a doctor before use if

- stomach bleeding warning applies to you
- you have a history of stomach problems, such as heartburn
- you have high blood pressure, heart disease, liver cirrhosis, or kidney disease
- you are taking a diuretic
- you have asthma

Ask a doctor or pharmacist before use if you are

- taking a prescription drug for • gout • diabetes • arthritis

Stop use and ask a doctor if

- an allergic reaction occurs. Seek medical help right away.
- you experience any of the following signs of stomach bleeding
- feel faint
- vomit blood
- have bloody or black stools
- have stomach pain that does not get better
- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- redness or swelling is present
- new symptoms occur
- ringing in the ears or a loss of hearing occurs

If pregnant or breast-feeding,

ask a health professional before use. **It is especially important not to use aspirin during the last 3 months of pregnancy unless definitely directed to do so by a doctor because it may cause problems in the unborn child or complications during delivery.**

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- drink a full glass of water with each dose
- adults and children 12 years and over: take 1 or 2 tablets every 4 hours or 3 tablets every 6 hours, not to exceed 12 tablets in 24 hours
- children under 12 years: consult a doctor

Other information

- save carton for full directions and warnings
- store at room temperature


Inactive ingredients

corn starch, hypromellose, powdered cellulose, triacetin

Questions or comments?

1-800-331-4536 (Mon - Fri 9AM - 5PM EST)

Package Labeling:



<p>BAYER ASPIRIN (ACETASALICYLIC ACID) TABLETS</p>	
<p>Drug Facts</p> <p>Active ingredient (in each tablet) Aspirin 325 mg (NSAID) ... Nonsteroidal anti-inflammatory drug</p> <p>Uses</p> <ul style="list-style-type: none"> temporarily relieves minor aches and pains due to: <ul style="list-style-type: none"> headache muscle pain menstrual pain colds temporarily reduces fever toothache minor pain of arthritis <p>Warnings</p> <p>People's symptoms: Children and teenagers who have or are recovering from chicken pox or flu-like symptoms should not use this product. When using this product, if changes in behavior with nausea and vomiting occur, consult a doctor because these symptoms could be an early sign of Reye's syndrome, a rare but serious illness.</p> <p>Allergy alert: Aspirin may cause a severe allergic reaction which may include: <ul style="list-style-type: none"> hives facial swelling asthma (wheezing) shock </p> <p>Stomach bleeding warning: This product contains an NSAID, which may cause severe stomach bleeding. The chance is higher if you: <ul style="list-style-type: none"> are age 60 or older have had stomach ulcers or bleeding problems take other drugs containing prescription or nonprescription NSAIDs (aspirin, ibuprofen, naproxen, or others) have 3 or more alcoholic drinks every day while using this product take more or for a longer time than directed </p> <p>Do not use</p> <ul style="list-style-type: none"> if you are allergic to aspirin or any other pain reliever/fever reducer if you have ever had an allergic reaction to this product or any of its ingredients <p>Ask a doctor before use if</p> <ul style="list-style-type: none"> stomach bleeding warning applies to you you have a history of stomach problems, such as heartburn you have high blood pressure, heart disease, liver cirrhosis, or kidney disease you are taking a diuretic you have asthma <p>Ask a doctor or pharmacist before use if you are taking a prescription drug for:</p> <ul style="list-style-type: none"> gold diabetes arthritis <p>Stop use and ask a doctor if</p> <ul style="list-style-type: none"> an allergic reaction occurs. Seek medical help right away. 	<p>Purposes</p> <p>Pain reliever/fever reducer</p> <ul style="list-style-type: none"> fever stomach pain that does not get better pain gets worse or lasts more than 10 days fever gets worse or lasts more than 3 days redness or swelling is present new symptoms occur ringing in the ears or a loss of hearing occurs <p>Directions</p> <ul style="list-style-type: none"> drink a full glass of water with each dose adults and children 15 years and over: take 1 or 2 tablets every 4 hours or 3 tablets every 6 hours, not to exceed 12 tablets in 24 hours children under 12: see a doctor <p>Other information</p> <ul style="list-style-type: none"> use caution for full directions and warnings Store at room temperature <p>Inactive ingredients corn starch, hypromellose, powdered cellulose, triacetin</p> <p>Questions or comments? 1-800-331-4536 (Mon - Fri 9AM - 5PM EST)</p> <p>Do not use if printed safety seal bearing "Bayer HealthCare" under cap is torn or missing.</p>
<p>LOT: _____</p> <p>EXP: _____</p> <p>This product is repackaged by J.C. World Bell Wholesale Co, Inc; 376-380 Railroad Ave, Hackensack NJ 07601; 201-488-1096 (Mon-Fri 9AM-6PM EST), from a product manufactured by Bayer.</p>	

25 POUCHES OF 2 COATED TABLETS

325 mg

GENUINE ASPIRIN
the wonder drug

ASPIRIN (NSAID) PAIN RELIEVER/FEVER REDUCER

BAYER

ASPIRIN (NSAID) PAIN RELIEVER/FEVER REDUCER

SAFE PAIN RELIEF + LIFESAVING BENEFITS

Talk to your doctor or other healthcare provider before using this product for your heart.

Drug Facts	Drug Facts (continued)
<p>Active ingredient (in each tablet) Aspirin 325 mg (NSAID)</p> <p>Purpose Pain reliever/fever reducer</p> <p>Warnings</p> <p>Do not use</p> <p>LOT: EXP:</p>	<p>Stop use and ask a doctor if:</p> <ul style="list-style-type: none"> allergic reaction occurs. Seek medical help right away. you experience any of the following signs of stomach bleeding: <ul style="list-style-type: none"> black stool dark, bloody or black stools stomach pain that does not get better stomach pain or pain more than 10 days stomach pain or pain more than 3 days nausea or vomiting is present vomiting or loss of hearing occurs pregnant or breast-feeding, ask a health professional before use. It is especially important not to use aspirin during the last 3 months of pregnancy unless definitely directed to do so by a doctor because it may cause problems in the unborn child or complications during delivery. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. <p>Directions</p> <p>Take a full glass of water with each dose.</p> <p>Adults and children 12 years and over: take 1 or 2 tablets every 4 hours or 3 tablets every 6 hours, not to exceed 12 tablets in 24 hours.</p> <p>Children under 12 years: consult a doctor.</p> <p>Other information</p> <p>See carton for full directions and warnings.</p> <p>Store at room temperature.</p> <p>Inactive ingredients corn starch, hypromellose, powdered cellulose, titanium dioxide.</p> <p>Questions or comments? 1-800-331-4636 (Mon-Fri 9AM-5PM EST)</p> <p>Product of Spain</p> <p>Dist. by Bayer HealthCare LLC Millsboro, NJ 07961 ©2014 Bayer</p> <p>Bayer, the Bayer Cross and The Wonder Drug are registered trademarks of Bayer.</p> <p>Pat. patents, US and foreign.</p> <p>Do not use if printed safety seal bearing "Bayer HealthCare" under cap is torn or missing.</p>

This product is repackaged by K. world Bell Wholesale Co, Inc; 376-380 Railroad Ave, Hackensack NJ 07601; 201-488-1096 (Mon-Fri 9AM-6PM EST), from a product manufactured by Bayer.

0 731945 016786

Print Free Zone

BAYER

ASPIRIN (NSAID) PAIN RELIEVER/FEVER REDUCER

GENUINE ASPIRIN
the wonder drug

SAFE PAIN RELIEF + LIFESAVING BENEFITS

25 POUCHES OF 2 COATED TABLETS

325 mg

Talk to your doctor or other healthcare provider before using this product for your heart.

Print Free Zone

BAYER

ASPIRIN (NSAID) PAIN RELIEVER/FEVER REDUCER

GENUINE ASPIRIN
the wonder drug

SAFE PAIN RELIEF + LIFESAVING BENEFITS

25 POUCHES OF 2 COATED TABLETS

325 mg

TO OPEN
PUSH IN TAB AND PULL OUT
(Do not use if pouch is torn or open)

25 POUCHES OF 2 COATED TABLETS

Talk to your doctor or other healthcare provider before using this product for your heart.

Print Free Zone

BAYER

ASPIRIN (NSAID) PAIN RELIEVER/FEVER REDUCER

GENUINE ASPIRIN
the wonder drug

SAFE PAIN RELIEF + LIFESAVING BENEFITS

25 POUCHES OF 2 COATED TABLETS

325 mg

Talk to your doctor or other healthcare provider before using this product for your heart.

Non Varnish Area Print Free Zone

RECYCLED PAPER BOX PLASTIC BOTTLE

Print Free Zone

Print Free Zone


Non Varnish Area Print Free Zone

RECYCLED PAPER BOX PLASTIC BOTTLE

Front



Back



BAYER GENUINE ASPIRIN

aspirin tablet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:50269-005(NDC:0280-2000)
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ASPIRIN (UNII: R16CO5Y76E) (ASPIRIN - UNII:R16CO5Y76E)	ASPIRIN	325 mg

Inactive Ingredients

Ingredient Name	Strength
STARCH, CORN (UNII: O8232NY3SJ)	
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)	
POWDERED CELLULOSE (UNII: SMD1X3XO9M)	
TRIACETIN (UNII: XHX3C3X673)	

Product Characteristics

Color	white	Score	no score
Shape	ROUND	Size	10mm
Flavor		Imprint Code	BAYER
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:50269-005-06	6 in 1 BOX	10/30/2019	
1		2 in 1 BLISTER PACK		
1		2 in 1 POUCH; Type 0: Not a Combination Product		
2	NDC:50269-005-07	25 in 1 BOX	10/30/2019	
2		2 in 1 POUCH; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	10/30/2019	

Labeler - JC World Bell Wholesale Co., Inc. (805257581)

Revised: 1/2025

JC World Bell Wholesale Co., Inc.