

ANTIBIOTIC PLUS PAIN RELIEF- neomycin, polymyxin b, pramoxine hydrochloride cream
Kroger Company

Kroger Co. Antibiotic Cream + Pain Relief Drug Facts

Active ingredients (in each gram)

Neomycin sulfate equivalent to 3.5 mg of neomycin base

Polymyxin B 10,000 units as polymyxin B sulfate

Pramoxine HCl 10 mg

Purpose

First aid antibiotic

External analgesic

Uses

first aid to help prevent infection and for temporary relief of pain or discomfort in minor:

- cuts
- scrapes
- burns

Warnings

For external use only.

Do not use

- if you are allergic to any of the ingredients
- in the eyes
- over large areas of the body

Ask a doctor before use if you have

- deep or puncture wounds
- animal bites
- serious burns

Stop use and ask a doctor if

- you need to use longer than 1 week
- condition persists or gets worse
- symptoms persist for more than 1 week, or clear up and occur again within a few days
- rash or other allergic reaction develops

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

Directions

- adults and children 2 years of age or older:
- clean the affected area
- apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily
- may be covered with a sterile bandage
- children under 2 years of age: ask a doctor

Other information

- store at 20°-25°C (68°-77°F)

Inactive ingredients

emulsifying wax, methylparaben, mineral oil, poloxamer 188, propylene glycol, purified water, white petrolatum

Questions or comments?

1-800-632-6900

Package/Label Principal Display Panel

COMPARE TO active ingredients of NEOSPORIN® + PAIN RELIEF CREAM

See back panel

Maximum Strength

Antibiotic Cream + Pain Relief

First Aid Antibiotic/Pain Relieving Cream

Neomycin Sulfate

Polymyxin B Sulfate

Pramoxine HCl

NET WT .5 OZ (14g)

COMPARE TO active ingredients of NEOSPORIN® + PAIN RELIEF CREAM *See back panel

NDC 30142-790-58



Maximum Strength

Antibiotic Cream + Pain Relief

First Aid Antibiotic/Pain Relieving Cream

Neomycin Sulfate Polymyxin B Sulfate
 Pramoxine HCl

NET WT .5 OZ (14g)



80958 45 45 C3
 4 1260 00302 0

www.kroger.com
 QUALITY GUARANTEE
 CINCINNATI, OHIO 45202
 DISTRIBUTED BY THE KROGER CO.

Maximum Strength

Antibiotic Cream + Pain Relief

<p>Drug Facts</p> <p>Active ingredients (in each gram)</p> <p>Neomycin sulfate equivalent to 3.5 mg of neomycin base..... First aid antibiotic</p> <p>Polymyxin B 10,000 units as polymyxin B sulfate..... First aid antibiotic</p> <p>Pramoxine HCl 10 mg..... External analgesic</p>		<p>Purpose</p> <p>First aid antibiotic</p> <p>External analgesic</p>	
<p>Drug Facts (continued)</p> <p>Do not use</p> <ul style="list-style-type: none"> if you are allergic to any of the ingredients in the eyes over large areas of the body <p>Ask a doctor before use if you have</p> <ul style="list-style-type: none"> deep or puncture wounds animal bites serious burns 		<p>Drug Facts (continued)</p> <p>Uses first aid to help prevent infection and for temporary relief of pain or discomfort in minor:</p> <ul style="list-style-type: none"> cuts scrapes burns <p>Warnings</p> <p>For external use only.</p>	
<p>Drug Facts (continued)</p> <p>Directions</p> <ul style="list-style-type: none"> adults and children 2 years of age or older: <ul style="list-style-type: none"> clean the affected area apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily may be covered with a sterile bandage children under 2 years of age: ask a doctor <p>Other information</p> <ul style="list-style-type: none"> store at 20°-25°C (68°-77°F) 		<p>Drug Facts (continued)</p> <p>Stop use and ask a doctor if</p> <ul style="list-style-type: none"> you need to use longer than 1 week condition persists or gets worse symptoms persist for more than 1 week, or clear up and occur again within a few days rash or other allergic reaction develops <p>Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away. (1-800-222-1222)</p> <p>Inactive ingredients emulsifying wax, methylparaben, mineral oil, poloxamer 188, propylene glycol, purified water, white petrolatum</p> <p>Questions or comments? 1-800-632-6900</p> <p>*This product is not affiliated with, manufactured by, or produced by the makers of Neosporin®.</p>	



ANTIBIOTIC PLUS PAIN RELIEF

neomycin, polymyxin b, pramoxine hydrochloride cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:30142-790
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
NEOMYCIN SULFATE (UNII: 057Y626693) (NEOMYCIN - UNII:I16QD7X297)	NEOMYCIN	3.5 mg in 1 g
PRAMOXINE HYDROCHLORIDE (UNII: 88AYB867L5) (PRAMOXINE - UNII:068X84E056)	PRAMOXINE HYDROCHLORIDE	10 mg in 1 g
POLYMYXIN B SULFATE (UNII: 19371312D4) (POLYMYXIN B - UNII:J2VZ07J96K)	POLYMYXIN B	10000 [USP'U] in 1 g

Inactive Ingredients

Ingredient Name	Strength
METHYLPARABEN (UNII: A2I8C7HI9T)	
MINERAL OIL (UNII: T5L8T28FGP)	
POLOXAMER 188 (UNII: LQA7B6G8JG)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
WATER (UNII: 059QF0KO0R)	
PETROLATUM (UNII: 4T6H12BN9U)	

Product Characteristics

Color	WHITE	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:30142-790-58	1 in 1 CARTON	02/14/2019	
1		14 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M004	02/14/2019	

