THERAFLU SEVERE COLD RELIEF SOFT CHEWS- acetaminophen, dextromethorphan hbr tablet, chewable Haleon US Holdings LLC

Drug Facts

Active ingredients (in each chewable tablet)

Acetaminophen 325 mg

Dextromethorphan equivalent to 10 mg Dextromethorphan HBr

Purposes

Pain reliever/Fever reducer

Cough suppressant

Uses

- temporarily relieves these symptoms due to a cold:
 - minor aches and pains
 - sore throat pain
 - headache
 - cough due to minor throat and bronchial irritation
- temporarily reduces fever

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take

- More than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- ∎ rash

If a skin reaction occurs, stop use and seek medical help right away.

Sore throat warning: If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting consult a doctor

promptly.

Do not use

- in a child under 12 years of age
- if you are allergic to acetaminophen
- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- liver disease
- cough that occurs with too much phlegm (mucus)
- cough that lasts or is chronic such as occurs with smoking, asthma or emphysema

Ask a doctor or pharmacist before use if you are

taking the blood thinning drug warfarin

Stop use and ask a doctor if

- fever gets worse or lasts more than 3 days
- redness or swelling is present
- new symptoms occur
- pain or cough gets worse or lasts more than 7 days
- cough comes back or occurs with rash or headache that lasts

These could be signs of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

- do not use more than directed
- do not take more than 10 chewable tablets in 24 hours unless directed by a doctor. Take every 4 hours, while symptoms persist.

Age	Dose				
adults and children 12 years of age and	take 2 chewable tablets every 4 hours				
over					
children under 12 years of age	do not use				

Other information

- each chewable tablet contains: potassium 10 mg, sodium 6 mg
- store at a controlled room temperature 20-25°C (68-77°F)

Inactive ingredients

calcium gluconate monohydrate, carboxymethylcellulose calcium, carnauba wax, corn syrup solids, crospovidone, FD&C red no. 40 aluminum lake, FD&C yellow no. 6 aluminum lake, glycerin, mannitol, natural and artificial flavors, pregelatinized starch, simethicone, sodium gluconate, sorbitol, sorbitol solution, sucralose, sucrose, whole dry milk

Questions or comments?

call **1-855-328-5359**

Generic Section

Do Not Use if seal under bottle cap imprinted with "SEALED for YOUR PROTECTION" is broken or missing.

Distributed by: Haleon, Warren, NJ 07059

Trademarks are owned by or licensed to the Haleon group of companies.

Pat. Info www.productpats.com

© 2024 Haleon group of companies or its licensor.

PARENTS: Learn about teen medicine abuse. www.StopMedicineAbuse.org

211433

56047666

Peel Here

Package/Label Principal Display Panel

NEW THERAFLU SEVERE COLD RELIEF SOFT CHEWS

Acetaminophen

Pain Reliever/Fever Reducer

Dextromethorphan HBr

Cough Suppressant

FAST relief ANYWHERE

cough / sore throat / headache / body aches / fever

20 CHEWABLE TABLETS

Chew tablets completely before swallowing Apple Cinnamon Flavor



THERAFLU SEVERE COLD RELIEF SOFT CHEWS

acetaminophen, dextromethorphan hbr tablet, chewable

Product Information

Product Type		HUMAN OTC DRUG	Item	em Code (Source) ND			IDC:0067-0111	
Route of Admini	stration	ORAL						
Active Ingredi	ent/Active	Moiety						
Ingredient Name Basi						Strength Strength		
ACETAMINOPHEN (UNII: 36209ITL9D) (ACETAMINOPHEN - UNII:36			II:362C	9ITL9D)				325 mg
DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)					DEXTROMETHORPHAN HYDROBROMIDE			10 mg
Inactive Ingre	dients							
Ingredient Name							Strength	
CALCIUM GLUCONATE MONOHYDRATE (UNII: CZ NOMI5R31)								
CARBOXYMETHYLCELLULOSE CALCIUM (UNII: UTY7PDF93L)								
CARNAUBA WAX (UNII: R12CBM0EIZ)								
CORN SYRUP (UNII:								
CROSPOVIDONE, L	JNSPECIFIED	(UNII: 2S7830E561)						
FD&C RED NO. 40	(UNII: WZ B912	7XOA)						
ALUMINUM OXIDE	(UNII: LMI2606	933)						
FD&C YELLOW NO	. 6 (UNII: H77\	/EI93A8)						
GLYCERIN (UNII: PD	C6A3C0OX)							
MANNITOL (UNII: 30	DWL53L36A)							
STARCH, CORN (UN	NII: 08232NY35	iJ)						
SODIUM GLUCONA	TE (UNII: R6Q3	3791576)						
SORBITOL (UNII: 50)6T60A25R)							
SORBITOL SOLUTI	ON (UNII: 8KW	3E207O2)						
SUCRALOSE (UNII:	96K6UQ3ZD4)							
SUCROSE (UNII: C151H8M554)								
COW MILK (UNII: 9								
Product Chara	cteristics							
Color	RED		Sco	Score r			no score	
Shape	ROUND		Siz	Size			21mm	
Flavor	APPLE, CI	NNAMON	Imp	Imprint Code			Т	
Contains								
Packaging								
# Item Code	Pa	ckage Description		Mark	eting Start Date	Μ		ing End ate
1 NDC:0067-0111- 01	20 in 1 BOTTI Product	n 1 BOTTLE; Type 0: Not a Combination luct)24			
2 NDC:0067-0111- 02	10 in 1 BOTTI Product	1 BOTTLE; Type 0: Not a Combination uct			06/19/2024			
Marketing I	Informat	ion						

Date Date	
6/19/2024	
6/19	

Labeler - Haleon US Holdings LLC (079944263)

Revised: 6/2024

Haleon US Holdings LLC