LIDOCAINE- lidocaine cream Patrin Pharma Inc.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Lidocaine Cream 4%

Drug Facts

Active Ingredient

Lidocaine 4% w/w

Purpose

Topical anesthetic

Uses

temporarily relieves pain and itching due to

- minor cuts
- minor scrapes
- minor burns
- sunburn
- minor skin irritation
- insect bites

Directions

- Adult and children 2 years and older: Apply externally to the affected area up to 3 to 4 times a day.
- Children under 2 years of age: Consult a doctor.

Warnings

For external use only.

Do not use

- in or near the eyes
- in large quantities, particularly over raw or blistered areas

Stop use and ask a doctor if

- allergic reaction occurs
- condition worsens or does not improve within 7 days
- symptoms clear up and return within a few days
- redness, irritation, swelling, pain or other symptoms begin or increase

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Other Information

- May be applied under occlusive dressing.
- Store at room temperature, 20–25°C (68–77°F) Excursions permitted 15–30°C (59– 86°F) [see USP Controlled Room Temperature].

Inactive ingredients

Benzyl Alcohol, Carbopol 940, Hydrogenated Lecithin, Polysorbate 80, Propylene Glycol, Purified Water, Trolamine and Vitamin E Acetate.

Questions?

Call 800-936-3088

PRINCIPAL DISPLAY PANEL - 30 gram Tube Carton

NDC 39328 - 024 - 30

Lidocaine 4% Topical Anesthetic Cream FOR EXTERNAL USE ONLY

PATRIN PHARMA

Net Wt. 30 grams

	NDC 39328 - 024 - 30	
	Lidocaine 4% Topical Anesthetic Cream 3 - 593284024301	
	Patrin Pharma Skokie, IL 60076 Questions? Call 800-936-3088	
	NDC 39328 - 024 - 30	
ST P	Lidocaine 4%	
	Topical Anesthetic Cream FOR EXTERNAL USE ONLY	
PATRIN	PATRIN PHARMA Net Wt. 30 grams	
	NDC 39328 - 024 - 30 Made in USA.	
	Drug Facts Active Ingredient Purpose	
	Lidocaine 4% w/w	
	Uses temporarily relieves pain and itching due to minor cuts minor scrapes minor burns sunburn minor skin irritation issect bites Directions	
	Adult and children 2 years and older: Apply externally to the affected area up to 3 to 4 times a day.	
	Children under 2 years of age: Consult a doctor.	
	Warnings For external use only. Do not use I in or near the eyes. I in large quantities, particularly over raw or histored areas	
	Stop use and ask a doctor if a allergic reaction occurs a condition worsens or does not improve within 7 days symptoms clear up and return within a few days redness, irritation, swelling, pain or other symptoms begin or increase	Lidocaine 4% Cpical Anesthetic Cream Revol 05
	Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.	Re sther
		IAne DC a
	permitted 15–30°C (59–86°F) [see USP Controlled Room Temperature]. Inactive Ingredients Benzyl Alcohol, Carbopol 940, Hydrogenated Lecithin, Polysorbate 80, Propylene Glycol, Purified Water, Trolamine and Vitamin E Acetate.	pital do

LIDOCAINE					
lidocaine cream					
Product Information					
Product Type	HUMAN OTC DRUG	Item Co	de (Source)	NDC	:39328-024
Route of Administration	TOPICAL				
Active Ingredient/Active	Moiety				
Ingred		Basis of Strength		Strength	
			Lidocaine 40 n		
Lidocaine (UNII: 98PI200987) (Lid			Lidocaine		40 mg in 1 g
-			Lidocaine		40 mg in 1 g
-			Lidocaine		40 mg in 1 g
Lidocaine (UNII: 98PI200987) (Lid		16	Lidocaine		
Lidocaine (UNII: 98PI200987) (Lid	ocaine - UNII:98PI200987) Ingredient Nam	ne	Lidocaine		
Lidocaine (UNII: 98PI200987) (Lid	ocaine - UNII:98PI200987) Ingredient Nam 3H)				
Lidocaine (UNII: 98PI200987) (Lid Inactive Ingredients Benzyl Alcohol (UNII: LKG8494W CARBOMER HOMOPOLYMER TY	ocaine - UNII:98PI200987) Ingredient Nam 3H) 'PE C (ALLYL PENTAERYTI				
Lidocaine (UNII: 98PI200987) (Lid Inactive Ingredients Benzyl Alcohol (UNII: LKG8494W CARBOMER HOMOPOLYMER TY 4Q93RCW27E)	ocaine - UNII:98PI200987) Ingredient Nam 3H) PE C (ALLYL PENTAERYTI ITHIN (UNII: H1109Z9J4N)				
Lidocaine (UNII: 98PI200987) (Lid Inactive Ingredients Benzyl Alcohol (UNII: LKG8494W CARBOMER HOMOPOLYMER TY 4Q93RCW27E) HYDROGENATED SOYBEAN LEC	ocaine - UNII:98PI200987) Ingredient Nam 3H) 7PE C (ALLYL PENTAERYTI ITHIN (UNII: H1109Z9J4N) 58H)				
Lidocaine (UNII: 98PI200987) (Lid Inactive Ingredients Benzyl Alcohol (UNII: LKG8494W CARBOMER HOMOPOLYMER TY 4Q93RCW27E) HYDROGENATED SOYBEAN LEC Polysorbate 80 (UNII: 60ZP39ZC	ocaine - UNII:98PI200987) Ingredient Nam 3H) 7PE C (ALLYL PENTAERYTI ITHIN (UNII: H1109Z9J4N) 58H)				
Lidocaine (UNII: 98PI200987) (Lid Inactive Ingredients Benzyl Alcohol (UNII: LKG8494W CARBOMER HOMOPOLYMER TY 4Q93RCW27E) HYDROGENATED SOYBEAN LEC Polysorbate 80 (UNII: 60ZP39ZC Propylene Glycol (UNII: 6DC9Q10	ocaine - UNII:98PI200987) Ingredient Nam 3H) 7PE C (ALLYL PENTAERYTI ITHIN (UNII: H1109Z9J4N) 58H)				40 mg in 1 g Strength

P	roduct Chara	cteristics					
Color			WHITE Score				
Shape			Size				
Flavor				Imprint Co	Code		
Co	ontains						
Pa	ackaging						
#	ltem Code	Pac	kage Description		Marketing Start Date	Marketing End Date	
1	NDC:39328-024- 55	5 in 1 CARTON		1	1/01/2018		
1		5 g in 1 TUBE; Type 0: Not a Combination Product					
2	NDC:39328-024- 15	1 in 1 CARTON		13	1/01/2018		
2		15 g in 1 TUBE Product	; Type 0: Not a Coml	bination			
3	NDC:39328-024- 30	1 in 1 CARTON		1:	1/01/2018		
3		30 g in 1 TUBE Product	; Type 0: Not a Coml	bination			
4	NDC:39328-024- 56	5 in 1 CARTON		1:	1/01/2018		
4		5 g in 1 TUBE; Product	Type 0: Not a Combi	ination			
		_					
Μ	larketing I	nformati	on				
	Marketing Category	Applicat	ion Number or M Citation	onograph	Marketing Start Date	Marketing End Date	
01	TC monograph fina	l part348			11/01/2018		

Labeler - Patrin Pharma Inc. (806841677)

Revised: 4/2022

Patrin Pharma Inc.