

**LIDOCAINE- lidocaine cream**  
**Patrin Pharma Inc.**

-----  
**Lidocaine 4% Topical Anesthetic Cream**

***Drug Facts***

**Active Ingredient**

Lidocaine 4% w/w

**Purpose**

Topical anesthetic

**Uses**

temporarily relieves pain and itching due to

- minor cuts
- minor scrapes
- minor burns
- sunburn
- minor skin irritation
- insect bites

**Warnings**

**For external use only.**

Do not use

- in or near the eyes
- in large quantities, particularly over raw or blistered areas

**Stop use and ask a doctor if**

- **allergic reaction occurs**
- **condition worsens or does not improve within 7 days**
- **symptoms clear up and return within a few days**
- **redness, irritation, swelling, pain or other symptoms begin or increase**

**Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.**

**Directions**

- Adult and children 2 years and older: Apply externally to the affected area up to 3 to 4 times a day.
- Children under 2 years of age: Consult a doctor.

**Other Information**

- May be applied under occlusive dressing.
- Store at room temperature, 20-25°C (68-77°F) Excursions permitted 15-30°C (59-86°F) [see USP Controlled Room Temperature].

**Inactive ingredients**

Benzyl Alcohol, Carbomer, Hydrogenated Lecithin, Polysorbate 80, Propylene Glycol, Purified Water, Trolamine and Vitamin E Acetate.

**Questions?**

Call 800-936-3088

**PRINCIPAL DISPLAY PANEL - 30 gram Tube Carton**

NDC 39328 - 024 - 30

Lidocaine 4%

Topical Anesthetic Cream

FOR EXTERNAL USE ONLY

PATRIN

PHARMA

Net Wt. 30 grams



## LIDOCAINE

lidocaine cream

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:39328-024
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>Lidocaine</b> (UNII: 98PI200987) (Lidocaine - UNII:98PI200987)	Lidocaine	40 mg in 1 g

### Inactive Ingredients

Ingredient Name	Strength
<b>Benzyl Alcohol</b> (UNII: LKG8494WBH)	
<b>CARBOMER HOMOPOLYMER TYPE C (ALLYL PENTAERYTHRITOL CROSSLINKED)</b> (UNII: 4Q93RCW27E)	
<b>HYDROGENATED SOYBEAN LECITHIN</b> (UNII: H1109Z9J4N)	
<b>Polysorbate 80</b> (UNII: 6OZP39ZG8H)	
<b>Propylene Glycol</b> (UNII: 6DC9Q167V3)	
<b>Water</b> (UNII: 059QF0K00R)	
<b>Trolamine</b> (UNII: 9O3K93S3TK)	
<b>.ALPHA.-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)	

## Product Characteristics

<b>Color</b>	WHITE	<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>		<b>Imprint Code</b>	
<b>Contains</b>			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:39328-024-55	5 in 1 CARTON	11/01/2018	
1		5 g in 1 TUBE; Type 0: Not a Combination Product		
2	NDC:39328-024-15	1 in 1 CARTON	11/01/2018	
2		15 g in 1 TUBE; Type 0: Not a Combination Product		
3	NDC:39328-024-30	1 in 1 CARTON	11/01/2018	
3		30 g in 1 TUBE; Type 0: Not a Combination Product		
4	NDC:39328-024-56	5 in 1 CARTON	11/01/2018	
4		5 g in 1 TUBE; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	11/01/2018	

**Labeler** - Patrin Pharma Inc. (806841677)

Revised: 11/2024

Patrin Pharma Inc.