

LONAZEM- menthol,petrolatum ointment
PEER PHARM LTD.

Active Ingredients

Menthol 0.1%
Petrolatum 80%

Purpose

Menthol.....Antipruritic
Petrolatum.....Protectant

Uses

- Helps relieve the itching and discomfort associated with hemorrhoids, inflamed hemorrhoidal tissues, anorectal disorders and anorectal inflammation
- Temporarily protects irritated areas
- Temporarily provides a coating for relief of anorectal discomforts
- Temporarily protects the inflamed, irritated anorectal surface to help make bowel movements less painful
- Temporarily relieves the symptoms of perianal skin irritation
- Temporarily protects inflamed perianal skin
- For the temporary relief of pain or burning
- May provide a cooling sensation

Warnings

- **For external and/or intrarectal use only**
- **When using this product**

if condition worsens or does not improve within 7 days, consult a doctor

do not exceed the recommended daily dosage unless directed by a doctor

in case of bleeding, consult a doctor promptly

- **Do not insert the applicator into the rectum if it causes additional pain. Consult a doctor promptly.**

If Pregnant or Breastfeeding, ask a healthcare provider before using.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- adults: when practical, cleanse the affected area by patting or blotting with an appropriate cleansing wipe. Gently dry by blotting or patting with a tissue or a soft cloth before applying ointment.
- Apply to the affected area up to 6 times daily, especially at night, in the morning or after ' each bowel movement.
- EXTERNAL USE: Apply to external anal area.
- INTRARECTAL USE: Lubricate applicator well with Lonazem ointment, then gently insert applicator into the rectum.
- Children under 12 years of age: consult a doctor

Inactive Ingredients

butyrospermum parkii (shea) butter, cetearyl alcohol, juniper berry volatile oil, origanum vulgare leaf extract, rosmarinus officinalis leaf extract, thymus vulgaris leaf extract, zea mays (corn) oil

Questions or comments?

Contact us at lonazem.com or at Dorrington LLC, 7 Skyline Dr., Suite 350, Hawthorne, NY 10532

Product label

Soothing relief from painful burning, itching and discomfort of external and internal hemorrhoidal tissues



Net wt 1.06 oz (30 g)
10 single-use applicator tubes 0.1 oz (3 g) each



Made in Israel
Distributed by:
Dorrington LLC
7 Skyline Dr., Suite 350
Hawthorne, NY 10532 lonazem.com



Drug Facts		Drug Facts (continued)	Drug Facts (continued)
Active Ingredients Menthol 0.1% Petrolatum 80%	Purpose Antipruritic Protectant	Warnings For external and/or intrarectal use only When using this product If condition worsens or does not improve within 7 days, consult a doctor. Do not exceed the recommended daily dosage unless directed by a doctor. In case of bleeding, consult a doctor promptly. Do not insert the applicator into the rectum if it causes additional pain. Consult a doctor promptly. If Pregnant or Breastfeeding, ask a healthcare provider before using. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.	Directions Adults: when practical, cleanse the affected area by patting or blotting with an appropriate cleansing wipe. Gently dry by blotting or patting with a tissue or a soft cloth before applying ointment. Apply to the affected area up to 5 times daily, especially at night, in the morning or after each bowel movement. EXTERNAL USE: Apply to external anal area. INTRARECTAL USE: Lubricate applicator well with Lonazem ointment, then gently insert applicator into the rectum. Children under 12 years of age: consult a doctor. Inactive Ingredients butyrospermum paraffin (shea) butter, cetylalcohol, juniper berry volatile oil, origanum vulgare leaf extract, rosmarinus officinalis leaf extract, thymus vulgaris leaf extract, zinc myristate.
Uses Helps relieve the itching and discomfort associated with hemorrhoids, inflamed hemorrhoidal tissues, anorectal disorders and anorectal inflammation. Temporarily protects irritated areas. Temporarily provides a coating for relief of anorectal discomforts. Temporarily protects the inflamed, irritated anorectal surface to help make bowel movements less painful. Temporarily relieves the symptoms of perianal skin irritation. Temporarily protects inflamed perianal skin. For the temporary relief of pain or burning. May provide a cooling sensation.		Questions or comments? Contact us at lonazem.com or at Dorrington LLC, 7 Skyline Dr., Suite 350, Hawthorne, NY 10532.	

Box contents: 10 single-use applicator tubes
Twist cap to remove from applicator.
Do not use tube if cap is loose.

LOT
MFD
EXP

BAR CODE HERE



for external and/or intrarectal use





0.1oz (3g)

*Single use application
see carton for details*

Distributed by:

Dorrington LLC
7 Skyline Drive, Suite 350 **LOT**
Hawthorne, NY 10532 **EXP**



LONAZEM

menthol,petrolatum ointment

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69435-1200
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
MENTHOL (UNII: L7T10EIP3A) (MENTHOL - UNII:L7T10EIP3A)	MENTHOL	0.1 g in 100 g
PETROLATUM (UNII: 4T6H12BN9U) (PETROLATUM - UNII:4T6H12BN9U)	PETROLATUM	80 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
JUNIPER BERRY OIL (UNII: SZH16H44UY)	
OREGANO (UNII: 0E5AT8T16U)	
THYMUS VULGARIS LEAF (UNII: GRX3499643)	
ROSEMARY (UNII: IJ67X351P9)	
CORN OIL (UNII: 8470G57WFM)	
SHEA BUTTER (UNII: K49155WL9Y)	
CETOSTEARYL ALCOHOL (UNII: 2DMT128M1S)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69435-1200-1	10 in 1 CARTON	03/01/2024	
1		3 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M015	03/01/2024	

Labeler - PEER PHARM LTD. (514678390)

Establishment

Name	Address	ID/FEI	Business Operations
PEER PHARM LTD.		514678390	manufacture(69435-1200)

Revised: 2/2024

PEER PHARM LTD.