

**BONINE KIDS- chlorcyclizine hydrochloride tablet, chewable**  
**Insight Pharmaceuticals**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**CHEWABLE TRAVEL TABLET**  
**BONINE®**  
**FOR KIDS**

**ATTENTION: USE ONLY IF TABLET BLISTER SEALS ARE UNBROKEN.**

**Questions?** Call 1-800-344-7239  
www.insightpharma.com

Distr. by: INSIGHT Pharmaceuticals Corp.  
Langhorne, PA 19047-1749

\*DRAMAMINE is a registered trademark of McNEIL-PPC, Inc.

**Drug Facts**

<b>Active ingredient (in each tablet)</b>	<b>Purpose</b>
Cyclizine HCl 25 mg .....	
Antiemetic	

**Uses**

prevents and treats nausea, vomiting or dizziness associated with motion sickness

**Warnings**

**Do not use** in children under 6 years of age unless directed by a doctor

**Do not take or give to children if they have** a breathing problem such as chronic bronchitis or glaucoma without first consulting a doctor

**Do not take or give to children if they are** taking sedatives or tranquilizers without first consulting a doctor

**When using this product**

- do not exceed recommended dosage
- drowsiness may occur
- alcohol, sedatives, and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away.

**Directions**

- children 6 years of age and older: chew 1 tablet thoroughly every 6 to 8 hours
- do not exceed 3 tablets in 24 hours or as directed by a doctor
- dosage should be taken up to one hour before travel starts or at onset of symptoms

**Other information**

- store at room temperature 20°–25°C (86°–77°F)

**Inactive ingredients**

Croscarmellose Sodium, Ethylcellulose, D&C Red #27 Lake, FD&C Blue #2 Lake, Hydroxypropylcellulose, Hypromellose, Magnesium Stearate, Mannitol, N&A Flavors, Sorbitol, Sucralose

**PRINCIPAL DISPLAY PANEL - Box of 8 Tablets**

***CHEWABLE TRAVEL TABLET***

***BONINE***<sup>®</sup>

CYCLIZINE HYDROCHLORIDE • ANTIEMETIC

***FOR KIDS***

***The Product to Use at the Onset of Symptoms***

**Berry Blast**

**8 Chewable Tablets**

Especially Formulated for Children to  
**Prevent and Treat  
 Motion Sickness**

68199C

**CAUSES LESS DROWSINESS THAN ORIGINAL DRAMAMINE.\***

CHEWABLE TRAVEL TABLET  
**BONINE**<sup>®</sup>

CYCLIZINE HYDROCHLORIDE • ANTIEMETIC

**FOR KIDS**  
 The Product to Use at the Onset of Symptoms

**Berry Blast  
 8 Chewable Tablets**



**Drug Facts (continued)**  
*Other Information* • store at room temperature 20°-25° C (68°-77° F)  
*Active ingredients* Cyclicine HCl 25 mg, Ethylcellulose, D & C Red #2  
 Lake, FD&C Blue #2 Lake, Hydroxypropylcellulose, Hydroxypropylcellulose,  
 Stearate, Mannitol, N & A Flavors, Sorbitol, Sucralose

**Drug Facts**  
**Active ingredient (in each tablet)** Cyclicine HCl 25 mg, Antiemetic  
**Uses** prevents and treats nausea, vomiting or dizziness associated with motion sickness  
**Warnings**  
 Don't use in children under 6 years of age unless directed by a doctor  
 Don't take or give to children if they have a breathing problem such as chronic  
 bronchitis or asthma without first consulting a doctor  
 Do not take or give to children if they are taking sedatives or tranquilizers  
 with outstereo resulting a doctor  
 When using this product  
 • do not exceed recommended dosage • drowsiness may occur  
 • also, sedatives, and tranquilizers may increase drowsiness  
 • be careful when driving a motor vehicle or operating machinery  
 Keep out of reach of children. In case of overdose, get medical help or contact a  
 Poison Control Center right away.  
**Directions**  
 • children 6 years of age and older: chew 1 tablet thoroughly every 6 to 8 hours  
 • do not exceed 3 tablets in 24 hours or as directed by a doctor  
 • dosage should be taken up to one hour before travel starts or at onset of symptoms

**ATTENTION: USE ONLY 1/2 TABLET**  
 BLISTER SEALS ARE UNBROKEN.  
 Questions? Call 1-800-344-7299  
 www.minghp.com  
 Distributor: Ming He Pharmaceutical Corp.  
 Langhorne, PA 19047-1259  
 DRAMAMINE is a registered trademark of McNeil-PPC, Inc.

PRINCIPAL DISPLAY PANEL - Box of 12 Tablets

**BONUS 50% MORE**

**12 TABLETS FOR THE PRICE OF 8 TABLETS**

**CHEWABLE TRAVEL TABLET**

**BONINE®**

**CYCLIZINE HYDROCHLORIDE • ANTIEMETIC**

**FOR KIDS**

***The Product to Use at the Onset of Symptoms***

**Berry Blast**

**12 Chewable Tablets**

Especially Formulated for Children to  
**Prevent and Treat  
Motion Sickness**

68240B

**CAUSES LESS DROWSINESS THAN ORIGINAL DRAMAMINE.\***

**BONUS 50% MORE**

12 TABLETS FOR THE PRICE OF 8 TABLETS

CHEWABLE TRAVEL TABLET  
**BONINE**<sup>®</sup>

CYCLIZINE HYDROCHLORIDE • ANTIEMETIC

**-FOR KIDS**

The Product to Use at the Onset of Symptoms



**Berry Blast  
12 Chewable Tablets**



**Drug Facts (continued)**  
**Other Information** • store at room temperature 20°-25°C (68°-77°F)  
**Inactive Ingredients** Croscarmellose Sodium, Ethylenediamine, Hydroxypropylcellulose, Magnesium Stearate, Mannitol, Methylcellulose, Polyethylene Glycol, Sucralose

**Warnings**  
Do not use in children under 6 years of age unless directed by a doctor.  
Do not take or give to children if they have a breathing problem such as chronic bronchitis or asthma, with or without consulting a doctor.  
Do not take or give to children if they are taking sedatives or tranquilizers without first consulting a doctor.  
When using this product:  
• do not exceed recommended dosage • drowsiness may occur  
• alcohol, sedatives, and tranquilizers may increase drowsiness  
• be careful when driving a motor vehicle or operating machinery  
Keep out of reach of children. In case of overdose, get medical help or contact Poison Control Center right away.  
**Directions**  
• children 6 years of age and older: chew 1 tablet thoroughly every 6 to 8 hours  
• do not exceed 6 tablets in 24 hours or as directed by a doctor  
• dosage should be taken up to one hour before travel starts or at onset of symptoms

**Drug Facts**  
**Active ingredient (in each tablet)** Cyclizine HCl 25 mg  
**Purpose** An antihistamine  
**Uses** prevents and treats nausea, vomiting or dizziness associated with motion sickness

ATTENTION: USE ONLY IF TABLET  
IS US TABLETS AND EU MEASUREMENT  
QUESTIONS? Call 1-800-341-2739  
www.willoughbypharm.com  
Distributed by: INES HTP Pharmaceuticals Corp.  
Langhorne, PA 19047-4749  
TCA-MANINE is a registered trademark of MNC-Pharm, Inc.



chlorcyclizine hydrochloride tablet, chewable

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:63736-044
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
Chlorcyclizine Hydrochloride (UNII: NPB7A7874U) (Chlorcyclizine - UNII:M26C4IP44P)	Chlorcyclizine	25 mg

### Inactive Ingredients

<b>Ingredient Name</b>	<b>Strength</b>
Crospovidone (UNII: 68401960MK)	
FD&C Red No. 40 (UNII: WZB9127XOA)	
Aluminum Oxide (UNII: LMI26O6933)	
Lactose (UNII: J2B2A4N98G)	
Magnesium Stearate (UNII: 70097M6I30)	
Silicon Dioxide (UNII: ETJ7Z6XBU4)	
Saccharin Sodium (UNII: SB8ZUX40TY)	
Stearic Acid (UNII: 4ELV7Z65AP)	
vanilla (UNII: Q74T35078H)	

### Product Characteristics

<b>Color</b>	PINK	<b>Score</b>	2 pieces
<b>Shape</b>	ROUND	<b>Size</b>	14mm
<b>Flavor</b>	BERRY	<b>Imprint Code</b>	Bonine
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:63736-044-08	8 in 1 BOX		
2	NDC:63736-044-12	12 in 1 BOX		

### Marketing Information

<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
OTC monograph final	part336	06/08/2009	

**Labeler** - Insight Pharmaceuticals (176792315)