

**REPLENIX SUNSCREEN SPF 50- zinc oxide lotion**  
Topiderm, Inc.

-----  
**Replenix® Sunscreen**  
**SPF 50**

**Drug Facts**

<b>Active ingredient</b>	<b>Purpose</b>
Zinc Oxide 14.5%	Sunscreen
Octinoxate 7.5%	Sunscreen

**Uses**

- Helps prevent sunburn
- If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

**Warnings**

**For external use only.**

**When using this product** keep out of eyes, rinse with water to remove.

**Stop use if** signs of irritation or rash appear. If irritation or rash persists consult a doctor.

**Keep out of reach of children.**

In case of accidental ingestion, seek professional assistance or contact a Poison Control Center immediately.

**Sun Protection Measures**

Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sunscreen measures including:

- limit time in the sun, especially from 10 a.m.-2 p.m.
- wear long-sleeve shirts, pants, hats, and sunglasses

**Directions**

- Apply liberally to face and neck and spread evenly 15 minutes before sun exposure
- Re-apply after swimming, excessive perspiring, or anytime after towel drying
- Use a water resistant sunscreen if swimming or sweating
- Use on children under 6 months of age: consult a doctor.

**Inactive ingredients**

Purified Water, Niacinamide, Oleth-3 Phosphate, Neopentyl Glycol Diheptanoate,

Polyisobutene, Octyldodecyl Neopentanoate, Butylene Glycol, Tocopheryl Acetate, Sodium Hyaluronate, Caffeine, Panthenol, Dimethicone, Sucrose, Lactic Acid, Glycerin, Ethylhexyl Stearate, Triethoxycaprylylsilane, Xanthan Gum, Lauryl PEG Polydimethylsiloxylethyl Dimethicone, PEG-7 Trimethylolpropane Coconut Ether, Hydroxyethyl Acrylate/Sodium Acryloyldimethyl Taurate Copolymer, Phenoxyethanol, Disodium EDTA.

**PRINCIPAL DISPLAY PANEL - 63 g Bottle Label**

REPLENIX®  
SUNSCREEN

ESSENTIAL  
OIL FREE SHEER  
SPF 50

14.5% Micronized Zinc Oxide  
Multi-tasking sheer application  
Sensitive skin friendly

BROAD SPECTRUM UVA/UVB SPF 50

Net wt. 2.22 oz. (63 g)

TOPIX PHARMACEUTICALS, INC. N. AMITYVILLE, NY 11701

# REPLENIX<sup>®</sup>

SUNSCREEN

## ESSENTIAL OIL FREE SHEER SPF 50

14.5% Micronized Zinc Oxide

Multi-tasking sheer application

Sensitive skin friendly

**BROAD SPECTRUM UVA/UVB SPF 50**

Net wt. 2.22 oz. (63 g)

TOPIX PHARMACEUTICALS, INC. N. AMITYVILLE, NY 11701

### **Drug Facts**

<i>Active ingredient</i>	<i>Purpose</i>
Zinc Oxide 14.5%.....	Sunscreen
Octinoxate 7.5%.....	Sunscreen

**Uses** ■ Helps prevent sunburn ■ If used as directed with other sun protection measures (see **Directions**).

### **Drug Facts (continued)**

**Directions** ■ Apply liberally to face and neck and spread evenly 15 minutes before sun exposure ■ Re-apply after swimming, excessive perspiring, or anytime after towel drying ■ Use a water resistant sunscreen if

decreases the risk of skin cancer and early skin aging caused by the sun.

### Warnings

For external use only.

When using this product keep out of eyes, rinse with water to remove.

Stop use if signs of irritation or rash appear. If irritation or rash persists consult a doctor.

Keep out of reach of children.

In case of accidental ingestion, seek professional assistance or contact a Poison Control Center immediately.

### Sun Protection Measures.

Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sunscreen measures including:

- limit time in the sun, especially from 10 a.m.-2 p.m.
- wear long-sleeve shirts, pants, hats, and sunglasses

R0220

MADE IN U.S.A.

1200MB

Continued on back of peel panel ↓

swimming or sweating ■ Use on children under 6 months of age: consult a doctor.

### Inactive ingredients

Purified Water, Niacinamide, Oleth-3 Phosphate, Neopentyl Glycol Diheptanoate, Polyisobutene, Octyldodecyl Neopentanoate, Butylene Glycol, Tocopheryl Acetate, Sodium Hyaluronate, Caffeine, Panthenol, Dimethicone, Sucrose, Lactic Acid, Glycerin, Ethylhexyl Stearate, Triethoxycaprylsilane, Xanthan Gum, Lauryl PEG Polydimethylsiloxyethyl Dimethicone, PEG-7 Trimethylolpropane Coconut Ether, Hydroxyethyl Acrylate/Sodium Acryloyldimethyl Taurate Copolymer, Phenoxyethanol, Disodium EDTA.

## REPLENIX SUNSCREEN SPF 50

zinc oxide lotion

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:51326-220
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	145 mg in 1 g
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	75 mg in 1 g

### Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
NIACINAMIDE (UNII: 25X5118RD4)	

<b>OLETH-3 PHOSPHATE</b> (UNII: 8Q0Z18J1VL)
<b>NEOPENTYL GLYCOL DIHEPTANOATE</b> (UNII: 5LKW3C543X)
<b>OCTYLDODECYL NEOPENTANOATE</b> (UNII: X8725R883T)
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)
<b>.ALPHA.-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)
<b>HYALURONATE SODIUM</b> (UNII: YSE9PPT4TH)
<b>CAFFEINE</b> (UNII: 3G6A5W338E)
<b>PANTHENOL</b> (UNII: WW9CM0O67Z)
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)
<b>SUCROSE</b> (UNII: C151H8M554)
<b>LACTIC ACID, DL-</b> (UNII: 3B8D35Y7S4)
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)
<b>ETHYLHEXYL STEARATE</b> (UNII: EG3PA2K3K5)
<b>TRIETHOXYCAPRYLYLSILANE</b> (UNII: LDC331P08E)
<b>XANTHAN GUM</b> (UNII: TTV12P4NEE)
<b>PEG-7 TRIMETHYLOLPROPANE COCONUT ETHER</b> (UNII: MVJ3AD73GG)
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)
<b>EDETATE DISODIUM</b> (UNII: 7FLD91C86K)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:51326-220-01	63 g in 1 BOTTLE; Type 0: Not a Combination Product	10/16/2021	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph drug	M020	10/16/2021	

**Labeler** - Topiderm, Inc. (049121643)

**Registrant** - Topiderm, Inc. (049121643)

### Establishment

Name	Address	ID/FEI	Business Operations
Topiderm, Inc.		049121643	MANUFACTURE(51326-220)