

ALLERGY- chlorpheniramine maleate tablet
Bi-Mart

Active ingredient (in each tablet)

Chlorpheniramine maleate 4 mg

Purpose

Antihistamine

Uses

- temporarily relieves the following symptoms due to hay fever and other upper respiratory allergies:
- sneezing
- itchy, watery eyes
- runny nose
- itching of the nose and throat

Warnings

Do not use to make a child sleepy.

Ask a doctor before use if you have

- glaucoma
- trouble urinating due to an enlarged prostate gland
- a breathing problem such as emphysema or chronic bronchitis

Ask a doctor or pharmacist before use if you are

taking sedatives or tranquilizers.

When using this product

- avoid alcoholic drinks
- drowsiness may occur
- be careful when driving a motor vehicle or operating machinery
- alcohol, sedatives, and tranquilizers may increase drowsiness
- excitability may occur, especially in children

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of accidental overdose, get medical help or contact a Poison Control Center right

away **(1-800-222-1222)**.

Directions

adults and children 12 years of age and over	1 tablet every 4 to 6 hours, not to exceed 6 tablets in 24 hours.
children 6 to under 12 years of age	1/2 tablet (break tablet in half) every 4 to 6 hours, not to exceed 3 whole tablets in 24 hours.
children under 6 years of age	ask a doctor

Other information

- store at 15 °-25 °C (59 °-77 °F)
- protect from moisture

Inactive ingredients

corn starch, croscarmellose sodium, D&C yellow # 10 aluminum lake, dicalcium phosphate, magnesium stearate, microcrystalline cellulose, silicon dioxide.

Questions?

call toll free 1-844-912-4012

PRINCIPAL DISPLAY PANEL



0 71357 00204 7

BI-MART NDC 37835-633-01

Compare to the active ingredient in Chlor-Trimeton™

ALLERGY TABS

ANTIHISTAMINE
CHLORPHENIRAMINE MALEATE 4 MG

ALLERGY RELIEF

- SNEEZING
- ITCHY, WATERY EYES
- RUNNY NOSE
- ITCHY THROAT

4 HOUR **100 TABLETS**

DO NOT USE IF PRINTED SEAL UNDER CAP IS MISSING OR DAMAGED

Drug Facts

Active ingredient (in each tablet) Purpose
Chlorpheniramine maleate 4 mg.....Antihistamine

Uses ■ temporarily relieves the following symptoms due to hay fever and other upper respiratory allergies:
 ■ sneezing ■ itchy, watery eyes ■ runny nose ■ itching of the nose and throat

Warnings
 Do not use to make a child sleepy.
 Ask a doctor before use if you have ■ glaucoma ■ trouble urinating due to an enlarged prostate gland ■ a breathing problem such as emphysema or chronic bronchitis
 Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers.

When using this product ■ avoid alcoholic drinks ■ drowsiness may occur ■ be careful when driving a motor vehicle or operating machinery ■ alcohol, sedatives, and tranquilizers may increase drowsiness ■ excitability may occur, especially in children if pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of accidental overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

 **PEEL FOR DIRECTIONS**
LEFT HERE

Drug Facts (continued)

Directions	1 tablet every 4 to 6 hours, not to exceed 6 tablets in 24 hours
adults and children 12 years of age and over	
children 6 to under 12 years of age	1/2 tablet (break tablet in half) every 4 to 6 hours; not to exceed 3 whole tablets in 24 hours
children under 6 years of age	ask a doctor

Other information

- store at 15° - 25°C (59° - 77° F)
- protect from moisture

Inactive ingredients
 corn starch, croscarmellose sodium, D&C yellow # 10 aluminum lake, dicalcium phosphate, magnesium stearate, microcrystalline cellulose, silicon dioxide.

Questions? call toll-free 1-844-912-4012

*This product is not manufactured or distributed by the owner of the registered trademark Chlor-Trimeton™

BI-MART UNCONDITIONAL MONEY BACK GUARANTEE
 If you are not completely satisfied with your BI-MART QUALITY PRODUCT, regardless of the reason, return the unused portion of your product for a full refund. No questions asked.

Distributed by:
BI-MART
 Eugene, OR 97402

ALLERGY			
chlorpheniramine maleate tablet			
Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37835-633
Route of Administration	ORAL		
Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
CHLORPHENIRAMINE MALEATE (UNII: V1Q0O9OJ9Z) (CHLORPHENIRAMINE - UNII:3U6IO1965U)	CHLORPHENIRAMINE MALEATE	4 mg	
Inactive Ingredients			
Ingredient Name	Strength		
STARCH, CORN (UNII: O8232NY3SJ)			
CROSCARMELOSE SODIUM (UNII: M28OL1HH48)			
D&C YELLOW NO. 10 ALUMINUM LAKE (UNII: CQ3XH3DET6)			
ANHYDROUS DIBASIC CALCIUM PHOSPHATE (UNII: L11K75P92J)			

MAGNESIUM STEARATE (UNII: 70097M6I30)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	

Product Characteristics

Color	yellow	Score	no score
Shape	ROUND	Size	8mm
Flavor		Imprint Code	PH012
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:37835-633-01	100 in 1 BOTTLE; Type 0: Not a Combination Product	02/01/2026	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	02/01/2026	

Labeler - Bi-Mart (027630078)

Registrant - Bi-Mart (027630078)