

SODIUM CHLORIDE HYPERTONICITY- sodium chloride solution
CVS Pharmacy

Drug Facts

Active ingredient

Sodium chloride 5%

Purpose

Hypertonicity agent

Uses

temporary relief of corneal edema

Warnings

For external use only

Do not use

- except under the advice and supervision of a doctor
- if solution changes color or becomes cloudy

When using this product

- it may cause temporary burning and irritation
- to avoid contamination do not touch tip of container to any surface
- replace cap after use

Stop use and ask a doctor if

- condition worsens or persists for more than 72 hours
- you experience eye pain, changes in vision, continued redness or irritation of the eye

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

instill 1 or 2 drops in the affected eye(s) every 3 or 4 hours, or as directed by a physician.

Other information

- store upright at 15°-25°C (59°-77°F)
- keep tightly closed
- serious side effects associated with use of the product may be reported to the phone

number provided below

Inactive ingredients

boric acid, hypromellose, propylene glycol, purified water, sodium borate. Hydrochloric acid and/or sodium hydroxide may be added to adjust pH. PRESERVATIVES ADDED: methylparaben 0.023%, propylparaben 0.01%.

Questions

[phone icon] **Call 1-866-767-9161**

Package/Label Principal Display Panel

[heart icon] **CVS**
Health [™]

Compare to the
active ingredient
in Muro 128 ^{®*}
NDC 69842-284-15

**Sodium
Chloride
Hypertonicity
ophthalmic solution, 5%**

Temporary relief
of corneal edema

Actual Size Bottle
on Side Panel

STERILE

15 mL (0.5 FL OZ)

2655



ophthalmic solution, 5%
**Sodium Chloride
 Hypertonicity**

CVS Health.

Drug Facts

Active Ingredient **Purpose**
 Sodium chloride 5%.....Hypertonicity agent

Uses

temporary relief of corneal edema

Warnings

For external use only

Do not use

- except under the advice and supervision of a doctor
- if solution changes color or becomes cloudy

When using this product

- it may cause temporary burning and irritation
- to avoid contamination do not touch tip of container to any surface
- replace cap after use

Stop use and ask a doctor if

- condition worsens or persists for more than 72 hours
- you experience eye pain, changes in vision, continued redness or irritation of the eye

Keep out of reach of children.
 If swallowed, get medical help or contact a
 Poison Control Center right away. ▶

#941569



Drug Facts (continued)

Directions

instill 1 or 2 drops in the
 affected eye(s) every 3 or
 4 hours, or as directed by
 a physician.

Other information

- store upright at
 15°–25°C (59°–77°F)
- keep tightly closed
- serious side effects
 associated with use of
 the product may be
 reported to the phone
 number provided below

Inactive ingredients

boric acid, hypromellose,
 propylene glycol, purified
 water, sodium borate,
 Hydrochloric acid and/or
 sodium hydroxide may be
 added to adjust pH.
PRESERVATIVES ADDED:
 methylparaben 0.023%,
 propylparaben 0.01%.

Questions

Call 1-866-767-9161

CVS
 Health.

Compare to the
 active ingredient
 in Muro 128®**
 NDC 89842-284-15

**Sodium
 Chloride
 Hypertonicity**

ophthalmic solution, 5%

Temporary relief
 of corneal edema



Actual Size Bottle
 on Side Panel

STERILE

15 mL (0.5 FL OZ)

DO NOT USE IF IMPRINTED
 **PROTECTIVE SEAL* WITH YELLOW
 IS NOT INDCT.



Fill Level

Package Contains
 One Bottle

Actual Size

* Muro 128 is a trademark of
 Bausch & Lomb Incorporated or
 its affiliates.

Distributed by:
 CVS Pharmacy, Inc.,
 One CVS Drive,
 Woonsocket, RI 02895
 © 2020 CVS/pharmacy
 CVS.com® 1-800-SHOP CVS
 V-18560

9684601
 FY15611



2655

SODIUM CHLORIDE HYPERTONICITY

sodium chloride solution

Product Information

Product Type

HUMAN OTC DRUG

Item Code (Source)

NDC:69842-284

Route of Administration	OPHTHALMIC
--------------------------------	------------

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SODIUM CHLORIDE (UNII: 451W47IQ8X) (SODIUM CATION - UNII:LYR4M0NH37)	SODIUM CHLORIDE	50 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
BORIC ACID (UNII: R57ZHV85D4)	
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
WATER (UNII: 059QF0KO0R)	
SODIUM BORATE (UNII: 91MBZ8H3QO)	
HYDROCHLORIC ACID (UNII: QTT17582CB)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69842-284-15	1 in 1 CARTON	05/01/2021	
1		15 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M018	05/01/2020	

Labeler - CVS Pharmacy (062312574)

Establishment

Name	Address	ID/FEI	Business Operations
Bausch & Lomb Incorporated		079587625	manufacture(69842-284)

Revised: 1/2026

CVS Pharmacy