

CVS PHARMACY MAXIMUM STRENGTH- benzocaine gel, dentifrice
CVS Pharmacy

5820636 CVS Oral Anesthetic Gel (8015316)

Active ingredient

Benzocaine 20%

Use

temporarily relieves pain associated with mouth and gum irritations, toothache, sore gums, canker sores, braces, minor dental procedures, dentures

Purpose

Oral pain reliever

Directions

- to open tube, cut tip of tube on score mark with scissors
- adults and children 2 years of age and over: apply a pea-size amount to the affected area up to 4 times daily or as directed by a dentist/doctor.
- children under 12 years of age: adult supervision should be given in the use of this product.
- children under 2 years of age: do not use
- for denture irritation apply a thin layer to the affected area; do not reinsert dental work until irritation/pain is relieved; rinse mouth well after reinserting

Inactive ingredients

Blue 1, Carbomer, Flavor, Glycerin, Polyethylene Glycol, Propylene Glycol, Red 40, Sodium Saccharin, Sorbic Acid, Water, Yellow 10

Methemoglobinemia Warning: Use of this product may cause methemoglobinemia, a rare but serious condition that must be treated promptly because it reduces the amount of oxygen carried in blood. This can occur even if you have used this product before. Stop use and seek immediate medical attention if you or a child in your care develops: pale, gray, or blue colored skin (cyanosis), headache, rapid heart rate, shortness of breath, dizziness or lightheadedness, fatigue or lack of energy.

Allergy alert: Do not use this product if you have a history of allergy to local anesthetics such as procaine, butacaine, benzocaine or other "caine" anesthetics.

Do not use for teething, in children under 2 years of age

Keep out of reach of children. If more than used for pain is accidentally swallowed, get medical help or contact a Poison Control Center right away (1-800-222-1222).



Compare to the active ingredient in Anbesol® Gel*

Gel

MAXIMUM STRENGTH

Oral Anesthetic

BENZOCAINE 20%

Pain relieving gel



0722239
K52

Fast-acting pain relief from:

- Toothaches • Gum pain • Canker sores • Dentures

MAXIMUM STRENGTH

Oral Anesthetic

BENZOCAINE 20%



Gel

NET WT 0.33 OZ (9 g)

Distributed by: CVS Pharmacy, Inc.
One CVS Drive, Woonsocket, RI 02896
© 2024 CVS/Pharmacy
CVS.com® 1-800-SHOP CVS

Made in the U.S.A.
with domestic and
imported ingredients.
V-1493T

100% money back
guaranteed.
CVS.com/returnpolicy



#933834

2821636R1
5820536

RETAIN CARTON FOR COMPLETE PRODUCT INFORMATION

TAMPER EVIDENT: DO NOT USE IF TUBE TIP IS CUT PRIOR TO USE

*This product is not manufactured or distributed by Foundation Consumer Brands, LLC, owner of the registered trademark Anbesol®.

Inactive ingredients: Blue 1, carbonyl, flavor, glycerin, polyethylene glycol, propylene glycol, red 40, sodium saccharin, sorbic acid, water, yellow 10

Directions: • To open tube, cut tip of tube on score mark with scissors • **adults and children 2 years of age and over:** apply a pea-size amount to the affected area up to 4 times daily or as directed by a doctor/dentist • **children under 12 years of age:** adult supervision should be given in the use of this product • **children under 2 years of age:** do not use • for denture irritation apply a thin layer to the affected area; do not reinsert denture until irritation is relieved; rinse mouth well after reinserting

Control Center night away (1-800-222-1222).

Keep out of reach of children. If more than used for pain to accidently swallow, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Stop use and ask a doctor if: • severe mouth symptoms do not improve in 7 days • irritation, pain or redness lasts or worsens • swelling, rash or fever develops

When using this product: • avoid contact with the eyes • do not exceed recommended dosage • do not use for more than 7 days unless directed by a doctor/dentist

Do not use: • for brushing • in children under 2 years of age

benzocaine or other "taste" anesthetics.

Warnings: **METHEMOGLOBINEMIA WARNING:** Use of this product may cause methemoglobinemia, a rare but serious condition that may be treated promptly because it reduces the amount of oxygen carried in blood. This can occur even if you have used the product before. Stop use and seek immediate medical attention if you or a child in your care develops • pale, gray, or blue colored skin • lightheadedness • dizziness or shortness of breath • rapid heart rate • if you have a history of allergy to local anesthetics such as procaine, butabupivacaine, tetracaine or other "taste" anesthetics.

Uses: • temporarily relieves pain associated with the following mouth and gum irritations: • toothache • sore gums • canker sores • braces • minor dental procedures • dentures

Active ingredient: Benzocaine 20%.

Purpose: Oral pain reliever

CVS PHARMACY MAXIMUM STRENGTH

benzocaine gel, dentifrice

Product Information

| | | | |
|--------------------------------|----------------|---------------------------|---------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:59779-582 |
| Route of Administration | ORAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|---|--------------------------|-----------------|
| BENZOCAINE (UNII: U3RSY48JW5) (BENZOCAINE - UNII:U3RSY48JW5) | BENZOCAINE | 20 g in 100 g |

Inactive Ingredients

| Ingredient Name | Strength |
|---|-----------------|
| POLYETHYLENE GLYCOL 400 (UNII: B697894SGQ) | |
| PROPYLENE GLYCOL (UNII: 6DC9Q167V3) | |
| SACCHARIN SODIUM (UNII: SB8ZUX40TY) | |
| SORBIC ACID (UNII: X045WJ989B) | |
| GLYCERIN (UNII: PDC6A3C0OX) | |
| FD&C RED NO. 40 (UNII: WZB9127XOA) | |
| D&C YELLOW NO. 10 (UNII: 35SW5USQ3G) | |
| FD&C BLUE NO. 1 (UNII: H3R47K3TBD) | |
| WATER (UNII: 059QF0KOOR) | |

Product Characteristics

| | | | |
|-----------------|----------------------------|---------------------|--|
| Color | | Score | |
| Shape | | Size | |
| Flavor | MINT (Characteristic Mint) | Imprint Code | |
| Contains | | | |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|----------|------------------|--|-----------------------------|---------------------------|
| 1 | NDC:59779-582-09 | 1 in 1 CARTON | 01/20/2011 | 10/31/2024 |
| 1 | | 9 g in 1 TUBE; Type 0: Not a Combination Product | | |
| 2 | NDC:59779-582-10 | 1 in 1 CARTON | 10/31/2024 | |
| 2 | | 9 g in 1 TUBE; Type 0: Not a Combination Product | | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|---------------------------|---|-----------------------------|---------------------------|
| OTC Monograph Drug | M022 | 01/20/2011 | |

Labeler - CVS Pharmacy (062312574)

Registrant - Lornamead Products (119559733)

Establishment

| Name | Address | ID/FEI | Business Operations |
|--------------------|---------|-----------|--|
| Lornamead Products | | 119559733 | manufacture(59779-582) , pack(59779-582) |

Revised: 11/2025

CVS Pharmacy