

CHG- isopropyl alcohol swab
Longood Medicine (Beijing) Co., Ltd.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Drug Fact

Active Ingredient

Isopropyl Alcohol 70%

Purpose

Purpose:

Antiseptic

Use

Use:

For preparation of the skin prior to injection, infusion, transfusion, and operation.

First aid to help prevent infection in minor cut, scrapes, and burns

Warning

For external use only.

Do Not Use

Do not

- use in the eyes
- use on individuals who are allergic or sensitive to Chlorhexidine gluconate (CHG) and isopropyl alcohol (IPA)

Stop Use and Consult a Doctor

Stop Use and Consult a Doctor

- if the condition persists or gets worse
- for use longer than 1 week. Ask a doctor in case of deep or puncture wounds, animal bites, serious burns

Ask a doctor in case of deep or puncture wounds, animal bites, serious burns

Keep out of reach of children

Keep out of reach of children

If swallowed, get medical help or contact a Poison Control Center right away.

Direction:

Directions

- Clean the affected area
- Apply the product to the area 1-3 times daily and discard.
- Maybe covered with a sterile bandage when dry

Inactive Ingredient

Inactive Ingredient:

Chlorhexidine Glutamate (2%), Purified water

Image of Pouch Label

NDC: 62382-03xx-x	
CHG Isopropyl Alcohol Swab	
REF: CHG	
% Chlorhexidine gluconate(CHG) and Isopropyl alcohol(IPA)	
Sterile	
Manufactured by Longood Medicine (Beijing) Co., Ltd. No.13, Yunteng Road, Miyun Economic Development Zone, Miyun County Beijing P.R. 101500 China	Lot No.: Exp: Vol:
Drug Facts	
Active ingredient Isopropyl alcohol (70%)	Purpose Antiseptic
Use For preparation of the skin prior to injection, infusion, transfusion and operation First aid to help prevent infection in minor cuts, scrapes, and burns	
Warnings For external use only. Do not • use in the eyes • apply over large areas of the body • use on individuals who are allergic or sensitive to Chlorhexidine gluconate(CHG) and isopropyl alcohol(IPA) Stop use and consult a doctor • if the condition persists or gets worse • for use longer than 1 week.	
Ask a doctor in case of deep or puncture wounds, animal bites, serious burns Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.	
Directions • Clean the affected area • Apply product on the area 1-3 time daily and discard • May be covered with a sterile bandage when dry	
Inactive Ingredients chlorhexidine gluconate(2%) purified water	

CHG

isopropyl alcohol swab

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:62382-0324
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ISOPROPYL ALCOHOL (UNII: ND2M416302) (ISOPROPYL ALCOHOL - UNII:ND2M416302)	ISOPROPYL ALCOHOL	0.7 mL in 1 mL

Inactive Ingredients

Ingredient Name	Strength
-----------------	----------

WATER (UNII: 059QF0KO0R)

CHLORHEXIDINE GLUCONATE (UNII: MOR84MUD8E)

Product Characteristics

Color		Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:62382-0324-1	0.2 mL in 1 POUCH; Type 2: Prefilled Drug Delivery Device/System (syringe, patch, etc.)	08/28/2015	
2	NDC:62382-0324-2	0.3 mL in 1 POUCH; Type 2: Prefilled Drug Delivery Device/System (syringe, patch, etc.)	08/28/2015	
3	NDC:62382-0324-3	0.4 mL in 1 POUCH; Type 2: Prefilled Drug Delivery Device/System (syringe, patch, etc.)	08/28/2015	
4	NDC:62382-0324-4	0.5 mL in 1 POUCH; Type 2: Prefilled Drug Delivery Device/System (syringe, patch, etc.)	08/28/2015	
5	NDC:62382-0324-5	0.6 mL in 1 POUCH; Type 2: Prefilled Drug Delivery Device/System (syringe, patch, etc.)	08/28/2015	
6	NDC:62382-0324-6	0.67 mL in 1 POUCH; Type 2: Prefilled Drug Delivery Device/System (syringe, patch, etc.)	08/28/2015	
7	NDC:62382-0324-7	1 mL in 1 POUCH; Type 2: Prefilled Drug Delivery Device/System (syringe, patch, etc.)	08/28/2015	
8	NDC:62382-0324-8	1.5 mL in 1 POUCH; Type 2: Prefilled Drug Delivery Device/System (syringe, patch, etc.)	08/28/2015	
9	NDC:62382-0324-9	1.75 mL in 1 POUCH; Type 2: Prefilled Drug Delivery Device/System (syringe, patch, etc.)	08/28/2015	
10	NDC:62382-0324-0	3 mL in 1 POUCH; Type 2: Prefilled Drug Delivery Device/System (syringe, patch, etc.)	08/28/2015	

NDC: 62382-03xx-x

CHG Isopropyl Alcohol Swab

REF: CHG

% Chlorhexidine gluconate(CHG)
and Isopropyl alcohol(IPA)

Sterile

Manufactured by
Longood Medicine (Beijing) Co., Ltd.
No.13, Yunteng Road,
Miyun Economic Development Zone,
Miyun County
Beijing P.R. 101500 China

Lot No.:
Exp:
Vol:

Drug Facts

Active ingredient Isopropyl alcohol (70%)	Purpose Antiseptic
---	------------------------------

Use For preparation of the skin prior to injection, infusion, transfusion and operation
First aid to help prevent infection in minor cuts, scrapes, and burns

Warnings For external use only. Do not use in the eyes apply over large areas of the body use on individuals who are allergic or sensitive to Chlorhexidine gluconate (CHG) and isopropyl alcohol (IPA) Stop use and consult a doctor if the condition persists or gets worse for use longer than 1 week.

Ask a doctor in case of deep or puncture wounds, animal bites, serious burns Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions Clean the affected area Apply product on the area 1-3 time daily and discard May be covered with a sterile bandage when dry

Inactive Ingredients chlorhexidine gluconate(2%) purified water

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part333A	08/28/2015	

Labeler - Longood Medicine (Beijing) Co., Ltd. (529553064)

Establishment

Name	Address	ID/FEI	Business Operations
Longood Medicine (Beijing) Co., Ltd.		529553064	manufacture(62382-0324)

Revised: 1/2020

Longood Medicine (Beijing) Co., Ltd.