

PENIMIXCINA- bacitracin, neomycin sulfate, polymixin b sulfate, pramoxine hydrochloride ointment
OPMX LLC

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Penimixcina - First Aid Ointment

ACTIVE INGREDIENTS (IN EACH GRAM)

BACITRACIN ZINC 500 UNITS

NEOMYCIN SULFATE 5 MG (EQUIVALENT TO 3.5 MG NEOMYCIN)

POLYMYXIN B SULFATE 5000 UNITS

PRAMOXINE HYCHLORIDE 10 MG

PURPOSE

FIRST AID ANTIBIOTIC

PAIN RELIEVER

USES

- FIRST AID TO HELP PREVENT INFECTION IN
- MINOR CUTS
- SCRAPES
- BURNS

WARNINGS

For external use only.

DO NOT USE

- IN THE EYES
- IF YOU ARE ALLERGIC TO ANY OF THE INGREDIENTS
- OVER LARGE AREAS OF THE BODY
- LONGER THAN 1 WEEK UNLESS DIRECTED BY A DOCTOR

ASK A DOCTOR BEFORE USE IN CASE OF

- DEEP OR PUNCTURE WOUNDS
- ANIMAL BITES
- OR SERIOUS BURNS

Keep out of reach of children

- If swallowed get medical help or contact Poison Control Center right away.

DIRECTIONS

- CLEAN THE AFFECTED AREA
- APPLY A SMALL AMOUNT OF THIS PRODUCT (AN AMOUNT EQUAL TO THE SURFACE AREA OF THE TIP OF A FINGER) ON THE AREA 1 TO 3 TIMES DAILY
- MAY BE COVERED WITH A STERILE BANDAGE

INACTIVE INGREDIENTS

WHITE PETROLATUM

OTHER INFORMATION

- STORE AT 15° - 30°C (59°F - 86°F)
- AVOID EXCESSIVE HEAT AND HUMIDITY

Penimixcina First Aid Ointment

NDC 69729-615-05

NET WT.
0.5 OZ (14 g)

**BACITRACIN • NEOMYCIN SULFATE
POLYMYXIN B SULFATE • PRAMOXINE HYDROCHLORIDE**

PENIMIXCINA

SPEEDS UP HEALING & INHIBITS SKIN INFECTION

LOT

EXP. DATE

Keep this carton. It has complete information.

Drug Facts

Active ingredients First Aid Antibiotic
Bacitracin Zinc 400 Units
Neomycin Sulfate 500 Units
Polymyxin B Sulfate 5000 units

Purpose Pain Reliever

Uses

- First aid to help prevent infection in minor cuts, scrapes, and burns.

Warnings:

FOR EXTERNAL USE ONLY

Do not use in the eyes. If you are allergic to any of the ingredients, or if you develop a rash, or if you have a fever, or if you have a sore throat, or if you have a change in your usual urines, directed by a doctor.

Ask a doctor before use in case of:

- Deep or puncture wounds
- Animal bites
- Or serious burns

Stop use and ask a doctor if:

- Redness, pain, or other signs of infection develop.

KEEP OUT OF REACH OF CHILDREN
If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Clean the affected area.
- Apply a small amount of this product (an amount equal to the surface area of the tip of a finger) 1 to 3 times daily.
- May be covered with a sterile bandage.

Other Information

- Store at 15°-30°C (59°-86°F).
- Avoid excessive heat and humidity.

Inactive Ingredients

- White Petrolatum

Manufactured by Penimixcina Pharmaceuticals, Inc., Chula Vista, CA 91910. © 2022 Penimixcina Pharmaceuticals, Inc. All rights reserved. See the back of the carton for more information.

NDC 69729-615-05

SPEEDS UP HEALING & INHIBITS SKIN INFECTION

PENIMIXCINA

FIRST AID OINTMENT

**BACITRACIN • NEOMYCIN SULFATE
POLYMYXIN B SULFATE • PRAMOXINE HYDROCHLORIDE**

NET WT.
0.5 OZ (14 g)

FIRST AID TO HELP PREVENT INFECTION IN MINOR: **CUTS - SCRAPES & BURNS + PAIN RELIEF**

Made for:

inov
PHARMACEUTIQUE

Exclusively distributed by:

PMX
Chula Vista, CA 91910
Phone: 619-600-5632

REV. 10.2022 ITEM # RRX1057



8 56828 00826 7

PENIMIXCINA

bacitracin, neomycin sulfate, polymixin b sulfate, pramoxine hydrochloride ointment

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69729-615
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BACITRACIN ZINC (UNII: 89Y4M234ES) (BACITRACIN - UNII:58H6RWO52I)	BACITRACIN	500 [iU] in 1 g
NEOMYCIN SULFATE (UNII: 057Y626693) (NEOMYCIN - UNII:I16QD7X297)	NEOMYCIN	5 mg in 1 g
POLYMYXIN B SULFATE (UNII: 19371312D4) (POLYMYXIN B - UNII:J2VZ07J96K)	POLYMYXIN B	5000 [iU] in 1 g
PRAMOXINE HYDROCHLORIDE (UNII: 88AYB867L5) (PRAMOXINE - UNII:068X84E056)	PRAMOXINE HYDROCHLORIDE	10 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
PETROLATUM (UNII: 4T6H12BN9U)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69729-615-05	1 in 1 BOX	09/05/2018	
1	NDC:69729-615-01	14 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part333B	09/05/2018	

Labeler - OPMX LLC (029918743)

Revised: 3/2022

OPMX LLC