

**SUNBETTER BROAD SPECTRUM SPF 56 SUNSCREEN STICK SHEER- zinc oxide,
titanium dioxide stick
SKINBETTER SCIENCE LLC**

sunbetter SHEER SPF 56 Sunscreen Stick

Drug Facts

Drug Facts

Active ingredients

Titanium Dioxide 5.0%

Zinc Oxide 10.0%

Purpose

Sunscreen

Uses

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see ***Directions***), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only.

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. - 2 p.m.
 - wear long-sleeved shirts, pants, hats, and sunglasses.
 - Children under 6 months: Ask a doctor.

Apply liberally and evenly 15 minutes before sun exposure.

Reapply:

after 80 minutes of swimming or sweating.

immediately after towel drying.

at least every 2 hours.

use a water resistant sunscreen if swimming or sweating.

Inactive ingredients

1,2-Hexanediol, Acrylates/Dimethicone Copolymer, Alumina, Bis-Vinyl Dimethicone/Dimethicone Copolymer, Bisabolol, Brassica Campestris (Rapeseed) Sterols, Butyloctyl Salicylate, Caprylic/Capric Triglyceride, Caprylyl Glycol, Cerium Oxide, Cetylhydroxyproline Palmitamide, Dimethicone, Dimethicone/Vinyl Dimethicone Crosspolymer, Disteardimonium Hectorite, Ethylhexylglycerin, Hexyldecanol, Himanthalia Elongata Extract, Hydrogenated Vegetable Oil, Laureth-25, Laureth-3, Octyldodecyl Neopentanoate, Ozokerite, Phenethyl Alcohol, Phenoxyethanol, Phenyl Trimethicone, Plankton Extract, Polyethylene, Polyhydroxystearic Acid, Polymethyl Methacrylate, Prunus Armeniaca (Apricot) Kernel Oil, Silica, Simethicone, Sodium Chloride, Stearic Acid, Tocopherol, Tocopheryl Acetate, Tribehenin, Vinyl Dimethicone/Methicone Silsesquioxane Crosspolymer, Water, Zingiber Officinale (Ginger) Root Extract.

Other information

Protect this product from excessive heat and direct sun.

Questions or comments?

800-538-5600

Principal Display Panel

sunbetter™

Advanced Mineral Protection

BROAD SPECTRUM

SPF 56

SUNSCREEN STICK

SHEER


Water-Resistant (80 Minutes)

Mineral Actives

skinbetter science®

Net wt. 0.70 oz (20 g)


Perimeter of Top :



DRUG FACTS: Panel 1

DRUG FACTS COPY: 5.89PT


Top panel :




DRUG FACTS: Panel 2

DRUG FACTS: Panel 3

Perimeter of outer base :



bottom panel :



SUNBETTER BROAD SPECTRUM SPF 56 SUNSCREEN STICK SHEER

zinc oxide, titanium dioxide stick

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:73291-0002
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	100 mg in 1 g
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	50 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
ALUMINUM OXIDE (UNII: LMI26O6933)	
RAPESEED STEROL (UNII: B46B6DD20U)	
BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3)	
CETYLHYDROXYPROLINE PALMITAMIDE (UNII: 74ONU0S62G)	
LAURETH-25 (UNII: RPD53041LR)	
PHENOXYETHANOL (UNII: HIE492Z3Z3T)	
POLY(METHYL METHACRYLATE; 450000 MW) (UNII: Z47NNT4J11)	
.ALPHA.-TOCOPHEROL, DL- (UNII: 7QWA1RIO01)	
PHENYL TRIMETHICONE (UNII: DROK5NOJ4R)	

HIGH DENSITY POLYETHYLENE (UNII: UG00KM4WR7)
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)
VINYL DIMETHICONE/METHICONE SILSESQUIOXANE CROSSPOLYMER (UNII: 9NH1UDD2RR)
POLYHYDROXYSTEARIC ACID (2300 MW) (UNII: YXH47AOU0F)
1,2-HEXANEDIOL (UNII: TR046Y3K1G)
DIMETHICONE METHACRYLATE (3000 MW) (UNII: LO1KC6D3D5)
HIMANTHALIA ELONGATA (UNII: 21RND18XRR)
CORN OIL (UNII: 8470G57WFM)
LAURETH-3 (UNII: F32E4CB0UJ)
CERESIN (UNII: Q1LS2UJO3A)
PHENYLETHYL ALCOHOL (UNII: ML9LGA7468)
APRICOT KERNEL OIL (UNII: 54JB35T06A)
SODIUM CHLORIDE (UNII: 451W47IQ8X)
STEARIC ACID (UNII: 4ELV7Z65AP)
ALPHA-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)
TRIBEHENIN (UNII: 8OC9U7TQZ0)
WATER (UNII: 059QF0K00R)
GINGER (UNII: C5529G5JPQ)
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)
.ALPHA.-BISABOLOL, (+/-)- (UNII: 36HQN158VC)
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)
CAPRYLYL GLYCOL (UNII: 00YIU5438U)
CERIC OXIDE (UNII: 619G5K328Y)
DIMETHICONE (UNII: 92RU3N3Y1O)
HEXYLDECANOL (UNII: 151Z7P1317)
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)
OCTYLDODECYL NEOPENTANOATE (UNII: X8725R883T)
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:73291-0002-1	20 g in 1 CONTAINER; Type 0: Not a Combination Product	09/17/2019	
2	NDC:73291-0002-2	6 g in 1 CONTAINER; Type 0: Not a Combination Product	09/17/2019	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	09/17/2019	

Labeler - SKINBETTER SCIENCE LLC (049403602)