

ALLERGY RELIEF 4 HOUR- chlorpheniramine maleate tablet
Geri-Care Pharmaceutical Corp

HST 784 (974)

Active ingredient (in each tablet)

Chlorpheniramine maleate 4 mg

Purpose

Antihistamine

Uses

temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

- runny nose
- itchy, watery eyes
- sneezing
- itching of the nose or throat

Warnings

Do not use

to make a child sleepy.

Ask a doctor before use if you have

- glaucoma
- a breathing problem such as emphysema or chronic bronchitis
- trouble urinating due to an enlarged prostate gland

Ask a doctor or pharmacist before use if you are

taking sedatives or tranquilizers.

When using this product

- drowsiness may occur
- avoid alcoholic beverages
- alcohol, sedatives, and tranquilizers may increase drowsiness
- use caution when driving a motor vehicle or operating machinery
- excitability may occur, especially in children

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- do not exceed recommended dose
- adults and children 12 years and over: take 1 tablet every 4 to 6 hours, as needed, not more than 6 tablets in 24 hours or as directed by a doctor
- children under 12: consult a doctor

Other information

- Tamper Evident: Do not use if imprinted seal under cap is missing or broken.
- store at 20-25°C (68-77°F); excursions permitted between 15°-30°C (59°-86°F)
- protect from moisture

Inactive ingredients

corn starch, D&C yellow #10 aluminum lake, lactose anhydrous, magnesium stearate, microcrystalline cellulose

Questions or comments?

1-800-540-3765

Principal display panel

GERI-CARE[®] NDC 57896-974-10

4-Hour ALLERGY RELIEF
Chlorpheniramine maleate 4 mg
Antihistamine

Compare to active ingredient in *Chlor-trimeton*[®]*

1000 Tablets

Drug Facts

Active ingredient (in each tablet)
Chlorpheniramine maleate 4 mg.....Antihistamine

Uses temporarily relieves these symptoms of hay fever or other upper respiratory allergies: • runny nose • itchy nose or throat • sneezing • itchy, watery eyes

Warnings
Do not use to make a child sleepy.
Ask a doctor before use if you have • glaucoma
• a breathing problem such as emphysema or chronic bronchitis
• trouble urinating due to an enlarged prostate gland
Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers.
When using this product • drowsiness may occur • avoid alcoholic drinks
• alcohol, sedatives and tranquilizers may increase drowsiness
• use caution when driving a motor vehicle or operating machinery
• excitability may occur, especially in children
If pregnant or breast-feeding, ask a health professional before use.
Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions • do not exceed recommended dose
• adults and children 12 years and over: take 1 tablet every 4 to 6 hours, as needed, not more than 6 tablets in 24 hours or as directed by a doctor
• children under 12: consult a doctor

Other information • Tamper Evident: Do not use if imprinted seal under cap is missing or broken. • store at 20-25°C (68-77°F); excursions permitted between 15°-30°C (59°-86°F)
• protect from excessive moisture

Inactive ingredients: corn starch, D&C yellow #10 lake, lactose anhydrous, magnesium stearate, microcrystalline cellulose

Questions or comments? 1-800-540-3765

*This product is not manufactured or distributed by the owner of the registered trademark Chlor-trimeton[®].
DIST. BY: GERI-CARE PHARMACEUTICALS CORP.
1295 Towbin Ave, Lakewood, NJ 08701
REV0923L

3 57896 784 10 2

ALLERGY RELIEF 4 HOUR

chlorpheniramine maleate tablet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:57896-974
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
CHLORPHENIRAMINE MALEATE (UNII: V1Q0O9OJ9Z) (CHLORPHENIRAMINE - UNII:3U6IO1965U)	CHLORPHENIRAMINE MALEATE	4 mg

Inactive Ingredients

Ingredient Name	Strength
STARCH, CORN (UNII: O8232NY3SJ)	
D&C YELLOW NO. 10 (UNII: 35SW5USQ3G)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
ANHYDROUS LACTOSE (UNII: 3SY5LH9PMK)	

Product Characteristics

Color	yellow	Score	2 pieces
Shape	ROUND	Size	8mm
Flavor		Imprint Code	44;194
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:57896-974-01	100 in 1 BOTTLE; Type 0: Not a Combination Product	07/01/2019	
2	NDC:57896-974-10	1000 in 1 BOTTLE; Type 0: Not a Combination Product	07/01/2019	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	07/01/2019	

Labeler - Geri-Care Pharmaceutical Corp (611196254)**Registrant** - Geri-Care Pharmaceutical Corp (611196254)

