

LUMINOUS EYE CORRECTOR SPF 41 - DEEP- titanium dioxide, zinc oxide cream
Drmtlgy, LLC

DRMTLGY® LUMINOUS EYE CORRECTOR SPF 41

Drug Facts

Active ingredients

Titanium dioxide 10.00%
Zinc oxide 12.00%

Purpose

Sunscreen

Uses

• helps prevent sunburn • if used as directed with other sun protection measures (see ***Directions***), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only.

Do not use • on damaged or broken skin.

When using this product • keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if • rash occurs

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

• apply liberally 15 minutes before sun exposure • dispense only half a pump to the applicator tip and gently dot around both eyes • smooth over the entire eye area from undereye to brow, including eyelids • blend with fingertips for a seamless finish • reapply at least every 2 hours • use a water resistant sunscreen if swimming or sweating
• **Sun Protection Measures.**

Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m. - 2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses. • children under 6 months: Ask a doctor • works best on moisturized skin

Other information

- protect the product in this container from excessive heat and direct sun.

Inactive ingredients

Water (Aqua), Dimethicone, Butyloctyl Salicylate, Propanediol, Caprylic/Capric Triglyceride, Isododecane, Polymethylsilsesquioxane/ Trimethylsiloxysilicate, Dimethicone Crosspolymer, Polyglyceryl-4 Isostearate, Cetyl PEG/PPG-10/1 Dimethicone, Hexyl Laurate, Polyhydroxystearic Acid, Coco-Caprylate/Caprate, Sodium Chloride, 1,2-Hexanediol, Dimethicone/Vinyl Dimethicone Crosspolymer, Polyphenylsilsesquioxane, Glycerin, Caprylhydroxamic Acid, Watermelon (Citrullus lanatus) Fruit Extract, Polyglyceryl-6 Polyricinoleate, Lentil (Lens esculenta) Fruit Extract, Mushroom (Tremella fuciformis) Sporocarp Extract, Dilinoleic Acid/Butanediol Copolymer, Disodium Stearoyl Glutamate, Apple (Pyrus malus) Fruit Extract, Silica, Trisodium Ethylenediamine Disuccinate, Castor Oil/IPDI Copolymer, Sodium Lactate, Sodium PCA, Butylene Glycol, Sodium Lauroyl Lactylate, Knotweed (Polygonum aviculare) Extract, Carbomer, Ceramide NP, Palmitoyl Tripeptide-5, Ceramide AP, Phytosphingosine, Cholesterol, Polysorbate 20, Xanthan Gum, Palmitoyl Tripeptide-1, Palmitoyl Tetrapeptide-7, Ceramide EOP, Iron Oxides (CI 77492, CI 77491, CI 77499)

Questions or comments?

1-888-376-8549

Broad Spectrum SPF 41 Sunscreen

UVA/UVB Protection

Visibly improve the appearance of dark circles, puffiness, and fine lines while protecting the delicate eye area against photoaging with this broad spectrum SPF Eye Corrector.

A cooling applicator tip helps to reduce the appearance of puffiness, and enhance the look of skin brightness for your most youthful-looking, under eyes!

Directions:

Dispense only half a pump to the applicator tip and gently dot around both eyes. Smooth over the entire eye area from undereye to brow, including eyelids. Blend with fingertips for a seamless finish. Reapply throughout the day, as desired, for a quick refresh.

Manufactured in USA with globally sourced components


Distributed by:
DRMTLGY, LLC.
Canoga Park, CA 91304
www.DRMTLGY.com

CRUELTY FREE

BACKED BY SCIENCE

DERMATOLOGIST RECOMMENDED

Packaging



Drug Facts

Active ingredients Purpose
Titanium dioxide 10.00%.....Sunscreen
Zinc oxide 12.00%.....Sunscreen

Uses • helps prevent sunburn • if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings
For external use only.

Do not use • on damaged or broken skin.

When using this product • keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if • rash occurs

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions • apply liberally 15 minutes before sun exposure • dispense only half a pump to the applicator tip and gently dot around both eyes • smooth over the entire eye area from undereye to brow, including eyelids • blend with fingertips for a seamless finish • reapply at least every 2 hours • use a water resistant sunscreen if swimming or sweating

• Sun Protection Measures.
Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m. - 2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses. • children under 6 months: Ask a doctor • works best on moisturized skin

Other information
• protect the product in this container from excessive heat and direct sun.

Inactive ingredients
Water (Aqua), Dimethicone, Butyloctyl Salicylate, Propanediol, Caprylic/Capric Triglyceride, Isododecane, Polymethylsilsesquioxane/Trimethylsiloxy silicate, Dimethicone Crosspolymer, Polyglyceryl-4 Isostearate, Cetyl PEG/PPG-10/1 Dimethicone, Hexyl Laurate, Polyhydroxystearic Acid, Coco-Caprylate/

Drug Facts (continued)

(Tremella fuciformis) Sporocarp Extract, Dilinoleic Acid/Butanediol Copolymer, Disodium Stearoyl Glutamate, Apple (Pyrus malus) Fruit Extract, Silica, Trisodium Ethylenediamine Disuccinate, Castor Oil/PPDI Copolymer, Sodium Lactate, Sodium PCA, Butylene Glycol, Sodium Lauroyl Lactylate, Knotweed (Polygonum aviculare) Extract, Carbomer, Ceramide NP, Palmitoyl Tripeptide-5, Ceramide AP, Phytosphingosine, Cholesterol, Polysorbate 20, Xanthan Gum, Palmitoyl Tripeptide-1, Palmitoyl Tetrapeptide-7, Ceramide EOP, Iron Oxides (CI 77492, CI 77491, CI 77499)

Questions or comments?
1-888-376-8549



CRUELTY FREE



BACKED BY SCIENCE



DRMTLGY®


LUMINOUS EYE CORRECTOR SPF 41

Broad Spectrum SPF 41 Sunscreen

Visibly improve the appearance of dark circles, puffiness, and fine lines while protecting the delicate eye area against photoaging with this broad spectrum SPF Eye Corrector.

A cooling applicator tip helps to reduce the appearance of puffiness, and enhance the look of skin brightness for your most youthful-looking, under eyes!

Directions:
Dispense only half a pump to the applicator tip and gently dot around both eyes. Smooth over the entire eye area from undereye to brow, including eyelids. Blend with fingertips for a seamless finish. Reapply throughout the day, as desired, for a quick refresh.



LUMINOUS EYE CORRECTOR SPF 41 - DEEP

titanium dioxide, zinc oxide cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:83286-006
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	10 g in 100 mL
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	12 g in 100 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
DIMETHICONE, UNSPECIFIED (UNII: 92RU3N3Y1O)	
BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3)	
PROPANEDIOL (UNII: 5965N8W85T)	
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)	
ISODODECANE (UNII: A8289P68Y2)	
POLYMETHYLSILSESQUIOXANE/TRIMETHYLSILOXYSILICATE (UNII: X2PZH4Y6HT)	
DIMETHICONE CROSSPOLYMER (450000 MPA.S) (UNII: UF7620L1W6)	
POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7)	
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 5) (UNII: 035JKJ76MT)	
HEXYL LAURATE (UNII: 4CG9F9W01Q)	
POLYHYDROXYSTEARIC ACID (2300 MW) (UNII: YXH47AOU0F)	
COCOYL CAPRYLOCAPRATE (UNII: 8D9H4QU99H)	

SODIUM CHLORIDE (UNII: 451W47IQ8X)
1,2-HEXANEDIOL (UNII: TR046Y3K1G)
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)
PHENYLSILANETRIOL (UNII: DNR46JQ8BT)
GLYCERIN (UNII: PDC6A3C0OX)
CAPRYLHYDROXAMIC ACID (UNII: UPY805K99W)
WATERMELON (UNII: 231473QB6R)
POLYGLYCERYL-6 POLYRICINOLEATE (UNII: YPM0ZOC2HR)
VICIA LENS FRUIT (UNII: ZYZ076G9JH)
TREMELLA FUCIFORMIS FRUITING BODY (UNII: GG8N28393G)
DILINOLEIC ACID/BUTANEDIOL COPOLYMER (UNII: 1F2S8T535O)
DISODIUM STEAROYL GLUTAMATE (UNII: 45ASM2L11M)
APPLE (UNII: B423VGH5S9)
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)
TRISODIUM ETHYLENEDIAMINE DISUCCINATE (UNII: YA22H34H9Q)
CASTOR OIL/IPDI COPOLYMER (UNII: GSA2TXZ34G)
SODIUM LACTATE (UNII: TU7HW0W0QT)
SODIUM PYRROLIDONE CARBOXYLATE (UNII: 469OTG57A2)
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)
SODIUM LAUROYL LACTYLATE (UNII: 7243K85WFO)
POLYGONUM AVICULARE TOP (UNII: ZCD6009IUF)
CARBOMER HOMOPOLYMER, UNSPECIFIED TYPE (UNII: 0A5MM307FC)
CERAMIDE NP (UNII: 4370DF050B)
PALMITOYL TRIPEPTIDE-5 (UNII: 2A3916MQHO)
CERAMIDE AP (UNII: F1X8L2B00J)
PHYTOSPHINGOSINE (UNII: GIN46U9Q2Q)
CHOLESTEROL (UNII: 97C5T2UQ7J)
POLYSORBATE 20 (UNII: 7T1F30V5YH)
XANTHAN GUM (UNII: TTV12P4NEE)
PALMITOYL TRIPEPTIDE-1 (UNII: RV743D216M)
PALMITOYL TETRAPEPTIDE-7 (UNII: Q41S464P1R)
CERAMIDE 1 (UNII: 5THT33P7X7)
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)
FERRIC OXIDE RED (UNII: 1K09F3G675)
FERROSO FERRIC OXIDE (UNII: XM0M87F357)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:83286-006-01	1 in 1 CARTON	12/22/2023	
1		7 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	12/22/2023	

Labeler - Drmtlgy, LLC (094762235)

Revised: 11/2025

Drmtlgy, LLC