

LUMINOUS EYE CORRECTOR SPF 41 - DEEP- titanium dioxide, zinc oxide cream
Drmtlgy, LLC

DRMTLGY® LUMINOUS EYE CORRECTOR SPF 41

Drug Facts

Active ingredients

Titanium dioxide 10.00%
Zinc oxide 12.00%

Purpose

Sunscreen

Uses

• helps prevent sunburn • if used as directed with other sun protection measures (see ***Directions***), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only.

Do not use • on damaged or broken skin.

When using this product • keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if • rash occurs

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

• apply liberally 15 minutes before sun exposure • dispense only half a pump to the applicator tip and gently dot around both eyes • smooth over the entire eye area from undereye to brow, including eyelids • blend with fingertips for a seamless finish • reapply at least every 2 hours • use a water resistant sunscreen if swimming or sweating

• Sun Protection Measures.

Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m. - 2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses. • children under 6 months: Ask a doctor • works best on moisturized skin

Other information

- Protect the product in this container from excessive heat and direct sun.

Inactive ingredients

Water (Aqua), Dimethicone, Butyloctyl Salicylate, Propanediol, Caprylic/Capric Triglyceride, Isododecane, Polymethylsilsesquioxane/ Trimethylsiloxysilicate, Dimethicone Crosspolymer, Polyglyceryl-4 Isostearate, Cetyl PEG/PPG-10/1 Dimethicone, Hexyl Laurate, Polyhydroxystearic Acid, Coco-Caprylate/Caprates, Sodium Chloride, 1,2-Hexanediol, Dimethicone/Vinyl Dimethicone Crosspolymer, Polyphenylsilsesquioxane, Glycerin, Caprylhydroxamic Acid, Watermelon (Citrullus lanatus) Fruit Extract, Polyglyceryl-6 Polyricinoleate, Lentil (Lens esculenta) Fruit Extract, Mushroom (Tremella fuciformis) Sporocarp Extract, Dilinoleic Acid/Butanediol Copolymer, Disodium Stearoyl Glutamate, Apple (Pyrus malus) Fruit Extract, Silica, Trisodium Ethylenediamine Disuccinate, Castor Oil/IPDI Copolymer, Sodium Lactate, Sodium PCA, Butylene Glycol, Sodium Lauroyl Lactylate, Knotweed (Polygonum aviculare) Extract, Carbomer, Ceramide NP, Palmitoyl Tripeptide-5, Ceramide AP, Phytosphingosine, Cholesterol, Polysorbate 20, Xanthan Gum, Palmitoyl Tripeptide-1, Palmitoyl Tetrapeptide-7, Ceramide EOP, Iron Oxides (CI 77492, CI 77491, CI 77499)

Questions or comments?

1-888-376-8549

MEDICAL GRADE SKIN CARE

Broad Spectrum SPF 41 Sunscreen

UVA/UVB Protection

Visibly improve the appearance of dark circles, puffiness, and fine lines while protecting the delicate eye area against photoaging with this broad spectrum SPF Eye Corrector.

A cooling applicator tip helps to reduce the appearance of puffiness, and enhance the look of skin brightness for your most youthful-looking, under-eyes!

Directions:

Dispense only half a pump to the applicator tip and gently dot around both eyes. Smooth over the entire eye area from undereye to brow, including eyelids. Blend with fingertips for a seamless finish. Reapply throughout the day, as desired, for a quick refresh.

Manufactured in USA with globally sourced components

Distributed by:

DRMTLGY, LLC.

8130 Remmet Ave, Canoga Park, CA 91304

www.DRMTLGY.com

CRUELTY FREE

BACKED BY SCIENCE
DERMATOLOGIST RECOMMENDED

Packaging

Outer Package Label

Drug Facts

Active ingredients Purpose
 Titanium dioxide 10.00%.....Sunscreen
 Zinc oxide 12.00%.....Sunscreen

Uses • helps prevent sunburn • if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only.

Do not use • on damaged or broken skin.

When using this product • keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if • rash occurs

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions • apply liberally 15 minutes before sun exposure • dispense only half a pump to the applicator tip and gently dot around both eyes • smooth over the entire eye area from undereye to brow, including eyelids • blend with fingertips for a seamless finish • reapply at least every 2 hours • use a water resistant sunscreen if swimming or sweating

• Sun Protection Measures.

Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m. - 2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses. • children under 6 months: Ask a doctor • works best on moisturized skin

Other information

• protect the product in this container from excessive heat and direct sun.

Inactive ingredients

Water (Aqua), Dimethicone, Butyloctyl Salicylate, Propanediol, Caprylic/Capric Triglyceride, Isododecane, Polymethylsilsesquioxane/Trimethylsiloxy silicate, Dimethicone Crosspolymer, Polyglyceryl-4 Isostearate, Cetyl PEG/PPG-10/1 Dimethicone, Hexyl Laurate, Polyhydroxystearic Acid, Coco-Caprylate/Caprate, Sodium Chloride, 1,2-Hexanediol, Dimethicone/Vinyl Dimethicone Crosspolymer, Polyphenylsilsesquioxane, Glycerin, Caprylhydroxamic Acid, Watermelon (Citrullus lanatus) Fruit Extract

Drug Facts (continued)

(Tremella fuciformis) Sporocarp Extract, Dilinoleic Acid/Butanediol Copolymer, Disodium Stearoyl Glutamate, Apple (Pyrus malus) Fruit Extract, Silica, Trisodium Ethylenediamine Disuccinate, Castor Oil/IPDI Copolymer, Sodium Lactate, Sodium PCA, Butylene Glycol, Sodium Lauroyl Lactylate, Knotweed (Polygonum aviculare) Extract, Carbomer, Ceramide NP, Palmitoyl Tripeptide-5, Ceramide AP, Phytosphingosine, Cholesterol, Polysorbate 20, Xanthan Gum, Palmitoyl Tripeptide-1, Palmitoyl Tetrapeptide-7, Ceramide EOP, Iron Oxides (CI 77492, CI 77491, CI 77499)

Questions or comments?

1-888-376-8549



CRUELTY FREE



BACKED BY SCIENCE



DRMTLGY®
MEDICAL GRADE SKIN CARE

LUMINOUS EYE CORRECTOR SPF 41

Broad Spectrum SPF 41 Sunscreen

UVA/UVB Protection

Visibly improve the appearance of dark circles, puffiness, and fine lines while protecting the delicate eye area against photoaging with this broad spectrum SPF Eye Corrector.

A cooling applicator tip helps to reduce the appearance of puffiness, and enhance the look of skin brightness for your most youthful-looking, under eyes!

Directions: Dispense only half a pump to the applicator tip and gently dot around both eyes. Smooth over the entire eye area from undereye to brow, including eyelids. Blend with fingertips for a seamless finish. Reapply throughout the day, as desired, for a quick refresh.

Manufactured in USA with globally sourced components

Distributed by

Polyglyceryl-6 Polyricinoleate, Lentil (Lens esculenta) Fruit Extract, Mushroom ▶

DERMATOLOGIST
RECOMMENDED

.25 fl. oz / 7 mL

DRMTLGY, LLC.
Canoga Park, CA 91304
www.DRMTLGY.com

Inner Package Label

DRMTLGY
MEDICAL GRADE SKIN CARE

**LUMINOUS EYE
CORRECTOR SPF 41**
Broad Spectrum SPF 41 Sunscreen

UVA/UVB Protection

.25 fl. oz / 7mL

Active Ingredients:
Zinc Oxide 12.00%, Titanium Oxide 10.00%

Manufactured in USA with globally sourced components.

Dist. by DRMTLGY, LLC
8130 Remmet Ave, Canoga Park, CA 91304
www.DRMTLGY.com



**DEEP
1234A
EXP. MM/YYYY**

LUMINOUS EYE CORRECTOR SPF 41 - DEEP

titanium dioxide, zinc oxide cream

Product Information

| | | | |
|--------------------------------|----------------|---------------------------|---------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:83286-006 |
| Route of Administration | TOPICAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|---|-------------------|----------------|
| TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP) | TITANIUM DIOXIDE | 10 g in 100 mL |
| ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z) | ZINC OXIDE | 12 g in 100 mL |

Inactive Ingredients

| Ingredient Name | Strength |
|--|----------|
| WATER (UNII: 059QF0KO0R) | |
| DIMETHICONE, UNSPECIFIED (UNII: 92RU3N3Y10) | |
| BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3) | |
| PROPANEDIOL (UNII: 5965N8W85T) | |
| MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U) | |

| |
|--|
| ISODODECANE (UNII: A8289P68Y2) |
| POLYMETHYLSILSESQUIOXANE/TRIMETHYLSILOXYSILICATE (UNII: X2PZH4Y6HT) |
| DIMETHICONE CROSSPOLYMER (UNII: UF7620L1W6) |
| POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7) |
| CETYL PEG/PPG-10/1 DIMETHICONE (HLB 5) (UNII: 035JKJ76MT) |
| HEXYL LAURATE (UNII: 4CG9F9W01Q) |
| POLYHYDROXYSTEARIC ACID (2300 MW) (UNII: YXH47AOU0F) |
| COCOYL CAPRYLOCAPRATE (UNII: 8D9H4QU99H) |
| SODIUM CHLORIDE (UNII: 451W47IQ8X) |
| 1,2-HEXANEDIOL (UNII: TR046Y3K1G) |
| DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5) |
| PHENYLSILANETRIOL (UNII: DNR46JQ8BT) |
| GLYCERIN (UNII: PDC6A3C0OX) |
| CAPRYLHYDROXAMIC ACID (UNII: UPY805K99W) |
| WATERMELON (UNII: 231473QB6R) |
| POLYGLYCERYL-6 POLYRICINOLEATE (UNII: YPM0ZOC2HR) |
| VICIA LENS FRUIT (UNII: ZYZ076G9JH) |
| TREMELLA FUCIFORMIS FRUITING BODY (UNII: GG8N28393G) |
| DILINOLEIC ACID/BUTANEDIOL COPOLYMER (UNII: 1F2S8T535O) |
| DISODIUM STEAROYL GLUTAMATE (UNII: 45ASM2L11M) |
| APPLE (UNII: B423VGH5S9) |
| SILICON DIOXIDE (UNII: ETJ7Z6XBU4) |
| TRISODIUM ETHYLENEDIAMINE DISUCCINATE (UNII: YA22H34H9Q) |
| CASTOR OIL/IPDI COPOLYMER (UNII: GSA2TXZ34G) |
| SODIUM LACTATE (UNII: TU7HW0W0QT) |
| SODIUM PYRROLIDONE CARBOXYLATE (UNII: 469OTG57A2) |
| BUTYLENE GLYCOL (UNII: 3XUS85K0RA) |
| SODIUM LAUROYL LACTYLATE (UNII: 7243K85WFO) |
| POLYGONUM AVICULARE TOP (UNII: ZCD6009IUF) |
| CARBOMER HOMOPOLYMER, UNSPECIFIED TYPE (UNII: 0A5MM307FC) |
| CERAMIDE NP (UNII: 4370DF050B) |
| PALMITOYL TRIPEPTIDE-5 (UNII: 2A3916MQHO) |
| CERAMIDE AP (UNII: F1X8L2B00J) |
| PHYTOSPHINGOSINE (UNII: GIN46U9Q2Q) |
| CHOLESTEROL (UNII: 97C5T2UQ7J) |
| POLYSORBATE 20 (UNII: 7T1F30V5YH) |
| XANTHAN GUM (UNII: TTV12P4NEE) |
| PALMITOYL TRIPEPTIDE-1 (UNII: RV743D216M) |
| PALMITOYL TETRAPEPTIDE-7 (UNII: Q41S464P1R) |
| CERAMIDE 1 (UNII: 5THT33P7X7) |
| FERRIC OXIDE YELLOW (UNII: EX438O2MRT) |
| FERRIC OXIDE RED (UNII: 1K09F3G675) |
| FERROSO FERRIC OXIDE (UNII: XM0M87F357) |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|---------------------|----------------------|--------------------|
| 1 | NDC:83286-006-01 | 1 in 1 CARTON | 12/22/2023 | |

| 1 | 7 mL in 1 BOTTLE; Type 0: Not a Combination Product | | |
|------------------------------|---|----------------------|--------------------|
| Marketing Information | | | |
| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
| OTC Monograph Drug | M020 | 12/22/2023 | |

Labeler - Drmtlgy, LLC (094762235)

Revised: 12/2024

Drmtlgy, LLC