

**TOPCARE STOOL SOFTENER- docusate sodium capsule, liquid filled  
TOPCO ASSOCIATES LLC**

-----  
**Docusate Sodium 100 mg..... Stool Softener**

**Drug Facts**

**Active ingredient (in each softgel)**

Docusate Sodium 100 mg

**Purpose**

Stool softener

**Uses**

- relieves occasional constipation (irregularity)
- generally produces a bowel movement in 12 to 72 hours

**Warnings**

**Do not use**

- if you are presently taking mineral oil, unless told to do so by a doctor

**Ask a doctor before use if you have**

- stomach pain
- nausea
- vomiting
- noticed a sudden change in bowel movements that lasts over 2 weeks

**Stop use and ask a doctor if**

- you have rectal bleeding or fail to have a bowel movement after use of a laxative. These could be signs of a serious condition.
- you need to use a stool softener laxative for more than 1 week

**If pregnant or breast-feeding,** ask a health professional before use.

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away.

**Directions**

Take only by mouth. Doses may be taken as a single daily dose or in divided doses.

---

adults and children 12 years and over	take 1 to 3 softgels daily
children 2 to under 12 years of age	take 1 softgel daily
children under 2 years	ask a doctor

**Other information**

- each softgel contains: sodium 7 mg
- store at room temperature 15° to 30°C (59° to 86°F)

**Inactive Ingredients**

FD&C RED NO. 40, FD&C YELLOW NO. 6, GELATIN BOVINE, GLYCEROL, POLYETHYLENE GLYCOL, PURIFIED WATER, SORBITOL.

**Display Panel**



**Stool Softener**  
 DOCUSATE SODIUM, 100 mg LAXATIVE  
 +TopCare health

**TAMPER EVIDENT: DO NOT USE IF SEAL UNDER CAP IS BROKEN OR MISSING. KEEP BOX FOR IMPORTANT INFORMATION.**

**Drug Facts**  
**Active ingredient (in each softgel)**  
 Docusate Sodium 100 mg Stool Softener

**Purpose**  
 Stool Softener

**Uses** ■ relieves occasional constipation  
 ■ generally produces bowel movement within 12 to 72 hours

**Warnings**  
**Ask a doctor before use if you have** ■ stomach pain  
 ■ nausea ■ vomiting ■ noticed a sudden change in bowel habits that lasts over a period of 2 weeks  
**Ask a doctor before use if** ■ you are presently taking mineral oil

**Stop use and ask doctor if** ■ you have rectal bleeding or fail to have a bowel movement after use of a laxative. These could be signs of a serious condition ■ you need to use a laxative for more than 1 week.

**If pregnant or breastfeeding**, ask a health professional before use.

**Keep out of reach of children.** In case of accidental overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

**Directions** This dose may be taken as a single daily dose or in divided doses.

**Drug Facts (continued)**

<b>Adults and children 12 years and over</b>	Take 1-3 softgels by mouth daily.
<b>Children 2 to under 12 years</b>	Take 1 softgel by mouth daily.
<b>Children under 2 years</b>	Consult a doctor.

**Other information** ■ each softgel contains: sodium 7 mg ■ store at room temperature 15° to 30°C (59° to 86°F)

**Inactive ingredients** FD&C RED NO. 40, FD&C YELLOW NO. 6, GELATIN BOVINE, GLYCEROL, POLYETHYLENE GLYCOL, PURIFIED WATER, SORBITOL.

**Questions?** 1-888-423-0139

DISTRIBUTED BY  
 TOPCO ASSOCIATES, LLC  
 ELK GROVE VILLAGE, IL 60007  
 ©TOPCO RSEA0621  
 QUESTIONS? 1-888-423-0139  
 topcare@topco.com  
 www.topcarebrand.com

MADE IN ROMANIA

Scan here for more information or call 1-888-423-0139

This TopCare® product is laboratory tested to guarantee its highest quality. Your total satisfaction is guaranteed.

\*This product is not manufactured or distributed by Sanofi-Aventis, owner of the registered trademark Dulcolax®.

DSO 10251C REV 6/21

+TopCare health

COMPARE TO DULCOLAX® ACTIVE INGREDIENT\*

**Stool Softener**  
 DOCUSATE SODIUM, 100 mg LAXATIVE

**Gentle Relief of Painful, Hard, Dry Stools**

- Dependable
- Stimulant-Free
- Sugar Free

25 SOFTGELS actual size

+TopCare health

COMPARE TO DULCOLAX® ACTIVE INGREDIENT\*


**Stool Softener**  
 DOCUSATE SODIUM, 100 mg LAXATIVE

**Gentle Relief of Painful, Hard, Dry Stools**

- Dependable
- Stimulant-Free
- Sugar Free

25 SOFTGELS actual size

No intervening materials between ingredient statement and name and place of business (AKA distributed by statement)



Knockout for Expiration Date and Lot Number

DISTRIBUTED BY  
 TOPCO ASSOCIATES LLC ELK GROVE VILLAGE, IL 60007  
 ©TOPCO RSEA0621  
 QUESTIONS? 1-888-423-0139  
 topcare@topco.com  
 www.topcarebrand.com

**TOPCARE STOOL SOFTENER**

docusate sodium capsule, liquid filled

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:76162-761
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>DOCUSATE SODIUM</b> (UNII: F05Q2T2JA0) (DOCUSATE - UNII:M7P27195AG)	DOCUSATE SODIUM	100 mg

### Inactive Ingredients

<b>Ingredient Name</b>	<b>Strength</b>
<b>FD&amp;C RED NO. 40</b> (UNII: WZB9127XOA)	
<b>FD&amp;C YELLOW NO. 6</b> (UNII: H77VEI93A8)	
<b>GELATIN</b> (UNII: 2G86QN327L)	
<b>POLYETHYLENE GLYCOL, UNSPECIFIED</b> (UNII: 3WJQ0SDW1A)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>SORBITOL</b> (UNII: 506T60A25R)	
<b>WATER</b> (UNII: 059QF0KO0R)	

### Product Characteristics

<b>Color</b>	red	<b>Score</b>	no score
<b>Shape</b>	CAPSULE (OVAL)	<b>Size</b>	12mm
<b>Flavor</b>		<b>Imprint Code</b>	SCU1
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:76162-761-25	1 in 1 CARTON	07/20/2021	
1		25 in 1 BOTTLE; Type 0: Not a Combination Product		

### Marketing Information

<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
OTC Monograph Drug	M007	07/20/2021	

**Labeler** - TOPCO ASSOCIATES LLC (006935977)

