

**CAREALL PAIN RELIEF PM EXTRA STRENGTH- acetaminophen,  
diphenhydramine hcl tablet  
New World Imports, Inc**

-----  
**Drug Facts**

**Active Ingredients**

Acetaminophen 500mg

Diphenhydramine HCl 25mg

**Purpose**

Pain reliever

Nighttime sleep aid

**Keep Out of reach of Children**

**Keep out of reach of children.** In case of accidental overdose, contact a doctor or Poison Control Center (1-800-222-1222) right away. Quick Medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

**Uses**

Temporarily relieves occasional headaches and minor aches and pains with accompanying sleeplessness

**Warnings**

**Liver Warning:** This product contains Acetaminophen. Severe liver damage may occur if you take

- More than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product.

**Allergy Alert:** Acetaminophen may cause severe skin reactions. Symptoms may include: skin reddening, blisters, rash. If a skin reaction occurs, stop use and seek medical help right away.

**Do not use:**

- in children under 12 years of age
- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- with any other product containing diphenhydramine, even one used on skin
- if you have even had an allergic reaction to this product or any of its ingredients

**Ask a doctor before use if you have**

- liver disease
- a breathing problem such as emphysema or chronic bronchitis
- trouble urinating due to an enlarged prostate gland
- glaucoma

**Ask a doctor or pharmacist before use if you are**

- taking the blood thinning drug warfarin
- taking sedatives or tranquilizers

**When using this product**

- drowsiness will occur
- do not drive a motor vehicle or operate machinery
- avoid alcoholic drinks

**Stop use and ask a doctor if**

- sleeplessness persists continuously for more than 2 weeks. Insomnia may be a symptom of serious underlying medical illness
- pain gets worse or last for more than 10 days.
- fever gets worse or last for more than 3 days
- redness or swelling are present
- new symptoms occur. These could be signs of a serious condition.

**If pregnant or breast-feeding**, ask a health professional before use.

**Directions**

**Do not use more than directed. (see overdose warning)**

**Adults and children 12 years of age and older:**Take 2 caplets at bedtime. Do not take more than 2 caplets in 24 hours

**Children under 12 years:**do not use

**Inactive Ingredients**

colloidal silicon dioxide, copovidone, croscarmellose sodium, FD and C blue 1, hypromellose, lactose, magnesium, stearate, microcrystalline cellulose, polyethylene glycol, povidone, pregelatinized starch, sodium starch glycolate, stearic acid, titanium dioxide

NDC 51824-108-50



Extra Strength For Adults

**Pain Relief PM**

ACETAMINOPHEN 500 mg

Diphenhydramine HCl 25 mg

▶ Pain Reliever

▶ Nighttime Sleep-Aid

†Compare to the active ingredients of Tylenol®PM Extra Strength Caplets



**50 CAPLETS**

DO NOT USE IF UNPRINTED SEAL UNDER CAP IS BROKEN OR MISSING

**Drug Facts**

**Active ingredients (in each caplet)** Purpose  
Acetaminophen 500 mg.....Pain reliever  
Diphenhydramine HCl 25 mg.....Nighttime sleep aid

**Uses**

temporary relief of occasional headaches and minor aches and pains with accompanying sleeplessness

**Warnings**

**Liver warning:** This product contains acetaminophen. Severe liver damage may occur if you take  
 ■ more than 4,000 mg of acetaminophen in 24 hours  
 ■ with other drugs containing acetaminophen  
 ■ 3 or more alcoholic drinks every day while using this product

**Allergy alert:** Acetaminophen may cause severe skin reactions. Symptoms may include:  
 ■ skin reddening ■ blisters ■ rash  
 If a skin reaction occurs, stop use and seek medical help right away.

**Do not use**  
 ■ in children under 12 years of age  
 ■ with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.  
 ■ with any other product containing diphenhydramine, even one used on skin  
 ■ if you have ever had an allergic reaction to this product or any of its ingredients

Distributed by: CareALL Products  
160 Athens Way  
Nashville, TN 37228  
www.careallproducts.com



0 85317 00490 3

This product is not manufactured or distributed by Johnson & Johnson Consumer Inc., owner of the registered trademark Tylenol®PM.

COATING FREE AREA FOR LOT/EXP

STOP PEELING

**Questions or comments?**  
Call 1-944-705-4394 Mon - Fri 8:30 AM - 5 PM EST

**Inactive ingredients** colloidal silicon dioxide, copovidone, croscarmellose sodium, FD&C blue #1, hypromellose, lactose, magnesium stearate, microcrystalline cellulose, polyethylene glycol, povidone, pregelatinized starch, sodium starch glycolate, stearic acid, titanium dioxide

**Other information**

■ store between 20-25°C (68-77°F) in a dry place

**Directions**

■ do not take more than directed (see overdose warning)  
 ■ adults and children 12 years and over: take 2 caplets at bedtime; do not take more than 2 caplets of this product in 24 hours  
 ■ children under 12 years: do not use

**Warnings**

■ if pregnant or breast-feeding, ask a health professional before use. **Keep out of reach of children.** **Overdose warning:** In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

These could be signs of a serious condition.

**When using this product**

■ avoid alcoholic drinks  
 ■ drowsiness will occur  
 ■ do not drive a motor vehicle or operate machinery  
 ■ sleepiness persists continuously for more than 2 weeks. Insomnia may be a symptom of serious underlying medical illness.  
 ■ pain gets worse or lasts more than 10 days  
 ■ fever gets worse or lasts more than 3 days  
 ■ redness or swelling is present  
 ■ new symptoms occur

**Stop use and ask a doctor if**

■ taking sedatives or tranquilizers  
 ■ a breathing problem such as emphysema or chronic bronchitis  
 ■ trouble urinating due to an enlarged prostate gland  
 ■ taking the blood thinning drug warfarin

**Ask a doctor before use if you have**

■ liver disease  
 ■ glaucoma  
 ■ trouble urinating due to an enlarged prostate gland

**Ask a doctor or pharmacist before use if you are**

■ taking sedatives or tranquilizers

**CAREALL PAIN RELIEF PM EXTRA STRENGTH**

acetaminophen, diphenhydramine hcl tablet

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:51824-108
<b>Route of Administration</b>	ORAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
<b>ACETAMINOPHEN</b> (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	500 mg
<b>DIPHENHYDRAMINE HYDROCHLORIDE</b> (UNII: TC2D6JAD40) (DIPHENHYDRAMINE - UNII:8GTS82S83M)	DIPHENHYDRAMINE HYDROCHLORIDE	25 mg

**Inactive Ingredients**

Ingredient Name	Strength
<b>CROSCARMELLOSE SODIUM</b> (UNII: M28OL1HH48)	
<b>FD&amp;C BLUE NO. 1</b> (UNII: H3R47K3TBD)	
<b>HYPROMELLOSES</b> (UNII: 3NXW29V3WO)	

<b>CELLULOSE, MICROCRYSTALLINE</b> (UNII: OP1R32D61U)
<b>POVIDONE</b> (UNII: FZ989GH94E)
<b>STARCH, CORN</b> (UNII: O8232NY3SJ)
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)
<b>SODIUM STARCH GLYCOLATE TYPE A CORN</b> (UNII: AG9B65PV6B)
<b>COPOVIDONE K25-31</b> (UNII: D9C330MD8B)
<b>LACTOSE, UNSPECIFIED FORM</b> (UNII: J2B2A4N98G)
<b>MAGNESIUM STEARATE</b> (UNII: 70097M6I30)
<b>POLYETHYLENE GLYCOL, UNSPECIFIED</b> (UNII: 3WJQ0SDW1A)

### Product Characteristics

<b>Color</b>	blue	<b>Score</b>	no score
<b>Shape</b>	OVAL	<b>Size</b>	17mm
<b>Flavor</b>		<b>Imprint Code</b>	AAA;1031
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:51824-108-50	50 in 1 BOTTLE; Type 0: Not a Combination Product	08/23/2024	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	08/23/2024	

**Labeler** - New World Imports, Inc (075372276)