

SAFETUSSIN DM - dextromethorphan guaifenesin liquid

Kramer Laboratories

Drug Facts

Active ingredients <i>(in each 5mL teaspoon)</i>	Purpose
Dextromethorphan HBr, USP 10mg	Cough Suppressant
Guaifenesin, USP 100mg	Expectorant

Uses

- temporarily relieves cough due to minor throat and bronchial irritation
- loosens phlegm (mucus)
- helps rid bronchial passages of phlegm (mucus)

Warnings

Do not use if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- cough that occurs with too much phlegm (mucus)
- cough that lasts or is chronic such as occurs with smoking, asthma, chronic bronchitis, or emphysema

Stop use and ask a doctor if cough lasts more than 7 days, comes back, or is accompanied by fever, rash, or persistent headache. These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- do not take more than 6 doses in any 24-hour period
- this adult product is not intended for use in children under 12 years of age

age	dose
-----	------

adults and children 12 years and over	2 teaspoons every 4 hours
children under 12 years	do not use

Other information

- Protect from excessive heat and freezing. Store at 15° - 30° C (59° - 86° F)
- Phenylketonurics: each teaspoon contains phenylalanine 4.2 mg

Save this package for complete information

Inactive ingredients aspartame, benzoic acid, citric acid, glycerin, menthol, methylparaben, natural peppermint flavor, propylene glycol, propylparaben, purified water.

PRINCIPAL DISPLAY PANEL

**SAFE FOR ADULTS WITH
HIGH BLOOD PRESSURE & DIABETES**

Safetussin® DM

NON-DROWSY

Cough + Chest Congestion

Dextromethorphan HBr / Cough Suppressant
Guaifenesin / Expectorant

Safe for adults with

- **High Blood Pressure**
- **Diabetes**

- ✓ Controls **cough**
- ✓ Loosens **mucus**
- ✓ Relieves **chest congestion**

**SUGAR & ALCOHOL FREE
8.0 FL OZ (237mL)**

**SEGURO PARA ADULTOS CON
PRESIÓN ALTA Y DIABETES**

Safetussin® DM

NO SOMNOLIENTO

Tos + Congestión en el Pecho

Dextromethorphan HBr / Antitusivo
Guaifenesin / Expectorante

Seguro para adultos con

- **Presión Alta**
- **Diabetes**

- ✓ Controla **la tos**
- ✓ Afloja **la mucosidad**
- ✓ Alivia **la congestión en el pecho**

SIN AZÚCAR Y SIN ALCOHOL
8.0 FL OZ (237mL)

SAFE FOR ADULTS WITH
HIGH BLOOD PRESSURE & DIABETES

Safetussin® DM

Safetussin® contains:

- ✓ **No** decongestants
- ✓ **No** acetaminophen
- ✓ **No** sugar
- ✓ **No** alcohol
- ✓ **No** sorbitol
- ✓ **No** fructose
- ✓ **No** gluten
- ✓ **No** dyes

Pharmacist Recommended

Always read and follow label directions. Ask a doctor if you have individual health questions.

Questions? Comments?

Call 1-800-824-4894

©2020 Kramer Laboratories, Inc.
Bridgewater, NJ 08807

K0220



Drug Facts

Active ingredients *Purpose*
 In each 5 mL (teaspoon)
 Dextromethorphan HBr, USP 10mg Cough Suppressant
 Guaifenesin, USP 100mg Expectorant

Uses
 ■ temporarily relieves cough due to minor throat and bronchial irritation
 ■ loosens phlegm (mucus)
 ■ helps rid bronchial passages of phlegm (mucus)

Warnings
 Do not use if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.
 Ask a doctor before use if you have
 ■ cough that occurs with too much phlegm (mucus)
 ■ cough that lasts or is chronic such as occurs with smoking, asthma, chronic bronchitis, or emphysema
 Stop use and ask a doctor if cough lasts more than 7 days, comes back, or is accompanied by fever, rash, or persistent headache. These could be signs of a serious condition.
 If pregnant or breast-feeding, ask a health professional before use.
 Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions
 ■ do not take more than 6 doses in any 24-hour period
 ■ this adult product is not intended for use in children under 12 years of age

age	dose
adults and children 12 years and over	2 teaspoons every 4 hours
children under 12 years	do not use

Other information
 ■ Protect from excessive heat and freezing.
 Store at 15° - 30° C (59° - 86° F)
 ■ Phenylephrine: each teaspoon contains phenylephrine 4.2 mg
 Save this package for complete information

Inactive ingredients aspartame, benzoic acid, citric acid, glycerin, menthol, methylparaben, natural peppermint flavor, propylene glycol, propylparaben, purified water.

SAFE FOR ADULTS WITH HIGH BLOOD PRESSURE & DIABETES

Safetussin[®] DM

NON-DROWSY
Cough+ Chest Congestion

Safetussin[®] contains:

- ✓ No decongestants
- ✓ No acetaminophen
- ✓ No sugar
- ✓ No alcohol
- ✓ No sorbitol
- ✓ No fructose
- ✓ No gluten
- ✓ No dyes

Pharmacist Recommended

Always read and follow label directions. Ask a doctor if you have individual health questions.

Questions? Comments?
 Call 1-800-824-4894
 ©2020 Kramer Laboratories, Inc.
 Bridgewater, NJ 08807

SAFE FOR ADULTS WITH HIGH BLOOD PRESSURE & DIABETES

Safetussin[®] DM

NON-DROWSY
Cough+ Chest Congestion

Dextromethorphan HBr / Cough Suppressant
 Guaifenesin / Expectorant

Safe for adults with

- High Blood Pressure
- Diabetes

- ✓ Controls cough
- ✓ Loosens mucus
- ✓ Relieves chest congestion

SUGAR & ALCOHOL FREE
 8.0 FL OZ (237mL)

SEGURO PARA ADULTOS CON PRESIÓN ALTA Y DIABETES

Safetussin[®] DM

NO SOMNOLIENTO
Tos+ Congestión en el Pecho

Dextromethorphan HBr / Antitusivo
 Guaifenesin / Expectorante

Seguro para adultos con

- Presión Alta
- Diabetes

- ✓ Controla la tos
- ✓ Afloja la mucosidad
- ✓ Alivia la congestión en el pecho

SIN AZÚCAR Y SIN ALCOHOL
 8.0 FL OZ (237mL)



K0220

Safetussin[®] DM
 NON-DROWSY
Cough + Chest Congestion

Dextromethorphan HBr / Cough Suppressant
Guaifenesin / Expectorant

Safe for adults with

● **High Blood Pressure** ● **Diabetes**

- ✓ Controls **cough**
- ✓ Loosens **mucus**
- ✓ Relieves **chest congestion**

8.0 FL OZ (237mL)

TAMPER EVIDENT: DO NOT USE IF PRINTED
SAFETY SEAL ON BOTTLE IS BROKEN OR MISSING.

K0220

Drug Facts		Drug Facts (continued)						
Active ingredients (In each 5mL teaspoon) Dextromethorphan HBr, USP 10mg ... Cough Suppressant Guaifenesin, USP 100mg ... Expectorant	Purpose	Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.						
Uses ■ temporarily relieves cough due to minor throat and bronchial irritation ■ loosens phlegm (mucus) ■ helps rid bronchial passages of phlegm (mucus)		Directions ■ do not take more than 6 doses in any 24-hour period ■ this adult product is not intended for use in children under 12 years of age						
Warnings Do not use if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.		<table border="1"> <thead> <tr> <th>age</th> <th>dose</th> </tr> </thead> <tbody> <tr> <td>adults & children 12 years & over</td> <td>2 teaspoons every 4 hours</td> </tr> <tr> <td>children under 12 years</td> <td>do not use</td> </tr> </tbody> </table>	age	dose	adults & children 12 years & over	2 teaspoons every 4 hours	children under 12 years	do not use
age	dose							
adults & children 12 years & over	2 teaspoons every 4 hours							
children under 12 years	do not use							
Ask a doctor before use if you have ■ cough that occurs with too much phlegm (mucus) ■ cough that lasts or is chronic such as occurs with smoking, asthma, chronic bronchitis, or emphysema Stop use and ask a doctor if cough lasts more than 7 days, comes back, or is accompanied by fever, rash, or persistent headache. These could be signs of a serious condition. If pregnant or breast-feeding, ask a health professional before use.		Other information ■ Protect from excessive heat and freezing. Store at 15° - 30°C (59° - 86°F) ■ Phenylethanamine: each teaspoon contains phenylethanamine 4.2mg Save package for complete information Inactive ingredients aspartame, benzoic acid, citric acid, glycerin, menthol, methylparaben, natural peppermint flavor, propylene glycol, propylparaben, purified water.						

TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL ON BOTTLE IS BROKEN OR MISSING.

K0220

Always read and follow label directions. Ask a doctor if you have individual health questions.
Questions? Comments? Call 1-800-824-4994
© 2020 Kramer Laboratories, Inc. Bridgewater, NJ 08807

SAFETUSSIN DM

dextromethorphan guaifenesin liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:55505-189
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Dextromethorphan Hydrobromide (UNII: 9D2RTI9KYH) (Dextromethorphan	Dextromethorphan	10 mg

- UNII:7355X3ROTS)	Hydrobromide	in 5 mL
GUAIFENESIN (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)	GUAIFENESIN	100 mg in 5 mL

Inactive Ingredients

Ingredient Name	Strength
Aspartame (UNII: Z0H242BBR1)	
BENZOIC ACID (UNII: 8SKN0B0MIM)	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
glycerin (UNII: PDC6A3C0OX)	
methylparaben (UNII: A2I8C7HI9T)	
MINT (UNII: FV98Z 8GITP)	
propylene glycol (UNII: 6DC9Q167V3)	
propylparaben (UNII: Z8IX2SC1OH)	
Water (UNII: 059QF0KO0R)	
MENTHOL (UNII: L7T10EIP3A)	

Product Characteristics

Color		Score	
Shape		Size	
Flavor	MINT	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:55505-189-36	237 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	07/01/2015	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	07/01/2015	

Labeler - Kramer Laboratories (122720675)