

**GOOD SENSE CLEAR LAX- polyethylene glycol 3350 powder, for solution  
Preferred Pharmaceuticals Inc.**

---

**Perrigo ClearLax® Drug Facts**

**Active ingredient (in each dose)**

Polyethylene Glycol 3350, 17 g (cap filled to line)

**Purpose**

Osmotic Laxative

**Use**

- relieves occasional constipation (irregularity)
- generally produces a bowel movement in 1 to 3 days

**Warnings**

**Allergy alert:** Do not use if you are allergic to polyethylene glycol

**Do not use**

if you have kidney disease, except under the advice and supervision of a doctor

**Ask a doctor before use if you have**

- nausea, vomiting or abdominal pain
- a sudden change in bowel habits that lasts over 2 weeks
- irritable bowel syndrome

**Ask a doctor or pharmacist before use if you are**

taking a prescription drug

**When using this product**

you may have loose, watery, more frequent stools

**Stop use and ask a doctor if**

- you have rectal bleeding or your nausea, bloating, cramping or abdominal pain gets worse. These may be signs of a serious condition.
- you get diarrhea
- you need to use a laxative for longer than 1 week

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

**Directions**

- **do not take more than directed unless advised by your doctor**
- the bottle top is a measuring cap marked to contain 17 grams of powder when filled to the indicated line (white section in cap)
- adults and children 17 years of age and older:
- use once a day
- fill to top of white section in cap which is marked to indicate the correct dose (17 g)
- stir and dissolve in any 4 to 8 ounces of beverage (cold, hot or room temperature) then drink
- do not combine with starch-based thickeners used for difficulty swallowing
- ensure that the powder is fully dissolved before drinking
- do not drink if there are any clumps
- do not use more than 7 days
- children 16 years of age or under: ask a doctor

**Other information**

- store at 20°-25°C (68°-77°F)
- tamper-evident: do not use if printed foil seal under cap is missing, open or broken

**Relabeled By: Preferred Pharmaceuticals Inc.**

**Inactive ingredients**

none

**Questions or comments?**

**1-800-719-9260**

**Principal Display Panel**

GoodSense®

Unflavored Powder Grit Free

ClearLax®

Polyethylene Glycol 3350

Powder for Solution, Osmotic Laxative

● Relieves Occasional Constipation/Irregularity

● Softens Stool

Compare to active ingredient of MiraLAX®

NET WT 26.9 OZ (765 g)

45 Once-Daily Doses



Each dose 17gm (cap filled to line) contains  
Polyethylene Glycol 3350



Pkg Size: Exp Date: #####/#####

Lot#: Batch#:

Ins:

Mfg: L. Perrigo Company

Prod#:

**Warning**

Store at 20°- 25°C (68°- 77°F). See bottle for directions.  
In case of overdose, get medical help or contact a Poison  
Control Center right away. If pregnant or breast-feeding,  
ask a healthcare professional. Do not use if printed  
foil seal under cap is missing, open or broken. Do not  
use if you are allergic to polyethylene glycol. Keep this  
and all medication out of the reach of children.



**Directions English**

Use as directed on  
package.  
Use as directed by your  
doctor

**CAUTION:** Federal law PROHIBITS transfer of  
this drug to any person other than the patient for  
whom it was prescribed.



GTIN  
#####  
SN #####  
EXP #####

**Instrucciones Espanol:**

Utilice como dirigido en  
el paquete.  
Uso según lo dirigido  
por su doctor

ClearLax  
Qty: Ins:  
Lot: Bat:  
Prod# (NDC):

ClearLax  
Qty:  
Lot: Bat:  
Prod# (NDC):

ClearLax  
Qty:  
Insurance NDC:  
Lot: Bat:

ClearLax  
Qty:  
Lot: Bat:  
Prod# (NDC):

Log

Chart

Patient

Billing

## GOOD SENSE CLEAR LAX

polyethylene glycol 3350 powder, for solution

### Product Information

|                                |                |                           |                               |
|--------------------------------|----------------|---------------------------|-------------------------------|
| <b>Product Type</b>            | HUMAN OTC DRUG | <b>Item Code (Source)</b> | NDC:68788-8795(NDC:0113-0306) |
| <b>Route of Administration</b> | ORAL           |                           |                               |

### Active Ingredient/Active Moiety

| <b>Ingredient Name</b>  | <b>Basis of Strength</b> | <b>Strength</b> |
|---|--------------------------|-----------------|
| <b>POLYETHYLENE GLYCOL 3350</b> (UNII: G2M7P15E5P) (POLYETHYLENE GLYCOL 3350 - UNII:G2M7P15E5P) | POLYETHYLENE GLYCOL 3350 | 17 g<br>in 17 g |

### Product Characteristics

|                 |       |                     |  |
|-----------------|-------|---------------------|--|
| <b>Color</b>    | WHITE | <b>Score</b>        |  |
| <b>Shape</b>    |       | <b>Size</b>         |  |
| <b>Flavor</b>   |       | <b>Imprint Code</b> |  |
| <b>Contains</b> |       |                     |  |

### Packaging

| <b>#</b> | <b>Item Code</b> | <b>Package Description</b>                           | <b>Marketing Start Date</b> | <b>Marketing End Date</b> |
|----------|------------------|--|-----------------------------|---------------------------|
| 1        | NDC:68788-8795-2 | 238 g in 1 BOTTLE; Type 0: Not a Combination Product | 12/19/2024                  |                           |

## Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| ANDA               | ANDA090685                               | 12/19/2024           |                    |

**Labeler** - Preferred Pharmaceuticals Inc. (791119022)

**Registrant** - Preferred Pharmaceuticals Inc. (791119022)

## Establishment

| Name                           | Address | ID/FEI    | Business Operations |
|--------------------------------|---------|-----------|---------------------|
| Preferred Pharmaceuticals Inc. |         | 791119022 | RELABEL(68788-8795) |

Revised: 1/2026

Preferred Pharmaceuticals Inc.