

**STERILLIUM FOAM- alcohol liquid**  
**BODE Chemie GmbH**

-----

**Active ingredient**

Ethyl Alcohol 85 % v/v

**Purpose**

Antiseptic

**Uses**

- For handwashing to decrease bacteria on the skin.
- Recommended for repeated use.

**Warnings**

**For external use only.**

**Flammable, keep away from fire or flame.**

**Do not use** in or near the eyes or on mucous membranes.

In case of contact, rinse thoroughly with water.

**Stop use and ask a doctor if**

- irritation and redness develop
- conditions persists for more than 72 hours

**Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- Apply to clean, dry hands, covering entire surface, including nails
- Rub until dry
- Supervise children in the use of this product

**Inactive ingredients**

Bis-PEG/PPG-20/20 Dimethicone, Cyclomethicone, Glycerin, Isopropyl Alcohol, Myristyl Alcohol, Water.

**BODE**  
**Sterillium® Foam**



**HEALTHCARE PERSONNEL  
HAND ANTISEPTIC**


85 % v/v ethyl alcohol with moisturizers  
**Kills > 99.999 % of germs  
in 15 seconds without water**  
Dermatologically tested  
Read Drug Facts panel before use

Let:  
Use by:




Questions? Call 1-800-MEDLINE

STRLMFM1000  
NDC 65616-006-06 **1000 mL 33.8 fl. oz.** RF19BDE

<b>Drug Facts</b>	
<i>Active ingredient</i>	<i>Purpose</i>
Ethyl Alcohol 85 % v/v	Antiseptic
<b>Uses</b>	
<ul style="list-style-type: none"> <li>■ For handwashing to decrease bacteria on the skin.</li> <li>■ Recommended for repeated use.</li> </ul>	
<b>Warnings</b>	
<p><b>For external use only.</b></p> <p><b>Flammable, keep away from fire or flame.</b></p> <p><b>Do not use</b> in or near the eyes or on mucous membranes. In case of contact, rinse thoroughly with water.</p> <p><b>Stop use and ask a doctor if</b></p> <ul style="list-style-type: none"> <li>■ Irritation and redness develop</li> <li>■ condition persists for more than 72 hours</li> </ul> <p><b>Keep out of reach of children.</b></p> <p>If swallowed, get medical help or contact a Poison Control Center right away.</p>	
<b>Directions</b>	
<ul style="list-style-type: none"> <li>■ Apply to clean, dry hands, covering entire surface, including nails</li> <li>■ Rub until dry</li> <li>■ Supervise children in the use of this product</li> </ul>	
<b>Inactive ingredients</b>	
Bis-PEG/PPG-20/20 Dimethicone, Cyclomethicone, Glycerin, Isopropyl Alcohol, Myristyl Alcohol, Water.	
patent: patents.bode-chemie.com	
<p>Manufactured in USA for: <b>BODE Chemie GmbH</b>, Melanchthonstrasse 27, 22525 Hamburg, Germany, Tel. +49 40 54006-0, bode-chemie.com</p> <p>Distributed in USA by: <b>MEDLINE Industries, Inc.</b>, Three Lakes Drive, Northfield, Illinois 60093, Tel. 1-800-MEDLINE, medline.com</p>	
 4 031678 076451 >	

## STERILLIUM FOAM

alcohol liquid

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:65616-006
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ALCOHOL (UNII: 3K9958V90M) (ALCOHOL - UNII:3K9958V90M)	ALCOHOL	85 mL in 100 mL

### Inactive Ingredients

Ingredient Name	Strength
BIS-PEG/PPG-20/20 DIMETHICONE (UNII: 05W209DSBS)	
ISOPROPYL ALCOHOL (UNII: ND2M416302)	
MYRISTYL ALCOHOL (UNII: V42034O9PU)	
WATER (UNII: 059QF0KO0R)	
CYCLOMETHICONE (UNII: NMQ347994Z)	
GLYCERIN (UNII: PDC6A3COOX)	

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:65616-006-03	500 mL in 1 BOTTLE, PUMP; Type 0: Not a Combination Product	09/25/2019	
2	NDC:65616-006-06	1000 mL in 1 BOTTLE, PUMP; Type 0: Not a Combination Product	09/25/2019	

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	505G(a)(3)	09/25/2019	

**Labeler** - BODE Chemie GmbH (316039007)

Revised: 10/2023

BODE Chemie GmbH