

**4402 FIRST AID KIT - 4402 first aid  
Honeywell Safety Products USA, Inc.**

*Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, [click here](#).*

-----

**4402 First Aid Kit (BZK wipe, neomycin, sting relief- SF00002259)**

**BZK Wipe**

***Active ingredient***

Benzalkonium chloride 0.13% w/v

**BZK Wipe**

***Purpose***

First aid antiseptic

**BzK Wipe**

***Uses***

Antiseptic cleansing of face, hands, and body without soap and water

**BZK Wipe**

***Warnings***

**For external use only**

**Do not use**

- in the eyes or over large areas of the body
- on mucous membranes
- on irritated skin
- in case of deep puncture wounds, animal bites or serious burns, consult a doctor
- longer than 1 week unless directed by a doctor

**Stop use and ask a doctor if**

- if irritation, redness or other symptoms develop
- the condition persists or gets worse

**Keep out of reach of children**

If swallowed, get medical help or contact a Poison Control Center right away.

**BZK Wipe**

***Directions***

tear open packet and use as a washcloth

**BZK Wipe**

***Other information***

- store at room temperature 15<sup>0</sup> to 30<sup>0</sup> C (59<sup>0</sup> - 86<sup>0</sup> F)
- do not reuse towelette

### **BZK Wipe**

#### ***Inactive ingredient***

water

### **BZK Wipe**

#### ***Questions***

1-800-430-5490

### **Sting Relief**

#### ***Active ingredient (in each wipe)***

Ethyl alcohol 50.0%

Lidocaine HCl 2.0%

### **Sting Relief**

#### ***Purposse***

Antiseptic

Topical pain relief

### **Sting Relief**

#### ***Uses***

- prevent infection in minor scrapes, and temporary relief of itching of insect bites

### **Sting Relief**

#### ***Warnings***

**For external use only**

**Flammable, keep away from open fire or flame**

#### **Do not use**

- over large areas of the body
- in eyes
- over raw or blistered areas

#### **Stop use and ask a doctor**

- if conditions worsen or persist for more than 7 days or clear up and occur again within a few days

**Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center right away.

### **Sting Relief**

**Directions**

- adults and children 2 years and older: Apply to cleaned affected area not more than 3 times daily.
- children under 2 years of age: consult a doctor.

**Sting Relief****Inactive ingredients**

benzalkonium chloride, menthol, and purified water

**Sting Relief****Questions or Comments?**

1-800-430-5490

**Neomycin****Active ingredient**

Neomycin sulfate (5 mg equivalent to 3.5 mg Neomycin base)

**Neomycin****Purpose**

First aid antibiotic

**Neomycin****Uses**

first aid to help prevent infection in

- minor cuts
- scrapes
- burns

**Neomycin****Warnings****For external use only****Do not use**

- in the eyes
- over large areas of the body

**Ask a doctor before use if you have**

- deep or puncture wounds
- animal bites
- serious burns

**Stop use and ask a doctor if**

- the condition persists or gets worse
- a rash or other allergic reaction develops
- you need to use longer than 1 week

**Keep out of reach of children**

- If swallowed, get medical help or contact a Poison Control Center right away

## **Neomycin**

### ***Directions***

- clean the affected area
- apply a small amount of the product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily
- may be covered with a sterile bandage

## **Neomycin**

### ***Other information***

store at 15<sup>0</sup> to 25<sup>0</sup> C (59<sup>0</sup> to 77<sup>0</sup> F)

## **Neomycin**

### ***Active ingredient***

petrolatum

## **Neomycin**

### ***Questions?***

1-800-430-5490

## **4402**

### **SF00002259 Kit Contents**

- 1 TWEEZER PLASTICS 4"
- 1 FIRST AID GUIDE ASHI
- 1 GAUZE CLEAN-WRAP BDGE N/S 2"
- 1 GAUZE CLEAN-WRAP BDGE N/S 3"
- 1 ABD COMBINE PAD 5" X 9"
- 1 SCISSOR BDGE 4" RED PLS HDL
- LBL STOCK 6-3/8"X4"
- LBL STOCK 4"X2-7/8"
- 1 LBL STOCK 3"x1-7/8"
- 10 BZK ANTISEPTIC WIPE, BULK
- 2 PR LRG NITRILE GLVES ZIP BAG
- 1 1" X 3" PLASTIC BANDS 16/BAG
- 1 TAPE ADHESIVE 1/2 X 2.5 125133
- 6 POUCH NEOMYCIN ANTIBIOTIC .9 G
- 1 ADH BNDG PLASTIC EX-LG 4"X 2"
- 10 SAFETEC STING RELIEF WIPES BULK
- 2 TRI BNDG NON WOVEN 40"X40"X56"
- 1 COLD PACK UNIT 4"X6" BULK

4 GAUZE PADS 2"X2" 12PLY



4 GAUZE PADS 3"X3" 12PLY

1 WOVEN FINGERTIP BANDAGE 2"



1 ZIP LOCK BAG 12 X 12 2 ML

## BZK Wipe

### Principal Display Panel



# Sting Relief Principal Display Panel



# Neomycin Principal Display Panel

822568-25

**Neomycin First  
aid antibiotic**

**020126-25**

**Neomycin**  
**First aid antibiotic**  
**Neomycin sulfate**  
**First aid antibiotic**

Distributed by:  
Honeywell Safety Products  
USA, Inc. Smithfield,  
RI 02917

**25 Packets, Net Wt 1/32 oz (0.9 g) each**

**Neomycin First aid antibiotic**

822568-25

**Drug Facts**

**Active ingredient (in each gram)** ..... **Purpose**  
Neomycin sulfate (equivalent to 3.5 mg neomycin) ..... First aid antibiotic

**Use** first aid to help prevent infection in minor • cuts • scrapes • burns

**Warnings**

**For external use only**

**Allergy alert** • do not use if you are allergic to any of the ingredients

**Do not use** • in the eyes • over large areas of the body

**Ask a doctor before use if you have** • deep or puncture wounds • animal bites • serious burns

**Stop use and ask a doctor if** • conditions persists or gets worse • rash or other allergic reaction develops  
• you need to use longer than one week

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

• clean the affected area  
• apply a small amount of product (equal to the surface area of the tip of a finger) on the area 1 to 3 times daily  
• may be covered with a sterile bandage

**Other information** store at 15° to 25°C (59° to 77°F)

**Inactive ingredient** petrolatum

**Questions or comments?** 1-800-430-5490

46001363 Rev.C  
Prints 3 colors  
Black, Red (PMS 186) and Blue (PMS 072)

**Refill Information**

US Poison Control 1-800-222-1222



Contact your authorized Honeywell Safety Products  
Distributor with your refill orders.

**Honeywell**

[www.honeywellsafety.com](http://www.honeywellsafety.com)

| USA            | CANADA         | EUROPE             |
|----------------|----------------|--------------------|
| 1-401-943-4400 | 1-514-351-7233 | +31 (0) 118 656400 |
| 1-800-430-4110 | 1-888-212-7233 |                    |

46001363 Rev. C

4402 first aid kit

**Product Information**

|                     |                |                           |               |
|---------------------|----------------|---------------------------|---------------|
| <b>Product Type</b> | HUMAN OTC DRUG | <b>Item Code (Source)</b> | NDC:0498-4402 |
|---------------------|----------------|---------------------------|---------------|

**Packaging**

| # | Item Code        | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|---------------------|----------------------|--------------------|
| 1 | NDC:0498-4402-01 | 1 in 1 KIT          | 09/13/2018           |                    |

**Quantity of Parts**

| Part # | Package Quantity | Total Product Quantity |
|--------|------------------|------------------------|
| Part 1 | 10 PACKET        | 14 mL                  |
| Part 2 | 10 POUCH         | 4 mL                   |
| Part 3 | 6 PACKET         | 5.4 g                  |

**Part 1 of 3****ANTISEPTIC TOWELETTE**

benzalkonium chloride liquid

**Product Information**

|                           |               |
|---------------------------|---------------|
| <b>Item Code (Source)</b> | NDC:0498-0501 |
|---------------------------|---------------|

|                                |         |
|--------------------------------|---------|
| <b>Route of Administration</b> | TOPICAL |
|--------------------------------|---------|

**Active Ingredient/Active Moiety**

| Ingredient Name   | Basis of Strength     | Strength       |
|---|-----------------------|----------------|
| BENZALKONIUM CHLORIDE (UNII: F5UM2KM3W7) (BENZALKONIUM - UNII:7N6JUD5X6Y) | BENZALKONIUM CHLORIDE | 1.3 mg in 1 mL |

**Inactive Ingredients**

| Ingredient Name          | Strength |
|--------------------------|----------|
| WATER (UNII: 059QF0KO0R) |          |

**Packaging**

| # | Item Code        | Package Description                                   | Marketing Start Date | Marketing End Date |
|---|------------------|---|----------------------|--------------------|
| 1 | NDC:0498-0501-00 | 1.4 mL in 1 PACKET; Type 0: Not a Combination Product |                      |                    |

## Marketing Information

| Marketing Category      | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|-------------------------|--|----------------------|--------------------|
| OTC monograph not final | part333E                                 | 12/22/2017           |                    |

## Part 2 of 3

### STING RELIEF PAD

ethyl alcohol, lidocaine swab

## Product Information

|                         |               |
|-------------------------|---------------|
| Item Code (Source)      | NDC:0498-0733 |
| Route of Administration | TOPICAL       |

## Active Ingredient/Active Moiety

| Ingredient Name  | Basis of Strength                 | Strength          |
|--|-----------------------------------|-------------------|
| LIDOCAINE HYDROCHLORIDE (UNII: V13007Z41A) (LIDOCAINE - UNII:98PI200987) | LIDOCAINE HYDROCHLORIDE ANHYDROUS | 20 mg<br>in 1 mL  |
| ALCOHOL (UNII: 3K9958V90M) (ALCOHOL - UNII:3K9958V90M)                   | ALCOHOL                           | 0.5 mL<br>in 1 mL |

## Inactive Ingredients

| Ingredient Name                          | Strength |
|--|----------|
| BENZALKONIUM CHLORIDE (UNII: F5UM2KM3W7) |          |
| MENTHOL (UNII: L7T10EIP3A)               |          |
| WATER (UNII: 059QF0KO0R)                 |          |

## Packaging

| # | Item Code        | Package Description                                  | Marketing Start Date | Marketing End Date |
|---|------------------|--|----------------------|--------------------|
| 1 | NDC:0498-0733-00 | 0.4 mL in 1 POUCH; Type 0: Not a Combination Product |                      |                    |

## Marketing Information

| Marketing Category      | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|-------------------------|--|----------------------|--------------------|
| OTC monograph not final | part348                                  | 12/23/2017           |                    |

## Part 3 of 3

### NEOMYCIN

antibiotic ointment

**Product Information**

|                    |               |
|--------------------|---------------|
| Item Code (Source) | NDC:0498-0730 |
|--------------------|---------------|

|                         |         |
|-------------------------|---------|
| Route of Administration | TOPICAL |
|-------------------------|---------|

**Active Ingredient/Active Moiety**

| Ingredient Name  | Basis of Strength | Strength      |
|--|-------------------|---------------|
| NEOMYCIN SULFATE (UNII: 057Y626693) (NEOMYCIN - UNII:I16QD7X297) | NEOMYCIN SULFATE  | 3.5 mg in 1 g |

**Inactive Ingredients**

| Ingredient Name               | Strength |
|-------------------------------|----------|
| PETROLATUM (UNII: 4T6H12BN9U) |          |

**Packaging**

| # | Item Code        | Package Description                                  | Marketing Start Date | Marketing End Date |
|---|------------------|--|----------------------|--------------------|
| 1 | NDC:0498-0730-01 | 0.9 g in 1 PACKET; Type 0: Not a Combination Product |                      |                    |

**Marketing Information**

| Marketing Category  | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|---------------------|--|----------------------|--------------------|
| OTC monograph final | part333B                                 | 03/31/2010           |                    |

**Marketing Information**

| Marketing Category    | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|-----------------------|--|----------------------|--------------------|
| unapproved drug other |  | 09/13/2018           |                    |

**Labeler** - Honeywell Safety Products USA, Inc. (079287321)**Registrant** - Honeywell Safety Products USA, Inc. (079287321)**Establishment**

| Name                               | Address | ID/FEI    | Business Operations |
|------------------------------------|---------|-----------|---------------------|
| Honeywell Safety Products USA, Inc |         | 079287321 | pack(0498-4402)     |

**Establishment**

| Name                   | Address | ID/FEI    | Business Operations    |
|------------------------|---------|-----------|------------------------|
| Water-Jel Technologies |         | 155522589 | manufacture(0498-0730) |

**Establishment**

| Name | Address | ID/FEI | Business Operations |
|------|---------|--------|---------------------|
|------|---------|--------|---------------------|

|                           |  |           |                        |
|---------------------------|--|-----------|------------------------|
| Changzhou Maokang Medical |  | 421317073 | manufacture(0498-0501) |
|---------------------------|--|-----------|------------------------|

## Establishment

| Name                   | Address | ID/FEI    | Business Operations    |
|------------------------|---------|-----------|------------------------|
| Safetec of America Inc |         | 874965262 | manufacture(0498-0733) |

Revised: 9/2019

Honeywell Safety Products USA, Inc.