PASSIFLORA PLEX- passiflora incarnata, ignatia amara, jalapa, coffea cruda, magnesium metalicum, palladium metallicum, tellurium metallicum, phosphoricum acidum liquid San'Up

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

PASSIFLORA PLEX

Active ingredients

Each drop contains:

Coffea cruda (Coffee) Unroasted Seed 10X

Ignatia amara (St. Ignatius' bean) Seed 8X

Jalapa (Jalap) Tuber 8X

Magnesium metallicum (Magnesium) 10X

Passiflora incarnata (Passion flower) Aerial Parts 3X

Phosphoricum acidum (Phosphoric acid) 14X

Palladium metallicum (Palladium) 10X

Tellurium metallicum (Tellurium) 10X

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Uses

For the temporary relief of symptoms associated with irregular sleep patterns and ordinary restlessness.

Uses

For the temporary relief of symptoms associated with irregular sleep patterns and ordinary restlessness.

Product 'Uses' are based on Homeopathic Materia Medica and are not supported by clinical trials. These 'Uses' have not been evaluated by the Food and Drug Administration.

Directions

To be taken 10 minutes away from food.

Invert bottle and shake lightly allowing drops to fall directly under the tongue or into $\frac{1}{4}$ oz of water.

Hold contents for about 20 seconds and swallow.

To promote drop flow, invert bottle and shake before each use.

Dosage frequency may be increased up to 6 times daily depending on the severity of symptoms.

Adults and adolescents (12 years and older) Take 10 drops 3 times daily or as recommended by your healthcare practitioner.

Children (under 12 years) .Take under the direction of your healthcare practitioner.

Directions

To be taken 10 minutes away from food.

Invert bottle and shake lightly allowing drops to fall directly under the tongue or into $\frac{1}{4}$ oz of water.

Hold contents for about 20 seconds and swallow.

To promote drop flow, invert bottle and shake before each use.

Dosage frequency may be increased up to 6 times daily depending on the severity of symptoms.

Adults and adolescents (12 years and older) Take 10 drops 3 times daily or as recommended by your healthcare practitioner.

Children (under 12 years) .Take under the direction of your healthcare practitioner.

Warnings

Stop use and ask a doctor if symptoms persist or worsen.

If pregnant or breastfeeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Inactive ingredients

Ethanol (beet), purified water

If pregnant or breastfeeding, ask a health professional before use.


Stop use and ask a doctor if symptoms persist or worsen.

In case of overdose, get medical help or contact a Poison Control Center right away.

Do not use if seal is missing or broken.

Store in a cool, dry place.

Contents may not fill package in order to accommodate required labeling. Please rely on stated quantity.



NDC 62106-1322-0

UNDA

PLEX

PASSIFLORA PLEX

Homeopathic Preparation

For the temporary relief of symptoms associated with irregular sleep patterns and ordinary restlessness.

Contains 60% Alcohol

30 mL (1 fl oz)

PASSIFLORA PLEX

Active Insurations / Active Mainty

passiflora incarnata, ignatia amara, jalapa, coffea cruda, magnesium metalicum, palladium metallicum, tellurium metallicum, phosphoricum acidum liquid

| Product Information | | | | | | |
|-------------------------|----------------|--------------------|----------------|--|--|--|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:52503-1322 | | | |
| Route of Administration | SUBLINGUAL | | | | | |
| Route of Administration | SUBLINGUAL | | | | | |

| Active Ingredient/Active Molety | | | | | |
|---|---------------------------------------|-----------------------|--|--|--|
| Ingredient Name | Basis of Strength | Strength | | | |
| PASSIFLORA INCARNATA FLOWERING TOP (UNII: CLF5YFS110) (PASSIFLORA INCARNATA FLOWERING TOP - UNII:CLF5YFS110) | PASSIFLORA INCARNATA FLOWERING TOP | 3 [hp_X] in 30 mL | | | |
| ARABICA COFFEE BEAN (UNII: 3SW678MX72) (ARABICA COFFEE BEAN - UNII:3SW678MX72) | ARABICA COFFEE BEAN | 10 [hp_X] in 30 mL | | | |
| MAGNESIUM (UNII: 138ZP9992A) (MAGNESIUM - UNII:138ZP9992A) | MAGNESIUM | 10 [hp_X] in 30 mL | | | |
| STRYCHNOS IGNATII SEED (UNII: 1NM3M2487K) (STRYCHNOS IGNATII SEED - UNII:1NM3M2487K) | STRYCHNOS IGNATII SEED | 8 [hp_X] in 30 mL | | | |
| IPOMOEA PURGA ROOT (UNII: 4UDO46YBK2) (IPOMOEA PURGA ROOT - UNII:4UDO46YBK2) | IPOMOEA PURGA ROOT | 8 [hp_X] in 30 mL | | | |
| PALLADIUM (UNII: 5TWQ1V240M) (PALLADIUM - UNII:5TWQ1V240M) | PALLADIUM | 10 [hp_X] in 30 mL | | | |
| TELLURIUM (UNII: NQA00090ZJ) (TELLURIUM - UNII:NQA00090ZJ) | TELLURIUM | 10 [hp_X] in 30 mL | | | |
| PHOSPHORIC ACID (UNII: E4GA8884NN) (PHOSPHORIC ACID - UNII:E4GA8884NN) | PHOSPHORIC ACID | 14 [hp_X] in 30 mL | | | |

| Strength | |
|------------------|--|
| 30 mL | |
| 14.94 g in 30 mL | |
| | |

Packaging

| # | ltem Code | Package Description | Marketing Start Date | Marketing End Date | | | |
|-----------------------|----------------------|--|-------------------------|-----------------------|--|--|--|
| 1 | NDC:52503- 1322-0 | 1 in 1 CARTON | 02/09/2015 | | | | |
| 1 | | 30 mL in 1 BOTTLE, GLASS; Type 0: Not a Combination Product | | | | | |
| | | | | | | | |
| Marketing Information | | | | | | | |
| Marketing Category | | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date | | | |
| | approved drug | | 02/09/2015 | | | | |
| στι | her | | | | | | |

Labeler - San'Up (401010287)

| Establishment | | | | | | |
|---------------|---------|-----------|----------------------------|--|--|--|
| Name | Address | ID/FEI | Business Operations | | | |
| San'Up | | 401010287 | manufacture(52503-1322) | | | |

Revised: 11/2021

San'Up