

ALEX MD PHD TINTED MINERAL SUNSCREEN- zinc oxide, titanium dioxide cream
PHYSICIAN LABORATORIES INC

Active Ingredient

Zinc Oxide, 20.2%
Titanium Dioxide, 6.8%

Purpose

Sunscreen

Uses

- Helps prevent sunburn
- If used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early

Warnings

- **For external use only**
- **Do not use on**damaged or broken skin.
- **When using this product**keep out of eyes. Rinse with water to remove.
- **Stop use and ask a doctor**if rash occurs.
- **Keep out of reach of children.**If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply liberally 15 minutes before sun exposure.
- Reapply:
 - After 80 minutes of swimmingor sweating.
 - Immediately after towel drying.
 - At least every 2 hours.
- Children under 6 months: Ask a doctor.
- Sun Protection Measures.

Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:

- Limit time in the sun, especially from 10am–2pm.
- Wear long-sleeved shirts, pants, hats, and sunglasses.


Inactive ingredients

Cyclopentasiloxane, Water/Aqua/Eau, Coco-Caprylate /Caprate, Isononyl Isononanoate, Polyglyceryl-3 Polydimethylsiloxyethyl Dimethicone, Glycerin, Disteardimonium Hectorite, Aluminum Hydroxide, Stearic Acid, Undaria Pinnatifida Extract, Triethoxysilylethyl Polydimethylsiloxyethyl Hexyl Dimethicone, Astrocaryum Tucuma Seed Butter, Butyrospermum Parkii (Shea) Butter, Theobroma Grandiflorum Seed Butter, Tetrahexyldecyl Ascorbate, Dunaliella Salina Extract, Bisabolol, Ubiquinone, Ergothioneine, Tremella Fuciformis Sporocarp Extract, Tocopheryl Acetate, Betaine, Lavandula Angustifolia (Lavender) Oil, Citrus Aurantium Dulcis (Orange) Peel Oil, Polyglyceryl-3 Diisostearate, PEG/PPG-18/18 Dimethicone, Caprylyl Glycol, Triethoxycaprylylsilane, Caprylhydroxamic Acid, Squalane, Polyglyceryl-3 Polyricinoleate, C12-15 Alkyl Benzoate, Disodium EDTA, Sodium Chloride, Phenoxyethanol, Ethylhexylglycerin, Iron Oxides (CI 77491, 77499, 77492)

Other information

Protect this product from excessive heat and direct sun.

Product label

<p>Drug Facts (continued)</p> <ul style="list-style-type: none"> -Limit time in the sun, especially from 10am–2pm. -Wear long-sleeved shirts, pants, hats, and sunglasses. <p>Inactive Ingredients Cyclopentasiloxane, Water/Aqua/Eau, Coco-Caprylate/Caprate, Isononyl Isononanoate, Polyglyceryl-3 Polydimethylsiloxyethyl Dimethicone, Glycerin, Distearidimonium Hectorite, Aluminum Hydroxide, Stearic Acid, Undaria Pinnatifida Extract, Triethoxysilylethyl Polydimethylsiloxyethyl Hexyl Dimethicone, Astrocarum Tucuma Seed Butter, Butyrospermum Parkii (Shea) Butter, Theobroma Grandiflorum Seed Butter, Tetrahexyldecyl Ascorbate, Dunaliella Salina Extract, Bisabolol, Ubiquinone, Ergothioneine, Tremella Fuciformis Sporocarp Extract, Tocopheryl Acetate, Betaine, Lavandula Angustifolia (Lavender) Oil, Citrus Aurantium Dulcis (Orange) Peel Oil, Polyglyceryl-3 Diisostearate, PEG/PPG-18/18 Dimethicone, Caprylyl Glycol, Triethoxycaprylylsilane, Caprylhydroxamic Acid, Squalane, Polyglyceryl-3 Polyricinoleate, C12-15 Alkyl Benzoate, Disodium EDTA, Sodium Chloride, Phenoxyethanol, Ethylhexylglycerin, Iron Oxides (CI 77491, 77499, 77492)</p>		<p>Never go unprotected. This antioxidant-rich formula delivers buildable coverage, clean hydration, and broad-spectrum SPF. For face or body.</p>	<p>Drug Facts</p> <p>Active Ingredients Zinc Oxide, 20.2% Titanium Dioxide, 6.8%</p> <p>Purpose: Sunscreen</p> <p>Uses -Helps prevent sunburn -If used as directed with other sun protection measures (see <i>Directions</i>), decreases the risk of skin cancer and early skin aging caused by the sun.</p> <p>Warnings -For external use only -Do not use on damaged or broken skin. -When using this product keep out of eyes. Rinse with water to remove. -Stop use and ask a doctor if rash occurs. -Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.</p> <p>Directions -Apply liberally 15 minutes before sun exposure. -Reapply: -After 80 minutes of swimming or sweating. -Immediately after towel drying. -At least every 2 hours. -Children under 6 months: Ask a doctor. -Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including: →</p>
<p>Other Information Protect this product from excessive heat and direct sun.</p> <p>MANUFACTURED FOR ALEX MD PHD IRVINE, CA 92618 877.228.4646 ALEXMDPHD.COM</p>	<p>DAILY DEFENSE TINTED MINERAL ANTI-AGING SUNSCREEN</p> <p>—</p> <p>BROAD SPECTRUM SPF 50+ WATER RESISTANT (80 MINUTES)</p> <p>net wt 2.3 oz - 65 g</p>	<p>Free of oxybenzone, parabens, dyes, gluten and drama. Anti-pollution formula.</p> <p>For all skin types.</p>	

ALEX MD PHD TINTED MINERAL SUNSCREEN

zinc oxide, titanium dioxide cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:78709-002
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC CATION - UNII:13S1S8SF37)	ZINC CATION	20.2 g in 100 g
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (CI 77891 - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	6.8 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
-----------------	----------

POLYGLYCERYL-3 PENTARICINOLEATE (UNII: 7Q0OK5DOT4)
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)
EDETATE DISODIUM (UNII: 7FLD91C86K)
SODIUM CHLORIDE (UNII: 451W47IQ8X)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)
FERRIC OXIDE RED (UNII: 1K09F3G675)
FERROSFERRIC OXIDE (UNII: XM0M87F357)
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)
ERGOTHIONEINE (UNII: BDZ3DQM98W)
TREMELLA FUCIFORMIS FRUITING BODY (UNII: GG8N28393G)
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)
BETAINE (UNII: 3SCV180C9W)
LAVENDER OIL (UNII: ZBP1YXW0H8)
ORANGE OIL, COLD PRESSED (UNII: AKN3KSD11B)
POLYGLYCERYL-3 DIISOSTEARATE (UNII: 46P231IQV8)
PEG/PPG-18/18 DIMETHICONE (UNII: 9H0AO7T794)
CAPRYLYL GLYCOL (UNII: 00YIU5438U)
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)
CAPRYLHYDROXAMIC ACID (UNII: UPY805K99W)
SQUALANE (UNII: GW89575KF9)
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)
WATER (UNII: 059QF0KO0R)
COCOYL CAPRYLOCAPRATE (UNII: 8D9H4QU99H)
ISONONYL ISONONANOATE (UNII: S4V5BS6GCX)
POLYGLYCERYL-3 POLYDIMETHYLSILOXYETHYL DIMETHICONE (4000 MPA.S) (UNII: RLA2U05Z4Q)
GLYCERIN (UNII: PDC6A3C0OX)
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)
STEARIC ACID (UNII: 4ELV7Z65AP)
UNDARIA PINNATIFIDA (UNII: ICV1OK7M1S)
TRIETHOXSILYLETHYL POLYDIMETHYLSILOXYETHYL HEXYL DIMETHICONE (UNII: X75PL53TZJ)
ASTROCARYUM VULGARE KERNEL OIL (UNII: 1IQY04O559)
SHEA BUTTER (UNII: K49155WL9Y)
THEOBROMA GRANDIFLORUM SEED BUTTER (UNII: I711F13FXM)
TETRAHEXYLDECYL ASCORBATE (UNII: 9LBV3F07AZ)
DUNALIELLA SALINA (UNII: F4O1DKI9A6)
LEVOMENOL (UNII: 24WE03BX2T)
UBIDECARENONE (UNII: EJ27X76M46)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:78709-002-01	1 in 1 CARTON	03/19/2025	
1		65 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	03/19/2025	

Labeler - PHYSICIAN LABORATORIES INC (078503839)

Revised: 3/2025

PHYSICIAN LABORATORIES INC