

PANAMA JACK SPF 4- octocrylene lotion
Prime Enterprises Inc.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Panama Jack 4 SPF 4 Sunscreen Lotion

Active Ingredients

Octocrylene 2%

Purpose

Sunscreen

Uses

- helps prevent sunburn

Warnings

Skin Cancer/Skin Aging Alert: Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to prevent sunburn, **not** skin cancer or early skin aging.

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

- apply liberally 15 minutes before sun exposure
- reapply:
- after 80 minutes of swimming or sweating
- immediately after towel drying
- at least every 2 hours
- children under 6 months: Ask a doctor

Inactive ingredients

Acrylates/C10-30 Alkyl Acrylate Crosspolymer, C12-15 Alkyl Benzoate, Camellia Sinensis (Green Tea) Leaf Extract, Carbomer, Cetyl Alcohol, Dimethicone, Disodium EDTA, Ethylhexylglycerin, Fragrance, Glyceryl Stearate, PEG-100 Stearate, Phenoxyethanol, Polyethylene, Propylene Glycol, Sodium Hydroxide, Stearyl Alcohol, Tocopheryl Acetate, Ubiquinone, Water, Xanthan Gum

Other information

- protect this product from excessive heat and direct sun
- avoid contact with fabrics - could cause discoloration

Questions or comments?

Call toll free 1-800-840-5225

Panama Jack 4 SPF 4 Sunscreen Lotion



Take your place in the sun and take us with you.
Panama Jack. For All Sunkind.™

- Reef-Friendly
- Cruelty Free
- PABA Free
- Gluten Free
- Paraben Free
- Retinyl Palmitate Free
- Octinoxate Free
- Oxybenzone Free

Drug Facts	
Active Ingredients Octocrylene 2%	Purpose Sunscreen
Uses • helps prevent sunburn	
Warnings Skin Cancer/Skin Aging Alert: Spending time in sun increases your risk of skin cancer and early skin aging. This product has been shown only to prevent sunburn, not skin cancer or early skin aging. For external use only Do not use on damaged or broken skin When using this product keep out of eyes. Rinse with water to remove. Stop use and ask a doctor if rash occurs Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.	
Directions • apply liberally 15 minutes before sun exposure • reapply: • after 80 minutes of swimming or sweating • immediately after towel drying • at least every 2 hours • children under 6 months: Ask a doctor	
Inactive ingredients Acrylates/C10-30 Alkyl Acrylate Crosspolymer, C12-15 Alkyl Benzoate, Camellia Sinensis (Green Tea) Leaf Extract, Carbomer, Cetyl Alcohol, Dimethicone, Disodium EDTA, Ethylhexylglycerin, Fragrance, Glyceryl Stearate, PEG-100 Stearate, Phenoxyethanol, Polyethylene, Propylene Glycol, Sodium Hydroxide, Stearyl Alcohol, Tocopheryl Acetate, Ubiquinone, Water, Xanthan Gum	
Other information • protect this product from excessive heat and direct sun • avoid contact with fabrics - could cause discoloration	
Questions or comments? Call toll free 1-800-840-5225	

0-45336-05104-3

Distributed by: Panama Jack, Inc. Orlando, FL 32801 www.panamajack.com
Made in USA from US and Imported ingredients.

PANAMA JACK SPF 4			
octocrylene lotion			
Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58 443-0 289
Route of Administration	TOPICAL		
Active Ingredient/Active Moiety			
Ingredient Name		Basis of Strength	Strength
OCTOCRYLENE (UNII: 5A68 WGF6 WM) (OCTOCRYLENE - UNII:5A68 WGF6 WM)		OCTOCRYLENE	19.12 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
CETYL ALCOHOL (UNII: 936JST6JCN)	
WATER (UNII: 059QF0KO0R)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	
STEARYL ALCOHOL (UNII: 2KR89I4H1Y)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
UBIDECARENONE (UNII: EJ27X76M46)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
XANTHAN GUM (UNII: TTV12P4NEE)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
HIGH DENSITY POLYETHYLENE (UNII: UG00KM4WR7)	
CARBOMER INTERPOLYMER TYPE A (ALLYL SUCROSE CROSSLINKED) (UNII: 59TL3WG5CO)	
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
GLYCERYL MONOSTEARATE (UNII: 230OU9XXE4)	
GREEN TEA LEAF (UNII: W2ZU1RY8B0)	
PEG-100 STEARATE (UNII: YD01N1999R)	
CARBOMER 980 (UNII: 4Q93RCW27E)	

Product Characteristics

Color	white	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58443-0289-4	177 mL in 1 BOTTLE; Type 0: Not a Combination Product	02/01/2019	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part352	02/01/2019	

Labeler - Prime Enterprises Inc. (101946028)

Registrant - Prime Enterprises Inc. (101946028)

Establishment

Name	Address	ID/FEI	Business Operations
Prime Enterprises Inc.		101946028	pack(58443-0289) , manufacture(58443-0289) , label(58443-0289) , analysis(58443-0289)

Revised: 1/2021

Prime Enterprises Inc.