

FS PEROX 50- hydrogen peroxide liquid
Genex Cooperative, Inc.

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

FS Perox 50

FS Perox 50

Hazard statement(s):

May be harmful if swallowed. May cause eye irritation.

Precautionary statement(s):

Do not eat, drink or smoke while using this product. Wear protective gloves, clothing, and eye and face protection.

Hazards not otherwise classified: None Known

First Aid:

External: Immediately flush skin with plenty of cool, running water for at least 15 minutes while removing contaminated clothing and shoes. Wash clothing before reuse.

Eyes: Immediately flush with plenty of cool, running water. Remove contact lenses; then continue flushing for at least 15 minutes, holding eyelids apart. Call a physician.

Internal: Call a physician immediately. If swallowed, do not induce vomiting. Rinse mouth, then immediately drink one or two large glasses of water or milk. Never give anything by mouth to an unconscious person.

Inhalation of vapors: Should not occur with proper use of this product

Most important symptoms/effects, acute and delayed: None Known

Immediate medical attention and special treatment needed, if any: None Known

IMPORTANT:

Do not mix Perox-50™ with any other teat spray, teat dip or other teat products.

Perox-50™ is not intended to cure or help the healing of chapped or irritated teats.

In case of teat irritation or chapping, have the condition examined.

Keep from freezing. If frozen, let thaw and shake thoroughly before using.

DIRECTIONS:

Pre-dipping: Just prior to milking - Dip, spray or foam teat with undiluted Perox 50™.

Cover to base of udder. Allow 15 - 30 seconds of contact time. Dry with a single service towel before attaching milking units. If using dip cups, replace solution if it becomes visibly dirty.

Post dipping: Immediately after milking - dip, spray or foam teat with undiluted Perox 50™. Cover to the base of the udder. Allow to air dry. If using dip cups, replace solution if it becomes visibly dirty. During cold weather, do not turn cows out until the teats are dry to prevent chapping and freezing. If necessary, wipe dry with single service towel.

FOR CHEMICAL EMERGENCIES

CALL CHEMTREC AT 800-424-9300

FS Perox 50



FS - PEROX 50™ SANITIZING TEAT DIP OR SPRAY

Active Ingredient: 0.5% Hydrogen Peroxide
Contains 5% Skin Emollients

DIRECTIONS:

Pre-dipping: Just prior to milking - Dip, spray or foam teat with undiluted Perox 50™. Cover to base of udder. Allow 15 – 30 seconds of contact time. Dry with a single service towel before attaching milking units. If using dip cups, replace solution if it becomes visibly dirty.

Post dipping: Immediately after milking - dip, spray or foam teat with undiluted Perox 50™. Cover to the base of the udder. Allow to air dry. If using dip cups, replace solution if it becomes visibly dirty. During cold weather, do not turn cows out until the teats are dry to prevent chapping and freezing. If necessary, wipe dry with single service towel.



Manufactured by:
ProActive Solutions® USA, LLC • 1-800-279-7761
301 Bridge St Green Bay, WI



FS - PEROX 50™ SANITIZING TEAT DIP OR SPRAY

Hazard statement(s):

May be harmful if swallowed. May cause eye irritation.

Precautionary statement(s):

Do not eat, drink or smoke while using this product. Wear protective gloves, clothing, and eye and face protection.

Hazards not otherwise classified: None Known

First Aid:

External: Immediately flush skin with plenty of cool, running water for at least 15 minutes while removing contaminated clothing and shoes. Wash clothing before reuse.

Eyes: Immediately flush with plenty of cool, running water. Remove contact lenses; then continue flushing for at least 15 minutes, holding eyelids apart. Call a physician.

Internal: Call a physician immediately. If swallowed, do not induce vomiting. Rinse mouth, then immediately drink one or two large glasses of water or milk. Never give anything by mouth to an unconscious person.

Inhalation of vapors: Should not occur with proper use of this product

Most important symptoms/effects, acute and delayed: None Known

Immediate medical attention and special treatment needed, if any: None Known

IMPORTANT:

Do not mix Perox-50™ with any other teat spray, teat dip or other teat products.

Perox-50™ is not intended to cure or help the healing of chapped or irritated teats.

In case of teat irritation or chapping, have the condition examined.

Keep from freezing. If frozen, let thaw and shake thoroughly before using.

**FOR CHEMICAL EMERGENCIES
CALL CHEMTREC AT 800-424-9300**

Manufactured For:
Farm Systems
58 Interstate Dr NW
Melrose, MN 56352



FS - PEROX 50™ SANITIZING TEAT DIP OR SPRAY

Active Ingredient: 0.5% Hydrogen Peroxide
Contains 5% Skin Emollients

DIRECTIONS:

Pre-dipping: Just prior to milking - Dip, spray or foam teat with undiluted Perox 50™. Cover to base of udder. Allow 15 – 30 seconds of contact time. Dry with a single service towel before attaching milking units. If using dip cups, replace solution if it becomes visibly dirty.

Post dipping: Immediately after milking - dip, spray or foam teat with undiluted Perox 50™. Cover to the base of the udder. Allow to air dry. If using dip cups, replace solution if it becomes visibly dirty. During cold weather, do not turn cows out until the teats are dry to prevent chapping and freezing. If necessary, wipe dry with single service towel.



Manufactured by:
ProActive Solutions® USA, LLC • 1-800-279-7761
301 Bridge St Green Bay, WI



FS - PEROX 50™ SANITIZING TEAT DIP OR SPRAY

Hazard statement(s):

May be harmful if swallowed. May cause eye irritation.

Precautionary statement(s):

Do not eat, drink or smoke while using this product. Wear protective gloves, clothing, and eye and face protection.

Hazards not otherwise classified: None Known

First Aid:

External: Immediately flush skin with plenty of cool, running water for at least 15 minutes while removing contaminated clothing and shoes. Wash clothing before reuse.

Eyes: Immediately flush with plenty of cool, running water. Remove contact lenses; then continue flushing for at least 15 minutes, holding eyelids apart. Call a physician.

Internal: Call a physician immediately. If swallowed, do not induce vomiting. Rinse mouth, then immediately drink one or two large glasses of water or milk. Never give anything by mouth to an unconscious person.

Inhalation of vapors: Should not occur with proper use of this product

Most important symptoms/effects, acute and delayed: None Known

Immediate medical attention and special treatment needed, if any: None Known

IMPORTANT:

Do not mix Perox-50™ with any other teat spray, teat dip or other teat products.

Perox-50™ is not intended to cure or help the healing of chapped or irritated teats.

In case of teat irritation or chapping, have the condition examined.

Keep from freezing. If frozen, let thaw and shake thoroughly before using.

**FOR CHEMICAL EMERGENCIES
CALL CHEMTREC AT 800-424-9300**

Manufactured For:
Farm Systems
58 Interstate Dr NW
Melrose, MN 56352



FS PEROX 50
hydrogen peroxide liquid

Product Information

Product Type	OTC ANIMAL DRUG	Item Code (Source)	NDC:86193-4672
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
HYDROGEN PEROXIDE (UNII: BBX060AN9V) (HYDROGEN PEROXIDE - UNII:BBX060AN9V)	HYDROGEN PEROXIDE	0.5 kg in 100 kg

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:86193-4672-1	1051.76 kg in 1 CONTAINER, FLEXIBLE INTERMEDIATE BULK		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		04/03/2024	

Labeler - Genex Cooperative, Inc. (003437378)

Registrant - ProActive Solutions USA, LLC (029368225)

Establishment

Name	Address	ID/FEI	Business Operations
ProActive Solutions USA, LLC		029368225	api manufacture, manufacture, label, pack

Establishment

Name	Address	ID/FEI	Business Operations
Genex Cooperative, Inc.		003437378	repack