

STOOL SOFTENER LAXATIVE- docusate sodium capsule, liquid filled

Major Pharmaceuticals

Drug Facts

Active ingredient (in each softgel)

Docusate sodium 250 mg

Purpose

Stool softener laxative

Uses

- relieves occasional constipation (irregularity)
- this product generally produces a bowel movement within 12 to 72 hours

Warnings

Do not use

if you are presently taking mineral oil, unless directed by a doctor.

Ask a doctor before use if you have

- stomach pain
- nausea
- vomiting
- noticed a sudden change in bowel habits that last over 2 weeks

Stop use and ask a doctor if

- you have rectal bleeding or fail to have a bowel movement after use of a laxative. These could be signs of a serious condition.
- you need to use a laxative for more than 1 week

If pregnant or breast-feeding

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

- adults and children 12 years of age and over: take 1 softgel daily or as directed by a doctor

- children under 12 years of age: ask a doctor

Other information

- **each softgel contains:** sodium 13 mg
- store between 20-25°C(68-77°F); excursions permitted between 15-30°C (59-86°F)

Inactive Ingredients

anhydrous citric acid, FD&C red #40, FD&C yellow #6, gelatin, glycerin, isopropyl alcohol, lecithin, mannitol, mineral oil, polyethylene glycol, propylene glycol, purified water, sorbitan, sorbitol, white ink

Questions or comments?

Call **1-877-753-3935** Monday-Friday 9AM-5PM EST

Principal Display Panel

Extra Strength

Docusate Sodium

docusate sodium 250 mg

Stool Softener Laxative

- stimulant-free
- relief of occasional constipation

Softgels

TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING.

Distributed by:

MAJOR PHARMACEUTICALS

Indianapolis, IN 46268

Product Label

MAJOR[®]

NDC 0904-7281-60

extra strength
docusate sodium


docusate sodium 250 mg

stool softener laxative

stimulant-free

relief of occasional constipation

100 softgels

actual size

TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING.

Drug Facts

Active ingredient (in each softgel)
Docusate sodium 250 mg..... Stool softener laxative

Uses ■ relieves occasional constipation (irregularity)
■ this product generally produces a bowel movement within 12 to 72 hours

Warnings
Do not use if you are presently taking mineral oil, unless directed by a doctor.
Ask a doctor before use if you have
■ stomach pain ■ nausea ■ vomiting
■ noticed a sudden change in bowel habits that lasts over 2 weeks

Stop use and ask a doctor if ■ you have rectal bleeding or fail to have a bowel movement after use of a laxative. These could be signs of a serious condition. ■ you need to use a laxative for more than 1 week

If pregnant or breast-feeding, ask a health professional before use.
Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.


Directions
■ adults and children 12 years of age and over: take 1 softgel daily or as directed by a doctor ■ children under 12 years of age: ask a doctor

Other information ■ each softgel contains: sodium 13 mg
■ store between 20-25°C (68-77°F); excursions permitted between 15-30°C (59-86°F)

Inactive ingredients anhydrous citric acid, FD&C red #40, FD&C yellow #6, gelatin, glycerin, isopropyl alcohol, lecithin, mannitol, mineral oil, polyethylene glycol, propylene glycol, purified water, sorbitan, sorbitol, white ink

Questions or comments?
Call 1-877-753-3835 Monday-Friday 9AM-5PM EST

Distributed by:
MAJOR[®] PHARMACEUTICALS
Indianapolis, IN 46268
(800) 616-2471
www.major-rugby.com
Product of China
Rev. 12/25
M-58
Re-order No. 701324
PLD-F727B
Lot No.: L8010767


3 09047128160 2
Exp. Date:

MAJOR Extra Strength Docusate Sodium

STOOL SOFTENER LAXATIVE			
docusate sodium capsule, liquid filled			
Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0904-7281
Route of Administration	ORAL		
Active Ingredient/Active Moiety			
Ingredient Name		Basis of Strength	Strength
DOCUSATE SODIUM (UNII: F05Q2T2JA0) (DOCUSATE - UNII:M7P27195AG)		DOCUSATE SODIUM	250 mg
Inactive Ingredients			
Ingredient Name			Strength
FD&C RED NO. 40 (UNII: WZB9127XOA)			
FD&C YELLOW NO. 6 (UNII: H77VEI93A8)			
GELATIN (UNII: 2G86QN327L)			
GLYCERIN (UNII: PDC6A3C0OX)			
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)			
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)			
WATER (UNII: 059QF0KO0R)			
SORBITOL (UNII: 506T60A25R)			
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)			
ISOPROPYL ALCOHOL (UNII: ND2M416302)			
LECITHIN, SOYBEAN (UNII: 1DI56QDM62)			
MANNITOL (UNII: 3OWL53L36A)			
MINERAL OIL (UNII: T5L8T28FGP)			
SORBITAN (UNII: 6O92ICV9RU)			
Product Characteristics			
Color	orange (Clear)	Score	no score

Shape		CAPSULE	Size		20mm
Flavor			Imprint Code		P4
Contains					
Packaging					
#	Item Code	Package Description		Marketing Start Date	Marketing End Date
1	NDC:0904-7281-80	1000 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		10/14/2022	
2	NDC:0904-7281-60	100 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		10/14/2022	
Marketing Information					
Marketing Category		Application Number or Monograph Citation		Marketing Start Date	Marketing End Date
OTC Monograph Drug		M007		10/14/2022	

Labeler -
Major Pharmaceuticals (191427277)