

**HYUNDAI MOOLPAS F - methyl salicylate solution**  
**Scott Holdings Co., Ltd.**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**Drug Facts**

methyl salicylate

camphor, menthol, chlorphenol acetate, glycyrrhetic acid

- antiinflammatory analgesic of the following symptoms: sprain, contusion, myosalgia, backache, shoulder discomfort, neuralgia, rheumathritis- pernio

keep out or reach of the children

apply to the affected area once to several times a day

avoid contact with eyes, if this product splashes in to your eyes, wash immediately with water

for external use only

전문약품 제조회, 사용기한, 원료약품 및 그 분량 성상, 효능·효과, 용법·용량, 저장방법, 사용상의 주의사항 7pt 나머지 6pt 행간 8.5pt 바코드 32mm\*22mm

현대  
**몰파스<sup>®</sup>**  
에프

일반의약품

ccm

K-Inno  
Pharm

현대  
**몰파스<sup>®</sup>**  
에프

신경통  
88mL  
타박상  
근육통

[COMPOSITION] Each 100mL contains  
Methyl salicylic acid ..... 3.0g  
dl-camphor ..... 8.0g  
l-menthol ..... 7.0g  
Chlorpheniramine maleate .... 0.1g  
Tocopherol acetate ..... 0.1g  
Glycyrrhetic acid ..... 0.05g

【성상】  
특이한 향이 있는 무색 액제

【효능·효과】  
1) 다음 증상의 소염(항염)·진통: 뱀, 타박상, 근육통, 요통(허리통증), 어깨결림, 신경통, 류마티스통증  
2) 동창(인상체)

【용법·용량】  
1일 1~수회(여러 차례) 환부(질한 부위)에 적당량을 바른다.

【포장단위】 88mL

【저장방법】  
기밀용기, 실온(1~30°C)보관

【제조사】 현대약품주식회사  
충청남도 천안시 동남구 풍세면 전대리길 55

현대  
**몰파스<sup>®</sup>**  
에프

일반의약품

New

현대  
**몰파스<sup>®</sup>**  
에프

피부보습제 토코페롤 함유

근육통  
신경통  
타박상

88mL

현대약품(주)  
www.hyundaipharm.co.kr

제조번호/사용기한

DIC182,  
DIC156

\* 사용하시기 전에 첨부된 사용설명서를 자세히 읽어 주십시오.

UP

\* 세워서 보관하세요!  
서 보관할 경우 액이 흘러  
내릴 수 있습니다.

“사용하시기 전에 첨부된 사용설명서를  
자세히 읽어 주십시오.”

**피부보습제  
토코페롤  
함유**

【사용상의 주의사항】  
1. 다음 환자(부위)에는 투여하지 말 것.  
1) 30개월 이하의 유아  
2) 눈주위, 잠막 등  
3) 습진, 욕 등에 의한 피부염, 상처부위  
2. 다음 환자에는 신중히 투여할 것.  
1) 지금까지 약이나 화장품 등에 의한 알레르기 증상을 들면 발진·발적(종혈되어 붉어짐), 가려움, 붓 등에 의한 피부염 등이 나타난 적이 있는 환자  
2) 본인 또는 가족이 알레르기 체질인 환자  
3) 습윤습기 참이나 미려(뺨무름)이 심한 환자  
4) 의사의 치료를 받고 있는 환자  
5) 소화경련을 유발할 수 있다  
3. 부작용, 4. 일반적 주의, 5. 적용상의 주의, 6. 저장상의 주의사항등 자세한 내용은 “첨부문서 참조

\* 기름이 묻은 부위에 사용하시면 스펀지가 파손될 수 있습니다.  
\* 액이 잘 나오지 않으면 톱톡 두드리면서 사용하십시오.  
\* 사용 후 후정을 닦아 주십시오. 방치하시면 스펀지가 파손될 수 있습니다.

QR CODE

(01)08806420012829

700025-201312

\* 2종구조의 이중 코팅 리브를  
21Y48629 長 量Y8629용Y 8629.

일반의약품

**HYUNDAI  
MOOLPAS-F**

2종구조의 튼튼한 강화스핀지 적용  
새로운 2종구조의 강화스핀지를 적용하여, 내용물을 전부 사용할 때까지 파손되지 않습니다.

비타민D(토코페롤) 성분 보강  
비타민D(토코페롤) 성분을 보강하여 피부자극감을 억제하고, 피부 보습적용과 보호 기능이 우수합니다.

누액방지 안전캡 적용  
누액방지 안전캡을 적용하여, 내용물이 밖으로 흐르지 않습니다. 최초 사용시 스펀지의 중앙부분을 '톡' 소리나게 눌러 주십시오.  
\* 누액: 밀폐된 용기 속의 액체가 새는 일 또는 그 액체.



37mm

50mm

37mm

50mm

methyl salicylate solution

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:68994-1001
<b>Route of Administration</b>	TRANSDERMAL		

### Active Ingredient/Active Moiety

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
METHYL SALICYLATE (UNII: LAV5U5022Y) (SALICYLIC ACID - UNII:O414PZ4LPZ)	METHYL SALICYLATE	3 g in 100 mL

### Inactive Ingredients

<b>Ingredient Name</b>	<b>Strength</b>
MENTHOL (UNII: L7T10EIP3A)	
CAMPHOR (SYNTHETIC) (UNII: 5TJD82A1ET)	
CHLORPHENIRAMINE MALEATE (UNII: V1Q0O9OJ9Z)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	

### Packaging

<b>#</b>	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:68994-1001-1	88 mL in 1 BOTTLE		

### Marketing Information

<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
OTC monograph not final	part348	05/16/2014	

**Labeler** - Scott Holdings Co., Ltd. (689665651)

**Registrant** - Scott Holdings Co., Ltd. (689665651)

### Establishment

<b>Name</b>	<b>Address</b>	<b>ID/FEI</b>	<b>Business Operations</b>
Hyundai Pharmaceutical Co., Ltd.		687874958	manufacture(68994-1001)

Revised: 5/2014

Scott Holdings Co., Ltd.