

**FETE HEALTH HAIR REGROWTH TREATMENT FOR WOMEN- minoxidil solution**  
**Honest Pharma LLC**

-----  
**Fete Health Hair Regrowth Treatment for Women**

***Drug Facts***

***Active ingredients***

Minoxidil 2%

***Purpose***

Hair regrowth treatment

***Uses***

Use to regrow hair on the scalp (vertex only, see picture on side of carton)

***Warnings***

**For external use only**

**Flammable:** keep away from fire or flame

**Do not use if:**

- your amount of hair loss is different than that shown on the side of this carton, because this product may not work for you
- you have no family history of hair loss
- your hair loss is sudden and/or patchy
- your hair loss is associated with childbirth
- you do not know the reason for your hair loss
- you are under 18 years of age. Do not use on babies and children
- your scalp is red, inflamed, irritated or painful
- you use other medicines on the scalp

**Ask a doctor before use if you have**

heart disease

**When using this product**

- do not apply on other parts of the body
- avoid contact with the eyes. In case of accidental contact, rinse eyes with large amounts of cool tap water
- some people have experienced changes in hair color and/or texture
- it takes time to regrow hair. Results may occur at 2 months with twice a day usage. For some women, you may need to use this product for at least 4 months before

you see results.

- the amount of hair regrowth is different for each person. This product will not work for all women.

**Stop use and ask doctor if**

- chest pain, rapid heartbeat, faintness, or dizziness occurs
- sudden, unexplained weight gain occurs
- your hands or feet swell
- scalp irritation or redness occurs
- unwanted facial hair growth occurs
- you do not see hair regrowth in 4 months

**May be harmful if used when pregnant or breast-feeding.**

**Keep out of the reach of children.**

If swallowed, get medical help or contact a Poison Control Center right away.

***Directions***

- apply one mL with dropper 2 times a day directly onto the scalp in the hair loss area
- using more or more often will not improve results
- continued use is necessary to increase and keep your hair regrowth, or hair loss will begin again

***Other information***

- see hair loss pictures on side of this carton
- before use, read all information on carton and enclosed leaflet
- keep the carton. It contains important information.
- In clinical studies of mostly white women aged 18-45 years with mild to moderate degrees of hair loss, the following response to 2% minoxidil topical solution was reported: 19% of women reported moderate hair regrowth after using 2% minoxidil topical solution for 8 months (19% had moderate regrowth; 40% had minimal regrowth). This compares with 7% of women reporting moderate hair regrowth after using placebo, the liquid without minoxidil in it, for 8 months (7% had moderate regrowth; 33% had minimal regrowth).
- store at USP controlled room temperature 200 to 250C (680 to 770F)

***Inactive ingredients***

Alcohol, Propylene Glycol, Purified Water

***Questions or Comments?***

Call **1-866-344-5645** or visit website at [honestpharma.com](http://honestpharma.com)

**Package Labeling:**

2.5568"

**Drug Facts**

**Active Ingredients** Minoxidil 2% w/v **Purpose** Hair regrowth treatment

**Uses** Use to regrow hair on the scalp (vertex only, see picture on side of carton)

**Warnings**

**For external use only**

**Flammable:** Keep away from fire or flame

**Do not use if:** ■ your amount of hair loss is different than that shown on the side of this carton, because this product may not work for you ■ you have no family history of hair loss ■ your hair loss is sudden and/or patchy ■ your hair loss is associated with childbirth ■ you do not know the reason for your hair loss ■ you are under 18 years of age. Do not use on babies and children ■ your scalp is red, inflamed, irritated or painful ■ you use other medicines on the scalp

**Ask a doctor before use if you have heart disease**

**When using this product** ■ do not apply on other parts of the body ■ avoid contact with the eyes. In case of accidental contact, rinse eyes with large amounts of cool tap water ■ some people have experienced changes in hair color and/or texture ■ it takes time to regrow hair. Results may occur at 2 months with twice a day usage. For some women, you may need to use this product for at least 4 months before you see results. ■ the amount of hair regrowth is different for each person. This product will not work for all women.

**Stop use and ask doctor if** ■ chest pain, rapid heartbeat, faintness, or dizziness occurs ■ sudden, unexplained weight gain occurs ■ your hands or feet swell ■ scalp irritation or redness occurs ■ unwanted facial hair growth occurs ■ you do not see hair regrowth in 4 months

**May be harmful if used when pregnant or breast-feeding. Keep out of the reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions** ■ apply one mL with dropper 2 times a day directly onto the scalp in the hair loss area ■ using more or more often will not improve results ■ continued use is necessary to increase and keep your hair regrowth, or hair loss will begin again

Made in USA  
Distributed By: Honest Pharma LLC  
55 Progress Place, Jackson, New Jersey, 08527

Label Part #00001  
Rev, Date 12-23-25

Lot No:  
Expiration:



NDC XXXXX-XXX-XX

**Drug Facts (continued)**

**Other information** ■ see hair loss pictures on side of this carton ■ before use, read all information on carton and enclosed leaflet ■ keep the carton. It contains important information. ■ In clinical studies of mostly white women aged 18-45 years with mild to moderate degrees of hair loss, the following response to 2% minoxidil topical solution was reported: 19% of women reported moderate hair regrowth after using 2% minoxidil topical solution for 8 months (19% had moderate regrowth; 40% had minimal regrowth). This compares with 7% of women reporting moderate hair regrowth after using placebo, the liquid without minoxidil in it, for 8 months (7% had moderate regrowth; 33% had minimal regrowth). ■ store at USP controlled room temperature 20° to 25°C (68° to 77°F)

**Inactive ingredients** Alcohol, Propylene Glycol, Purified Water

**Questions or Comments?**  
Call 1-866-344-5645 or visit website at honestpharma.com

This package contains:  
One 60 mL (2 fl oz)  
Bottle of Hair  
Regrowth Treatment  
for Women  
(one-month supply).



With child-resistant  
dropper applicator.

Information leaflet with  
complete directions on how  
to use and obtain best results.  
(Read enclosed leaflet  
before use.)

**HAIR REGROWTH  
TREATMENT FOR WOMEN**

2% MINOXIDIL TOPICAL SOLUTION, USP.



**HAIR REGROWTH  
TREATMENT FOR WOMEN**

2% MINOXIDIL TOPICAL SOLUTION, USP.

REACTIVATES HAIR FOLLICLES. CLINICALLY  
PROVEN TO HELP REGROW HAIR.  
UNSCENTED

**30 DAY SUPPLY - ONE 60ML (2 FL. OZ.) BOTTLE**

**HAIR  
REGROWTH  
TREATMENT  
FOR WOMEN**

2% MINOXIDIL TOPICAL  
SOLUTION, USP.

Minoxidil Topical Solution 2% is for women who have a general thinning of hair on the top of the scalp (vertex only, as shown below). Minoxidil Topical Solution 2% has been shown to regrow hair in women with the following degrees of thinning hair of hair loss.



IF WOMEN HAVE MORE HAIR  
LOSS THAN SHOWN ABOVE,  
MINOXIDIL TOPICAL SOLUTION  
2% MAY NOT WORK.



Do not use if you have patchy  
hair loss as shown above.

**For Best Results:  
Apply Directly to Scalp.  
Use Twice Daily.**



**fete** HEALTH

**HAIR REGROWTH  
TREATMENT** FOR WOMEN

**2% MINOXIDIL TOPICAL  
SOLUTION, USP.**

REACTIVATES HAIR FOLLICLES.  
CLINICALLY PROVEN TO HELP  
REGROW HAIR.  
UNSCENTED

30 DAY SUPPLY • 60ML (2 FL. OZ.) BOTTLE

**Read and keep carton and [leaflet for full  
product information**

**Active Ingredients** Minoxidil 2% w/v  
**Warnings**

**For external use only**

**Flammable:** Keep away from fire or flame.

**Do not use if:** ■ you have no family history of hair loss ■ your hair loss is sudden and/or patchy ■ your hair loss is associated with childbirth ■ you do not know the reason for your hair loss ■ you are under 18 years of age. Do not use on babies and children. ■ your scalp is red, inflamed, infected, irritated, or painful ■ you use other medicines on the scalp. **Ask a doctor before use if you have** heart disease.

**When using this product** ■ do not apply on other parts of the body

■ avoid contact with the eyes. In case of accidental contact, rinse eyes with large amounts of cool tap water.

■ some people have experienced changes in hair color and/or texture

Distributed By: Honest Pharma LLC,  
55 Progress Place  
Jackson, New Jersey, 08527  
NDC XXXXX-XXX-XX

**Stop use and ask doctor if** ■ chest pain, rapid heartbeat, faintness, or dizziness occurs ■ sudden, unexplained weight gain occurs ■ your hands or feet swell ■ scalp irritation or redness occurs ■ unwanted facial hair growth occurs **May be harmful if used when pregnant or breast-feeding. Keep out of the reach of children.**

If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

■ apply one mL 2 times a day directly onto the scalp in the hair loss area

■ see inner carton and enclosed leaflet for complete directions ■ using more or more often will not improve results ■ continued use is necessary or hair loss will begin again

**Other information** store at controlled room temperature 20° to 25°C (68° to 77°F)

**Inactive ingredients** Alcohol, Propylene Glycol, Purified Water

**Questions?** Call 1-866-344-5645 or visit website at [www.honestpharma.com](http://www.honestpharma.com)

Label Part #00001

Rev. Date 12-23-25

Lot No:

Expiration:

2.5"

**Save this leaflet for future reference.**

- Hair regrowth treatment
- Previously available only by prescription

Over 30 million American women experience hair thinning or hair loss, so you're not alone. Hair Regrowth Treatment for Women contains the only ingredient that is medically proven effective to help regrow hair in women.

Please read this leaflet carefully. It will help you understand how to use Hair Regrowth Treatment for Women and what to expect from its use. If you have any questions after reading this leaflet, or anytime while using Hair Regrowth Treatment for Women, you should ask your health care professional or call 1-866-344-5645. You can also visit our website at honestpharma.com.

**What is Hair Regrowth Treatment for Women?**

Hair Regrowth Treatment for Women is a colorless liquid medication for use only on the top of the scalp to help regrow hair.

**Who may use Hair Regrowth Treatment for Women?**

Hair Regrowth Treatment for Women may be appropriate for you if you are an adult who is at least 18 years old and experiencing gradually thinning hair or gradual hair loss on the top of the head. The common hereditary thinning or hair loss process begins slowly

2.5"

(iron; excessive vitamin A intake), the recently discontinued use of birth control pills, low thyroid states (hypothyroidism), chemotherapy, or diseases which cause scarring of the scalp.

Also, Hair Regrowth Treatment for Women will not improve hair loss due to:

- damage from the use of hair care products which cause scarring or deep burns of the scalp.
- hair grooming methods such as cornrowing or ponytails which require pulling the hair tightly back from the scalp.

Do not use Hair Regrowth Treatment for Women if hair loss is patchy as shown below.



**You should ask your doctor if you are unsure of the cause of your hair loss**

**Will Hair Regrowth Treatment for Women work for me?**  
The amount of hair regrowth is different for each person. Not everyone will respond to Hair Regrowth Treatment


2.5"

19% of women reported moderate hair regrowth after using Hair Regrowth Treatment for Women 2% for 8 months (19% had moderate regrowth; 40% had minimal regrowth). This compares with 7% of women reporting moderate hair regrowth after using the placebo, the liquid without minoxidil in it, for 8 months (7% had moderate regrowth; 33% had minimal regrowth).

**What Minimal, Moderate and Dense Hair Regrowth Will Mean for You?**

	Number of Hairs	Hair Density
<b>Minimal</b>	Some new hairs are seen, but not enough to cover thinning areas.	Hairs in thinning areas do not grow as closely together as hairs on the rest of the head.
<b>Moderate</b>	New hairs cover some or all of the thinning areas.	Hairs in thinning areas grow more closely together but are not as close together as hairs on the rest of the head.
<b>Dense</b>	New hairs cover, or almost completely cover, thinning areas.	Hairs in thinning areas grow as closely together as hairs on the rest of the head.

2.5" (Front Panel)



**fete** HEALTH

**HAIR REGROWTH TREATMENT FOR WOMEN**

**2% MINOXIDIL TOPICAL SOLUTION, USP.**

REACTIVATES HAIR FOLLICLES.  
CLINICALLY PROVEN TO HELP REGROW HAIR.  
UNSCENTED

and may become noticeable only after years of gradual loss.

Hair Regrowth Treatment for Women is for general thinning of hair on the top of the scalp as shown in the illustration below. Hair Regrowth Treatment for Women has been shown to regrow hair in women with the degrees of hair loss shown. If women have more hair loss than shown, Hair Regrowth Treatment for Women may not work.

Many of those experiencing hair loss have other family members with gradual thinning hair or hair loss. **If there is no family history of gradual thinning or gradual hair loss, or hair loss is patchy, talk to your doctor.**




**Who should NOT use Hair Regrowth Treatment for Women?**

Hair Regrowth Treatment for Women will not prevent or improve hair loss related to pregnancy, the use of some prescription and non-prescription medications, certain severe nutritional problems (very low body

for Women. The response to Hair Regrowth Treatment for Women cannot be predicted. No one will be able to grow back all their hair. In clinical studies of mostly white women aged 18-45 years with mild to moderate degrees of hair loss, the following response to Hair Regrowth Treatment for Women 2% was reported:

**Female Response to Minoxidil Topical Solution 2%**  
Percent reporting hair growth



**Can Hair Regrowth Treatment for Women be used to prevent hair loss?**

We do not know if Hair Regrowth Treatment for Women will prevent hair loss.

**How soon can I expect results from using Hair Regrowth Treatment for Women?**

Since normal hair usually grows only 1/2 to 1 inch per month, hair regrowth with Hair Regrowth Treatment for Women also takes time. Generally new hair growth is slow for a Hair Regrowth Treatment for Women user. Continued use of 2 times a day for at least 4 months is usually needed before you notice hair regrowth. If you do not see hair regrowth in 4 months, stop using Hair Regrowth Treatment for Women and see your doctor.

When you first begin to use Hair Regrowth Treatment for Women, your hair loss may continue for up to 2 weeks. This hair loss is temporary. If you continue to lose hair after two weeks, see your doctor.

**If Hair Regrowth Treatment for Women is working, what will the hair look like?**

At first, hair growth may be soft, downy, colorless hairs. After further use, the new hairs should be the same color and thickness as the other hairs on your scalp.

**How long do I need to use Hair Regrowth Treatment for Women?**

If you respond to Hair Regrowth Treatment for Women, you need to use it 2 times a day to keep and continue the hair regrowth. Up to 8 months of usage may be needed to see your best results from Hair Regrowth Treatment for Women.

**What happens if I completely stop using Hair Regrowth Treatment for Women? Will I keep the new hair?**

Continuous use of Hair Regrowth Treatment for Women is needed to maintain hair regrowth. If you stop using Hair Regrowth Treatment for Women, the normal hair loss process will start again. You will probably lose your newly regrown hair in two to four months.

**What is the dosage of Hair Regrowth Treatment for Women?**

You should apply a dose (1 mL) of Hair Regrowth Treatment for Women directly onto scalp in the hair loss area **TWO TIMES A DAY**; for example, once in the morning and once at night. Each bottle should last about one month, if used as directed. Please, refer to the "Directions for Use" section of the leaflet.

**What if I miss a dose or forget to use Hair Regrowth Treatment for Women?**

If you miss one or two daily doses of Hair Regrowth Treatment for Women, just continue with your next dose. You should not make up for missed doses.

(Back Panel)

**Can I use Hair Regrowth Treatment for Women more than two times a day? Will it work faster, better?**  
No. Hair Regrowth Treatment for Women will not work faster or better if used more than two times a day. Studies have been carefully conducted to determine the correct amount of Hair Regrowth Treatment for Women 2% needed to get the best results. More frequent use or larger doses have not been shown to speed up hair growth and may increase your chance of side effects.

**What are the most common side effects with Hair Regrowth Treatment for Women?**

The most common side effects are itching and other skin irritations of the treated area of the scalp. Hair Regrowth Treatment for Women contains alcohol, which would cause burning or irritation of the eyes or sensitive skin areas. If Hair Regrowth Treatment for Women accidentally gets into these areas, rinse with large amounts of cool tap water. Contact your doctor if irritation persists.

**What kind of shampoo should I use with Hair Regrowth Treatment for Women?**

If you wash your scalp before applying Hair Regrowth Treatment for Women, use a mild shampoo.

**Can I use hair sprays, mousses, conditioners, gels, etc.?**

Yes. There is no reason to change your usual hair care

**Can Women's Hair Regrowth Treatment for Women produce unwanted hair?**

Although unwanted hair growth has been reported on the face and on other parts of the body, such reports have been infrequent. The unwanted hair growth may be caused by the transfer of Hair Regrowth Treatment for Women to areas other than the scalp, or by absorption into the circulatory system of low levels of the active ingredient, or by a medical condition not related to the use of Hair Regrowth Treatment for Women.

If you experience unwanted hair, discontinue using Hair Regrowth Treatment for Women and see your doctor for recommendations about appropriate treatment. After stopping use of Hair Regrowth Treatment for Women, the unwanted hair, if caused by the use of Hair Regrowth Treatment for Women, should go away over time.

You can take steps to decrease the chances for unwanted hair growth:

1. limit the application of Hair Regrowth Treatment for Women only to the scalp,
2. if you use your hands to apply Hair Regrowth Treatment for Women, wash your hands thoroughly afterwards, and
3. allow sufficient drying time (usually 2 to 4 hours before going to bed) after your nighttime application of Hair Regrowth Treatment for Women.

**When using this product**

- do not apply on other parts of the body
- avoid contact with the eyes. In case of accidental contact, rinse eyes with large amounts of cool tap water.
- some people have experienced changes in hair color and/or texture
- it takes time to regrow hair. You may need to use this product 2 times a day for at least 4 months before you see results.
- the amount of hair regrowth is different for each person. This product will not work for everyone.

**Stop use and ask a doctor if**

- chest pain, rapid heartbeat, faintness, or dizziness occurs
- sudden, unexplained weight gain occurs
- your hands or feet swell
- scalp irritation or redness occurs
- unwanted facial hair growth occurs
- you do not see hair regrowth in 4 months

**Directions for Use**

1. Remove the inner cap. To remove, push down and turn in direction of the arrows on the cap.
2. Part your hair in the area of hair thinning/loss. Follow the instructions below for using the dropper applicator and apply one mL **2 times a day** directly onto the scalp in the hair loss area. Do not use more. Spread the liquid evenly over the hair loss area. If you use your fingers, wash hands with soap and water immediately. Each bottle should last about one month, if used as directed. Use a mild shampoo if you wash your scalp before applying Hair Regrowth Treatment for Women.

**Using the Dropper Applicator**

1. Squeeze the rubber bulb and insert the dropper into the bottle. Release the bulb, allowing the dropper to fill to the 1 mL line. If the level of the solution is above the 1 mL line, squeeze the extra amount back into the bottle.
2. Next, place the tip of the dropper near the part of the scalp you want to treat and gently squeeze the bulb to gradually release the solution. To prevent the solution from running off the scalp, apply a small amount at a time.
3. After each use attach the dropper to the bottle to make it child-resistant by turning it clockwise until tightly closed.



routine when using Hair Regrowth Treatment for Women. However, you should apply Hair Regrowth Treatment for Women first and wait for it to dry before applying your styling aids.

**Can I have my hair colored or permed or use hair relaxers while using Hair Regrowth Treatment for Women?**

Yes. We have no information that these treatments change the effect of Hair Regrowth Treatment for Women. However, to avoid possible scalp irritation, you should make sure all of the Hair Regrowth Treatment for Women has been washed off the hair and scalp before using these chemicals.

**Can I apply Hair Regrowth Treatment for Women and wash my hair an hour later?**

No. For Hair Regrowth Treatment for Women to work best, you should allow Hair Regrowth Treatment for Women to remain on the scalp for about 4 hours before washing.

**Can I go swimming or out in the rain?**

Yes. Avoid washing off the Hair Regrowth Treatment for Women. If possible, apply Hair Regrowth Treatment for Women to a dry scalp after swimming, or wait about 4 hours after application before going swimming. Do not let your scalp get wet from the rain after applying Hair Regrowth Treatment for Women.

**Can I use Women's Hair Regrowth Treatment for Women for baldness or hair loss in babies and children?**

No. Hair Regrowth Treatment for Women must not be used to treat baldness or hair loss in babies or children.

**Are there any special warnings about the use of Hair Regrowth Treatment for Women?**

**For external use only**  
**Flammable: Keep away from fire or flame**

**Do not use if**

- your degree of hair loss is more than that shown in the illustration on page 1 of this leaflet, because this product may not work for you
- you have no family history of hair loss
- your hair loss is sudden and/or patchy
- your hair loss is associated with childbirth
- you do not know the reason for your hair loss
- you are under 18 years of age. Do not use on babies and children.
- your scalp is red, inflamed, infected, irritated, or painful
- you use other medicines on the scalp

**Ask a doctor before use if you have heart disease.**

**May be harmful if used when pregnant or breast-feeding.**

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**What factors may increase the risk of serious side effects with Women's Hair Regrowth Treatment for Women?**

Hair Regrowth Treatment for Women should be applied only to the scalp. The risk of side effects may be greater when Hair Regrowth Treatment for Women is applied to other parts of the body.

If you have any other questions, ask your health care professional or call 1-866-344-5645. You can also visit our website at honestpharma.com.

**Store at Controlled Room Temperature 20° to 25° C (68° to 77° F).**

Save this leaflet for future reference.

Label part #00001  
Label rev. date 12-23-20

# FETE HEALTH HAIR REGROWTH TREATMENT FOR WOMEN

minoxidil solution

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:87412-981
<b>Route of Administration</b>	TOPICAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>MINOXIDIL</b> (UNII: 5965120SH1) (MINOXIDIL - UNII:5965120SH1)	MINOXIDIL	20 mg in 1 mL

## Inactive Ingredients

Ingredient Name	Strength
<b>ALCOHOL</b> (UNII: 3K9958V90M)	
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	
<b>WATER</b> (UNII: 059QF0KO0R)	

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:87412-981-00	1 in 1 BOX	01/05/2026	
1		60 mL in 1 BOTTLE, DROPPER; Type 0: Not a Combination Product		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA078176	01/05/2026	

**Labeler** - Honest Pharma LLC (144922252)**Registrant** - Pure Source, LLC (080354456)

Revised: 2/2026

Honest Pharma LLC