

LIDOCAINE MENTHOL PAIN RELIEF- lidocaine, menthol patch
Amerisource Bergen

Lidocaine Menthol Pain Relief

Drug Facts

Lidocaine 4% Topical Anesthetic

Menthol 1% Topical Anesthetic

Topical Anesthetic

USES

Temporary relief of minor pain

WARNINGS

- For External use only. Use only as directed.
- Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.
- More than one patch on your body at a time
- On cut, irritated or swollen skin
- On puncture wounds
- For more than one week without consulting a doctor
- If you are allergic to any active or inactive ingredients
- If pouch is damaged or opened.

If pregnant or breast feeding

- Contact a physician prior to use.

WHEN USING:

- Use only as directed
- Read and follow all directions and warnings on this carton
- Do not allow contact with the eyes
- Do not use at the same time as other topical analgesics
- Do not bandage tightly or apply local heat (such as heating pads) to the area of use
- Do not microwave
- Dispose of used patch in manner that always keeps product away from children and pets. Used patches still contain

the drug product that can produce serious adverse effects if a child or pet chews or ingests this patch.

Stop use and consult a doctor if

- Condition worsens
- Redness is present
- Irritation develops
- Symptoms persist for more than 7 days or clear up and occur again within a few days
- You experience signs of skin injury, such as pain, swelling or blistering where the product was applied.

DIRECTIONS Adults and children 12 years of age and over:

Clean and dry affected area. Carefully remove backing from patch starting at a corner. Apply sticky side of patch to affected area. Use one patch for up to 12 hours. Discard after single use. Children under 12 years of age: consult a physician.

INACTIVE INGREDIENTS

aluminum glycinate, glycerin, kaolin, methylparaben, polyacrylic acid, polysorbate 80, propylene glycol, propylparaben, PVP, sodium polyacrylate, tartaric acid, titanium dioxide, water

Store in a clean, dry place outside of direct sunlight. Protect from excessive moisture.

Lidocaine + Menthol Patch

TOLL-FREE

Customer Care Help Line
866-326-1313
Mon-Fri 8:30 am-4:30 pm CST

DIST. BY
AmerisourceBergen
1300 Morris Drive
Chesterbrook, PA 19087
www.mygnp.com



LIDOCAINE MENTHOL PAIN RELIEF

lidocaine, menthol patch

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:46122-574
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LIDOCAINE (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE	4 g in 100 g
MENTHOL, UNSPECIFIED FORM (UNII: L7T10EIP3A) (MENTHOL - UNII:L7T10EIP3A)	MENTHOL, UNSPECIFIED FORM	1 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
DIHYDROXYALUMINUM AMINOACETATE ANHYDROUS (UNII: 1K713C615K)	
GLYCERIN (UNII: PDC6A3C0OX)	
KAOLIN (UNII: 24H4NWX5CO)	
METHYLPARABEN (UNII: A2I8C7HI9T)	

POLYACRYLIC ACID (250000 MW) (UNII: 9G2MAD7J6W)	
POLYSORBATE 80 (UNII: 6OZP39ZG8H)	
PROPYLENE GLYCOL 1-(2-METHYLBUTYRATE) (UNII: 9Q5W5G6461)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
POVIDONE, UNSPECIFIED (UNII: FZ989GH94E)	
SODIUM POLYACRYLATE (2500000 MW) (UNII: 05I15JN12J)	
TARTARIC ACID (UNII: W4888I119H)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
WATER (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:46122-574-21	5 in 1 POUCH	07/01/2018	
1		8 g in 1 PATCH; Type 2: Prefilled Drug Delivery Device/System (syringe, patch, etc.)		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	07/01/2018	

Labeler - Amerisource Bergen (007914906)

Establishment

Name	Address	ID/FEI	Business Operations
Foshan Aqua Gel Biotech Co.,Ltd.		529128763	manufacture(46122-574)

Revised: 12/2025

Amerisource Bergen