LIDOCAINE MENTHOL PAIN RELIEF- lidocaine, menthol patch Amerisource Bergen

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Lidocaine Menthol Pain Relief

Drug Facts

Lidocaine 4% Topical Anesthetic Menthol 1% Topical Anesthetic Topical Anesthetic

USES

Temporary relief of minor pain

WARNINGS

- For External use only. Use only as directed.
- Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.
- More than one patch on your body at a time
- On cut, irritated or swollen skin
- On puncture wounds
- For more than one week without consulting a doctor
- If you are allergic to any active or inactive ingredients
- If pouch is damaged or opened.

If pregnant or breast feeding

• Contact a physician prior to use.

WHEN USING:

- Use only as directed
- Read and follow all directions and warnings on this carton
- Do not allow contact with the eyes
- Do not use at the same time as other topical analgesics
- Do not bandage tightly or apply local heat (such as heating pads) to the area of use

- Do not microwave
- Dispose of used patch in manner that always keeps product away from children and pets. Used patches still contain

the drug product that can produce serious adverse effects if a child or pet chews or ingests this patch.

Stop use and consult a doctor if

- Condition worsens
- Redness is present
- Irritation develops
- Symptoms persist for more than 7 days or clear up and occur again within a few days
- You experience signs of skin injury, such as pain, swelling or blistering where the product was applied.

DIRECTIONS Adults and children 12 years of age and over:

Clean and dry affected area. Carefully remove backing from patch starting at a corner. Apply sticky side

of patch to affected area. Use one patch for up to 12 hours. Discard after single use. Children under 12 years of age: consult a physician.

INACTIVE INGREDIENTS

aluminum glycinate, glycerin, kaolin, methylparaben, polyacrylic acid, polysorbate 80, propylene glycol,

propylparaben, PVP, sodium polyacrylate, tartaric acid, titanium dioxide, water


Store in a clean, dry place outside of direct sunlight. Protect from excessive moisture.

Lidocaine + Menthol Patch

TOLL-FREE

Customer Care Help Line 866-326-1313 Mon-Fri 8:30 am-4:30 pm CST

DIST. BY AmerisourceBergen 1300 Morris Drive Chesterbrook, PA 19087 www.mygnp.com



LIDOCAINE MENTHOL PAIN RELIEF

lidocaine, menthol patch

| Product Information | | | |
|-------------------------|----------------|--------------------|---------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:46122-574 |
| Route of Administration | TOPICAL | | |

| Active Ingredient/Active Moiety | | | | |
|--|---------------------------|-----------------|--|--|
| Ingredient Name | Basis of Strength | Strength | | |
| LIDOCAINE (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987) | LIDOCAINE | 4 g in 100 g | | |
| MENTHOL, UNSPECIFIED FORM (UNII: L7T10EIP3A) (MENTHOL - UNII:L7T10EIP3A) | MENTHOL, UNSPECIFIED FORM | 1 g in 100 g | | |

| Inactive Ingredients | | |
|---|----------|--|
| Ingredient Name | Strength | |
| DIHYDROXYALUMINUM AMINOACETATE ANHYDROUS (UNII: 1K713C615K) | | |
| GLYCERIN (UNII: PDC6A3C0OX) | | |
| KAOLIN (UNII: 24H4NWX5CO) | | |
| METHYLPARABEN (UNII: A2I8C7HI9T) | | |

| POLYACRYLIC ACID (250000 MW) (UNII: 9G2MAD7J6W) | |
|--|--|
| POLYSORBATE 80 (UNII: 6OZP39ZG8H) | |
| PROPYLENE GLYCOL 1-(2-METHYLBUTYRATE) (UNII: 9Q5W5G6461) | |
| PROPYLPARABEN (UNII: Z8IX2SC1OH) | |
| POVIDONE, UNSPECIFIED (UNII: FZ 989GH94E) | |
| SODIUM POLYACRYLATE (2500000 MW) (UNII: 05115JN12J) | |
| TARTARIC ACID (UNII: W4888I119H) | |
| TITANIUM DIOXIDE (UNII: 15FIX9V2JP) | |
| WATER (UNII: 059QF0KO0R) | |

| P | Packaging | | | | |
|---|----------------------|--|-------------------------|-----------------------|--|
| # | Item Code | Package Description | Marketing Start Date | Marketing End Date | |
| 1 | NDC:46122- 574-21 | 5 in 1 POUCH | 07/01/2018 | | |
| 1 | | 8 g in 1 PATCH; Type 2: Prefilled Drug Delivery Device/System (syringe, patch, etc.) | | | |

| Marketing Information | | | |
|-------------------------|---|-------------------------|-----------------------|
| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
| OTC monograph not final | part348 | 07/01/2018 | |
| | | | |

Labeler - Amerisource Bergen (007914906)

| Establishment | | | | |
|----------------------------------|---------|-----------|----------------------------|--|
| Name | Address | ID/FEI | Business Operations | |
| Foshan Agua Gel Biotech Co.,Ltd. | | 529128763 | manufacture(46122-574) | |

Revised: 12/2022 Amerisource Bergen