

**ADAPTAGEN- aralia quinquefolia, avena sativa, capsicum annuum, ginkgo biloba, glycyrrhiza glabra, hydrocotyle asiatica, thiaminum hydrochloricum, ascorbicum acidum, riboflavinum, glandula suprarenalis suis, spleen (suis), thyroidinum (suis), cuprum gluconate, iodium, ledum palustre, molybdenum metallicum, natrum carbonicum, phosphoricum acidum, picricum acidum, selenium metallicum, sepia, vanadium metallicum, adenosinum triphosphoricum dinatrum liquid**

**BioActive Nutritional, Inc.**

*Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.*

-----

**Drug Facts:**

**ACTIVE INGREDIENTS:**

Aralia Quinquefolia 3X, Avena Sativa 3X, Capsicum Annuum 3X, Ginkgo Biloba 3X, Glycyrrhiza Glabra 3X, Hydrocotyle Asiatica 3X, Thiaminum Hydrochloricum 4X, Ascorbicum Acidum 6X, Riboflavinum 6X, Glandula Suprarenalis Suis 8X, Spleen (Suis) 8X, Thyroidinum (Suis) 8X, Cuprum Gluconate 12X, Iodium 12X, Ledum Palustre 12X, Molybdenum Metallicum 12X, Natrum Carbonicum 12X, Phosphoricum Acidum 12X, Picricum Acidum 12X, Selenium Metallicum 12X, Sepia 12X, Vanadium Metallicum 12X, Adenosinum Triphosphoricum Dinatrum 30X.

**INDICATIONS:**

For temporary relief of tiredness, weakness, general fatigue, exhaustion, and weakness of memory.

**WARNINGS:**

**If pregnant or breast-feeding**, ask a health care professional before use.

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away.

Do not use if tamper evident seal is broken or missing.

Store in cool, dry place.

**KEEP OUT OF REACH OF CHILDREN:**

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away.

**DIRECTIONS:**

10 drops orally, 3 times a day. Consult a physician for use in children under 12 years of age.

**INDICATIONS:**

For temporary relief of tiredness, weakness, general fatigue, exhaustion, and weakness of memory.

**INACTIVE INGREDIENTS:**

Demineralized Water, 25% Ethanol.

## QUESTIONS:

Distributed by:  
BioActive Nutritional, Inc.  
1803 N. Wickham Rd.  
Melbourne, FL 32935  
bioactivenutritional.com

## PACKAGE LABEL DISPLAY:

**BIOActive Nutritional**

**ADAPTAGEN**

**HOMEOPATHIC**

**1 FL OZ (30 ml)**



**WARNINGS:** If pregnant or breast-feeding, ask a health care professional before use. **Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away. Do not use if tamper evident seal is broken or missing. Store in a cool, dry place.

### LOT:

Distributed by:  
BioActive Nutritional, Inc.  
1803 N. Wickham Rd.  
Melbourne, FL 32935  
bioactivenutritional.com

## ADAPTAGEN

### HOMEOPATHIC

#### ACTIVE INGREDIENTS:

Aralia Quin 3X, Avena 3X, Capsicum 3X, Ginkgo 3X, Glycyrrhiza 3X, Hydrocotyle 3X, Thiaminum Hydrochloricum 4X, Ascorbic Ac 6X, Riboflavinum 6X, Glandula Suprarenalis Suis 8X, Spleen 8X, Thyroidinum 8X, Copper Gluconate 12X, Iodium 12X, Ledum 12X, Molybdenum 12X, Nat Carb 12X, Phosphoricum Ac 12X, Picricum Ac 12X, Selenium 12X, Sepia 12X, Vanadium 12X, ATP 30X.

#### INACTIVE INGREDIENTS:

DeminerIALIZED Water, 25% Ethanol

**1 FL OZ (30 ml)**

#### INDICATIONS:

For temporary relief of tiredness, weakness, general fatigue, exhaustion, and weakness of memory.

#### DIRECTIONS:

10 drops orally, 3 times a day. Consult a physician for use in children under 12 years of age.

## ADAPTAGEN

aralia quinquefolia, avena sativa, capsicum annuum, ginkgo biloba, glycyrrhiza glabra, hydrocotyle asiatica, thiaminum hydrochloricum, ascorbicum acidum, riboflavinum, glandula suprarenalis suis, spleen (suis), thyroidinum (suis), cuprum gluconate, iodium, ledum palustre, molybdenum metallicum, natrum carbonicum, phosphoricum acidum, picricum acidum, selenium metallicum, sepia, vanadium metallicum, adenosinum triphosphoricum dinatrum liquid

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:43857-0506
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
AMERICAN GINSENG (UNII: 8W75VCV53Q) (AMERICAN GINSENG -	AMERICAN GINSENG	3 [hp_X]

UNII:8W75VCV53Q)	AMERICAN GINSENG	in 1 mL
<b>AVENA SATIVA FLOWERING TOP</b> (UNII: MA9CQJ3F7F) (AVENA SATIVA FLOWERING TOP - UNII:MA9CQJ3F7F)	AVENA SATIVA FLOWERING TOP	3 [hp_X] in 1 mL
<b>CAPSICUM</b> (UNII: 00UK7646FG) (CAPSICUM - UNII:00UK7646FG)	CAPSICUM	3 [hp_X] in 1 mL
<b>GINKGO</b> (UNII: 19FUJ2C58T) (GINKGO - UNII:19FUJ2C58T)	GINKGO	3 [hp_X] in 1 mL
<b>GLYCYRRHIZA GLABRA</b> (UNII: 2788Z9758H) (GLYCYRRHIZA GLABRA - UNII:2788Z9758H)	GLYCYRRHIZA GLABRA	3 [hp_X] in 1 mL
<b>CENTELLA ASIATICA</b> (UNII: 7M867G6T1U) (CENTELLA ASIATICA - UNII:7M867G6T1U)	CENTELLA ASIATICA	3 [hp_X] in 1 mL
<b>THIAMINE HYDROCHLORIDE</b> (UNII: M572600E5P) (THIAMINE ION - UNII:4ABT0J945J)	THIAMINE HYDROCHLORIDE	4 [hp_X] in 1 mL
<b>ASCORBIC ACID</b> (UNII: PQ6CK8PD0R) (ASCORBIC ACID - UNII:PQ6CK8PD0R)	ASCORBIC ACID	6 [hp_X] in 1 mL
<b>RIBOFLAVIN</b> (UNII: TLM2976OFR) (RIBOFLAVIN - UNII:TLM2976OFR)	RIBOFLAVIN	6 [hp_X] in 1 mL
<b>SUS SCROFA ADRENAL GLAND</b> (UNII: 398IYQ16YV) (SUS SCROFA ADRENAL GLAND - UNII:398IYQ16YV)	SUS SCROFA ADRENAL GLAND	8 [hp_X] in 1 mL
<b>SUS SCROFA SPLEEN</b> (UNII: 92AMN5J79Y) (SUS SCROFA SPLEEN - UNII:92AMN5J79Y)	SUS SCROFA SPLEEN	8 [hp_X] in 1 mL
<b>SUS SCROFA THYROID</b> (UNII: 6RV024OAUQ) (SUS SCROFA THYROID - UNII:6RV024OAUQ)	SUS SCROFA THYROID	8 [hp_X] in 1 mL
<b>COPPER GLUCONATE</b> (UNII: RV823G6G67) (CUPRIC CATION - UNII:8CBV67279L)	CUPRIC CATION	12 [hp_X] in 1 mL
<b>IODINE</b> (UNII: 9679TC07X4) (IODINE - UNII:9679TC07X4)	IODINE	12 [hp_X] in 1 mL
<b>LEDUM PALUSTRE TWIG</b> (UNII: 877L01IZ0P) (LEDUM PALUSTRE TWIG - UNII:877L01IZ0P)	LEDUM PALUSTRE TWIG	12 [hp_X] in 1 mL
<b>MOLYBDENUM</b> (UNII: 81AH48963U) (MOLYBDENUM - UNII:81AH48963U)	MOLYBDENUM	12 [hp_X] in 1 mL
<b>SODIUM CARBONATE</b> (UNII: 45P3261C7T) (CARBONATE ION - UNII:7UJQ50PE7D)	SODIUM CARBONATE	12 [hp_X] in 1 mL
<b>PHOSPHORIC ACID</b> (UNII: E4GA8884NN) (PHOSPHORIC ACID - UNII:E4GA8884NN)	PHOSPHORIC ACID	12 [hp_X] in 1 mL
<b>PICRIC ACID</b> (UNII: A49OS0F91S) (PICRIC ACID - UNII:A49OS0F91S)	PICRIC ACID	12 [hp_X] in 1 mL
<b>SELENIUM</b> (UNII: H6241UJ22B) (SELENIUM - UNII:H6241UJ22B)	SELENIUM	12 [hp_X] in 1 mL
<b>SEPIA OFFICINALIS JUICE</b> (UNII: QDL83WN8C2) (SEPIA OFFICINALIS JUICE - UNII:QDL83WN8C2)	SEPIA OFFICINALIS JUICE	12 [hp_X] in 1 mL
<b>VANADIUM</b> (UNII: 00J9J9XKDE) (VANADIUM - UNII:00J9J9XKDE)	VANADIUM	12 [hp_X] in 1 mL
<b>ADENOSINE TRIPHOSPHATE DISODIUM</b> (UNII: 5L51B4DR1G) (ADENOSINE TRIPHOSPHATE - UNII:8L70Q75FXE)	ADENOSINE TRIPHOSPHATE DISODIUM	30 [hp_X] in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>WATER</b> (UNII: 059QF0K00R)	
<b>ALCOHOL</b> (UNII: 3K9958V90M)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
	NDC:42857	30 mL in 1 BOTTLE, DROPPER; Type 0; Not a Combination		

1	NDC 43857-0506-1	30 mL III BOTTLE, DROPPER; Type 0: Not a Combination Product	02/08/2019	
<b>Marketing Information</b>				
<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>		<b>Marketing Start Date</b>	<b>Marketing End Date</b>
unapproved homeopathic			02/08/2019	

**Labeler** - BioActive Nutritional, Inc. (624980496)

**Registrant** - Apotheca Company (844330915)

**Establishment**

Name	Address	ID/FEI	Business Operations
Apotheca Company		844330915	manufacture(43857-0506) , api manufacture(43857-0506) , label(43857-0506) , pack(43857-0506)

Revised: 2/2019

BioActive Nutritional, Inc.