

**EASY CARE FIRST AID DIPHENHYDRAMINE- diphenhydramine hydrochloride tablet, film coated**

**Tender Corporation**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**Easy Care First Aid Ibuprofen**

***Drug Facts***

***Active ingredient (in each caplet)***

Diphenhydramine Hydrochloride 25 mg

***Purpose***

Antihistamine

***Uses***

**Temporarily relieves these symptoms due to hay fever or other respiratory allergies**

- runny nose
- sneezing
- itching nose or throat
- itchy-watery eyes

**Temporarily relieves these symptoms due to the common cold**

- runny nose
- sneezing

***Warnings***

**Do not use**

- to make a child sleepy
- with any other product containing diphenhydramine, even one that is used on skin.

**Ask a doctor before use if you have**

- a breathing problem such as emphysema or chronic bronchitis
- difficulty in urination due to enlargement of the prostate gland
- glaucoma

**Ask a doctor or pharmacist before use if you are**

- taking sedatives or tranquilizers

**When using this product**

- marked drowsiness may occur
- avoid alcohol beverages
- alcohol, sedatives and tranquilizers may increase the drowsiness effect
- use caution when driving a motor vehicle or operating machinery
- excitability may occur, especially in children

**If pregnant or breast feeding,**

ask a health professional before use.

**Keep out of the reach of children.**

In case of overdose, contact a physician or poison control center immediately.

***Directions***

- **do not use more than directed**

**Adults and children: (12 years and older)**

Take 1 to 2 caplets every 4 to 6 hours as needed. Do not take more than 12 caplets in 24 hours, or as directed by a doctor.

**Children under 12 years:**

Do not give to children under 12 years of age.

***Other information***

- each caplet may contain: calcium 25mg
- protect from light
- use by expiration date on packet
- store at room temperature 59°-86°F (15°-30°C)
- tamper-evident sealed packets
- do not use any opened or torn packets

***Inactive ingredients***

carnauba wax\*, colloidal silicon dioxide, croscarmellose sodium, D&C red #27, dicalcium phosphate\*, hypromellose, lactose\*, magnesium stearate, microcrystalline cellulose, polyethylene glycol, polysorbate 80\*, titanium dioxide

\* *may contain*

**Easy Care First Aid Diphenhydramine**

1 Caplet

Made in USA

See card for complete product information



# Diphenhydramine

1 Caplet

Made in USA

**Active ingredient (in each caplet) Purpose**  
Diphenhydramine HCl 25mg.....Antihistamine

**Uses** Temporarily relieves these symptoms due to hay fever or other respiratory allergies

- runny nose
- sneezing
- itching nose or throat
- itchy watery eyes

Temporarily relieves these symptoms due to the common cold ■ runny nose ■ sneezing

## Warnings

### Do not use

- to make a child sleepy
- with any other product containing diphenhydramine, even one that is used on skin

### Ask a doctor before use if you have

- a breathing problem such as emphysema or chronic bronchitis
- glaucoma
- difficulty in urination due to enlargement of the prostate gland

Store at 59°-86°F (15°-30°C) • Tamper-evident sealed packets • Do not use any opened or torn packets

Mfd. for Tender Corp • Littleton, NH 03561

## Warnings (continued)

Ask a doctor or pharmacist before use if you are ■ taking sedatives or tranquilizers

### When using this product

- marked drowsiness may occur
- avoid alcohol beverages
- alcohol, sedatives and tranquilizers may increase the drowsiness effect
- use caution when driving a motor vehicle or operating machinery
- excitability may occur, especially in children

If pregnant or breast-feeding, ask a health professional before use.

Keep out of the reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

## Directions ■ do not use more than directed

### Adults and children: (12 years and older)

Take 1 to 2 caplets every 4 or 6 hours as needed. Do not take more than 12 caplets in 24 hours, or as directed by a doctor.

### Children under 12 years:

Do not give to children under 12 years of age.

SEE CARD FOR COMPLETE PRODUCT INFORMATION  
item# 5010-0180

## EASY CARE FIRST AID DIPHENHYDRAMINE

diphenhydramine hydrochloride tablet, film coated

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:44224-0017
Route of Administration	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DIPHENHYDRAMINE HYDROCHLORIDE (UNII: TC2D6JAD40) (DIPHENHYDRAMINE - UNII:8GTS82S83M)	DIPHENHYDRAMINE HYDROCHLORIDE	25 mg

### Inactive Ingredients

Ingredient Name	Strength
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)	
CROSCARMELOSE SODIUM (UNII: M28OL1HH48)	
D&C RED NO. 27 (UNII: 2LRS185U6K)	
HYPROMELLOSES (UNII: 3NXW29V3WO)	

<b>LACTOSE</b> (UNII: J2B2A4N98G)	
<b>MAGNESIUM STEARATE</b> (UNII: 70097M6I30)	
<b>POLYETHYLENE GLYCOL, UNSPECIFIED</b> (UNII: 3WJQ0SDW1A)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	

### Product Characteristics

<b>Color</b>	pink (pink)	<b>Score</b>	no score
<b>Shape</b>	OVAL (OVAL)	<b>Size</b>	11mm
<b>Flavor</b>		<b>Imprint Code</b>	048;D
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:44224-0017-2	50 in 1 BOX	01/01/2012	
1		1 in 1 PACKET; Type 0: Not a Combination Product		
2	NDC:44224-0017-1	1 in 1 PACKET; Type 0: Not a Combination Product	01/01/2012	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part341	01/01/2012	

**Labeler** - Tender Corporation (064437304)

Revised: 10/2019

Tender Corporation